

Appendix K2
Construction Noise

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
1	M1a	M1a	72.8	74.4	57.5	72.9	0.1	0.0	74.5	63.3	73.3	0.5	0.0	74.8	66.8	73.8	1.0	0.0	75.3	67.8	74.0	1.2	0.0	75.5	66.8	73.8	1.0	0.0	75.3	66.4	73.7	0.9	0.0	75.2	66.0	73.6	0.8	0.0	75.2
1	M2a	M2a	70.3	72.9	89.2	89.3	18.9	YES	91.8	87.6	87.7	17.3	YES	90.3	87.6	87.7	17.3	YES	90.3	87.6	87.7	17.3	YES	90.3	87.5	87.6	17.2	YES	90.2	87.5	87.6	17.2	YES	90.2	87.5	87.6	17.2	YES	90.2
1	M3	M3																																					
1	M4	M4																																					
1	M5	M5	64.4	66.3	58.2	65.3	0.9	0.0	67.2	60.1	65.8	1.4	0.0	67.7	60.6	65.9	1.5	0.0	67.8	61.8	66.3	1.9	0.0	68.2	60.5	65.9	1.5	0.0	67.8	59.9	65.7	1.3	0.0	67.6	59.9	65.7	1.3	0.0	67.6
1	M5a	M5a	66.2	69.5	58.6	66.9	0.7	0.0	70.2	60.4	67.2	1.0	0.0	70.5	60.9	67.3	1.1	0.0	70.6	61.9	67.6	1.4	0.0	70.8	60.7	67.3	1.1	0.0	70.6	60.1	67.2	0.9	0.0	70.4	60.1	67.2	0.9	0.0	70.4
1	M6	M6	60.3	62.7	58.2	62.4	2.1	0.0	64.8	59.9	63.1	2.8	0.0	65.6	60.5	63.4	3.1	0.0	65.9	61.4	63.9	3.6	0.0	66.3	60.4	63.4	3.1	0.0	65.8	59.7	63.0	2.7	0.0	65.5	59.7	63.0	2.7	0.0	65.5
1	M7	M7	76.0	79.7	56.3	76.0	0.0	0.0	79.7	58.1	76.1	0.1	0.0	79.8	58.6	76.1	0.1	0.0	79.8	59.6	76.1	0.1	0.0	79.8	58.3	76.1	0.1	0.0	79.8	57.8	76.1	0.1	0.0	79.8	57.8	76.1	0.1	0.0	79.8
1	M8	M8	65.1	68.2	53.6	65.4	0.3	0.0	68.5	60.6	66.4	1.3	0.0	69.5	60.2	66.3	1.2	0.0	69.4	61.6	66.7	1.6	0.0	69.8	61.2	66.6	1.5	0.0	69.7	61.1	66.6	1.5	0.0	69.7	61.1	66.6	1.5	0.0	69.7
1	M9	M9	66.4	69.5	32.5	66.4	0.0	0.0	69.5	34.8	66.4	0.0	0.0	69.5	39.6	66.4	0.0	0.0	69.5	40.0	66.4	0.0	0.0	69.5	40.2	66.4	0.0	0.0	69.5	38.8	66.4	0.0	0.0	69.5	38.1	66.4	0.0	0.0	69.5
1	M10	M10	63.3	65.1	41.3	63.3	0.0	0.0	65.1	67.6	69.0	5.7	YES	70.8	67.6	69.0	5.7	YES	70.8	60.0	64.9	1.7	0.0	66.7	59.2	64.7	1.4	0.0	66.5	55.5	63.9	0.7	0.0	65.7	42.8	63.3	0.0	0.0	65.1
1	M11	M11	65.1	67.2	54.7	65.5	0.4	0.0	67.5	58.7	66.0	0.9	0.0	68.1	58.7	66.0	0.9	0.0	68.1	60.0	66.3	1.2	0.0	68.3	62.8	67.1	2.0	0.0	69.2	55.0	65.5	0.4	0.0	67.6	52.4	65.4	0.2	0.0	67.4
1	1	1	75.0	76.6	84.9	85.3	10.3	YES	86.9	84.9	85.3	10.3	YES	86.9	84.9	85.3	10.3	YES	86.9	84.9	85.3	10.3	YES	86.9	84.9	85.3	10.3	YES	86.9	84.9	85.3	10.3	YES	86.9	84.9	85.3	10.3	YES	86.9
1	2	2																																					
1	3	3																																					
1	4	4																																					
1	5	5																																					
1	6	6	70.0	72.6	57.9	70.3	0.3	0.0	72.9	90.1	90.1	20.1	YES	92.7	90.1	90.1	20.1	YES	92.7	90.1	90.1	20.1	YES	92.7	68.5	72.4	2.3	0.0	74.9	58.2	70.3	0.3	0.0	72.9	57.7	70.3	0.2	0.0	72.9
1	7	7																																					
1	8	8G	66.7	68.3	54.1	66.9	0.2	0.0	68.5	51.1	66.8	0.1	0.0	68.4	64.9	68.9	2.2	0.0	70.5	64.7	68.8	2.1	0.0	70.4	65.8	69.3	2.6	0.0	70.8	63.8	68.5	1.8	0.0	70.1	63.1	68.3	1.6	0.0	69.8
2	8	8G	67.4	69.0	55.7	67.7	0.3	0.0	69.2	52.4	67.5	0.1	0.0	69.1	65.3	69.5	2.1	0.0	71.0	65.4	69.5	2.1	0.0	71.1	66.7	70.1	2.7	0.0	71.6	64.8	69.3	1.9	0.0	70.9	64.0	69.0	1.6	0.0	70.6
3	8	8G	68.2	69.8	58.3	68.6	0.4	0.0	70.2	54.5	68.4	0.2	0.0	69.9	68.6	71.4	3.2	YES	73.0	66.2	70.3	2.1	0.0	71.9	67.6	70.9	2.7	0.0	72.5	65.7	70.1	1.9	0.0	71.7	64.7	69.8	1.6	0.0	71.4
4	8	8G	68.9	70.5	58.9	69.3	0.4	0.0	70.9	54.6	69.0	0.2	0.0	70.6	69.4	72.2	3.3	YES	73.7	66.8	71.0	2.1	0.0	72.5	68.5	71.7	2.8	0.0	73.3	67.1	71.1	2.2	0.0	72.7	66.2	70.8	1.9	0.0	72.3
5	8	8G	69.5	71.1	58.9	69.9	0.4	0.0	71.4	54.8	69.6	0.1	0.0	71.2	69.4	72.5	3.0	0.0	74.0	67.3	71.5	2.1	0.0	73.1	69.9	72.7	3.2	YES	74.3	68.9	72.2	2.7	0.0	73.8	68.2	71.9	2.4	0.0	73.5
6	8	8G	69.7	71.3	59.0	70.0	0.4	0.0	71.6	54.9	69.8	0.1	0.0	71.4	69.5	72.6	2.9	0.0	74.2	68.1	72.0	2.3	0.0	73.5	70.4	73.1	3.4	YES	74.6	69.1	72.4	2.7	0.0	74.0	68.5	72.1	2.5	0.0	73.7
7	8	8G	69.8	71.4	59.1	70.1	0.4	0.0	71.7	55.2	69.9	0.1	0.0	71.5	69.5	72.7	2.9	0.0	74.2	69.4	72.6	2.8	0.0	74.2	71.2	73.6	3.8	YES	75.1	69.2	72.5	2.7	0.0	74.1	68.5	72.2	2.4	0.0	73.8
8	8	8G	69.8	71.4	59.2	70.2	0.4	0.0	71.7	55.4	69.9	0.2	0.0	71.5	69.5	72.7	2.9	0.0	74.2	69.6	72.7	2.9	0.0	74.3	71.3	73.6	3.8	YES	75.2	69.3	72.6	2.8	0.0	74.1	68.6	72.2	2.5	0.0	73.8
9	8	8G	69.8	71.4	59.2	70.2	0.4	0.0	71.7	55.6	70.0	0.2	0.0	71.5	69.5	72.7	2.9	0.0	74.2	69.8	72.8	3.0	YES	74.4	71.4	73.7	3.9	YES	75.2	69.4	72.6	2.8	0.0	74.2	68.6	72.2	2.5	0.0	73.8
10	8	8G	69.7	71.3	59.3	70.1	0.4	0.0	71.6	55.8	69.9	0.2	0.0	71.4	69.5	72.6	2.9	0.0	74.2	69.9	72.8	3.1	YES	74.4	71.5	73.7	4.0	YES	75.3	69.6	72.7	3.0	0.0	74.2	68.6	72.2	2.5	0.0	73.7
11	8	8G	69.7	71.3	59.4	70.1	0.4	0.0	71.6	56.4	69.9	0.2	0.0	71.4	69.5	72.6	2.9	0.0	74.2	70.0	72.9	3.2	YES	74.4	71.5	73.7	4.0	YES	75.3	69.5	72.6	2.9	0.0	74.2	68.6	72.2	2.5	0.0	73.7
12	8	8G	69.6	71.2	59.5	70.0	0.4	0.0	71.6	56.6	69.8	0.2	0.0	71.4	69.6	72.6	3.0	YES	74.2	70.0	72.8	3.2	YES	74.4	71.4	73.6	4.0	YES	75.2	69.5	72.6	3.0	0.0	74.1	68.6	72.1	2.5	0.0	73.7
13	8	8G	69.5	71.1	59.5	69.9	0.4	0.0	71.5	56.7	69.7	0.2	0.0	71.3	69.6	72.6	3.1	YES	74.1	70.0	72.8	3.3	YES	74.3	71.4	73.6	4.1	YES	75.1	69.5	72.5	3.0	YES	74.1	68.5	72.0	2.5	0.0	73.6
14	8	8G	69.4	71.0	59.5	69.8	0.4	0.0	71.4	56.9	69.6	0.2	0.0	71.2	69.6	72.5	3.1	YES	74.1	70.0	72.7	3.3	YES	74.3	71.3	73.5	4.1	YES	75.0	69.4	72.4	3.0	YES	74.0	68.5	72.0	2.6	0.0	73.5
15	8	8G	69.3	70.9	59.4	69.7	0.4	0.0	71.3	56.9	69.5	0.2	0.0	71.1	69.8	72.6	3.3	YES	74.1	70.1	72.7	3.4	YES	74.3	71.2	73.4	4.1	YES	74.9	69.									

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
3	8	8C	66.7	68.3	61.5	67.8	1.1	0.0	69.4	54.6	67.0	0.3	0.0	68.5	69.3	71.2	4.5	YES	72.8	64.0	68.6	1.9	0.0	70.1	66.9	69.8	3.1	YES	71.4	65.0	68.9	2.2	0.0	70.5	64.1	68.6	1.9	0.0	70.2
4	8	8C	67.3	68.9	61.7	68.3	1.1	0.0	69.9	54.6	67.5	0.2	0.0	69.1	69.7	71.7	4.4	YES	73.2	64.0	69.0	1.7	0.0	70.5	67.5	70.4	3.1	YES	72.0	65.9	69.7	2.4	0.0	71.2	64.8	69.2	1.9	0.0	70.8
5	8	8C	67.9	69.5	61.7	68.8	0.9	0.0	70.4	54.6	68.1	0.2	0.0	69.6	69.8	72.0	4.1	YES	73.5	64.6	69.6	1.7	0.0	71.1	68.5	71.2	3.3	YES	72.8	67.0	70.5	2.6	0.0	72.0	66.2	70.1	2.2	0.0	71.7
6	8	8C	68.2	69.8	61.7	69.1	0.9	0.0	70.6	54.6	68.4	0.2	0.0	69.9	69.8	72.1	3.9	YES	73.6	65.6	70.1	1.9	0.0	71.7	69.1	71.7	3.5	YES	73.2	67.5	70.9	2.7	0.0	72.4	66.8	70.6	2.4	0.0	72.1
7	8	8C	68.4	70.0	61.7	69.2	0.8	0.0	70.8	54.7	68.6	0.2	0.0	70.1	69.8	72.2	3.8	YES	73.7	67.2	70.8	2.5	0.0	72.4	70.0	72.3	3.9	YES	73.8	67.7	71.1	2.7	0.0	72.6	66.8	70.7	2.3	0.0	72.2
8	8	8C	68.4	70.0	61.8	69.3	0.9	0.0	70.8	54.8	68.6	0.2	0.0	70.1	69.8	72.2	3.8	YES	73.7	67.2	70.8	2.5	0.0	72.4	70.0	72.3	3.9	YES	73.8	67.7	71.1	2.7	0.0	72.6	66.8	70.7	2.3	0.0	72.2
9	8	8C	68.5	70.1	61.8	69.3	0.8	0.0	70.9	54.9	68.7	0.2	0.0	70.2	69.8	72.2	3.7	YES	73.8	67.4	71.0	2.5	0.0	72.5	70.1	72.4	3.9	YES	73.9	67.7	71.1	2.6	0.0	72.7	66.8	70.7	2.2	0.0	72.3
10	8	8C	68.5	70.1	61.8	69.3	0.8	0.0	70.9	55.0	68.7	0.2	0.0	70.2	69.8	72.2	3.7	YES	73.8	67.5	71.0	2.5	0.0	72.6	70.2	72.4	3.9	YES	74.0	67.7	71.1	2.6	0.0	72.7	66.8	70.7	2.2	0.0	72.3
11	8	8C	68.5	70.1	61.8	69.3	0.8	0.0	70.9	55.5	68.7	0.2	0.0	70.3	69.8	72.2	3.7	YES	73.8	67.5	71.0	2.5	0.0	72.6	70.2	72.4	3.9	YES	74.0	67.8	71.2	2.7	0.0	72.7	66.8	70.7	2.2	0.0	72.3
12	8	8C	68.4	70.0	61.9	69.3	0.9	0.0	70.8	55.6	68.6	0.2	0.0	70.2	69.8	72.2	3.8	YES	73.7	67.5	71.0	2.6	0.0	72.5	70.3	72.5	4.1	YES	74.0	67.9	71.2	2.8	0.0	72.7	66.7	70.6	2.2	0.0	72.2
13	8	8C	68.4	70.0	61.9	69.3	0.9	0.0	70.8	55.9	68.6	0.2	0.0	70.2	69.8	72.2	3.8	YES	73.7	67.5	71.0	2.6	0.0	72.5	70.2	72.4	4.0	YES	74.0	67.9	71.2	2.8	0.0	72.7	66.7	70.6	2.2	0.0	72.2
14	8	8C	68.3	69.9	62.0	69.2	0.9	0.0	70.8	56.0	68.5	0.2	0.0	70.1	69.9	72.2	3.9	YES	73.7	67.5	70.9	2.6	0.0	72.5	70.2	72.4	4.1	YES	73.9	67.9	71.1	2.8	0.0	72.7	66.6	70.5	2.2	0.0	72.1
15	8	8C	68.2	69.8	62.0	69.1	0.9	0.0	70.7	56.0	68.4	0.3	0.0	70.0	70.0	72.2	4.0	YES	73.8	67.4	70.8	2.6	0.0	72.4	70.2	72.3	4.1	YES	73.9	67.8	71.0	2.8	0.0	72.6	66.6	70.5	2.3	0.0	72.0
16	8	8C	68.1	69.7	61.9	69.0	0.9	0.0	70.6	56.3	68.4	0.3	0.0	69.9	70.1	72.2	4.1	YES	73.8	67.4	70.8	2.7	0.0	72.3	70.1	72.2	4.1	YES	73.8	67.8	71.0	2.9	0.0	72.5	66.5	70.4	2.3	0.0	71.9
17	8	8C	68.0	69.6	61.9	68.9	1.0	0.0	70.5	56.3	68.3	0.3	0.0	69.8	70.0	72.1	4.1	YES	73.7	67.4	70.7	2.7	0.0	72.3	70.0	72.1	4.1	YES	73.7	67.7	70.9	2.9	0.0	72.4	66.4	70.3	2.3	0.0	71.8
18	8	8C	67.9	69.5	62.0	68.9	1.0	0.0	70.4	56.4	68.2	0.3	0.0	69.7	70.1	72.1	4.3	YES	73.7	67.3	70.6	2.7	0.0	72.2	70.0	72.1	4.2	YES	73.6	67.6	70.8	2.9	0.0	72.3	66.4	70.2	2.3	0.0	71.8
19	8	8C	67.8	69.4	62.0	68.8	1.0	0.0	70.4	56.6	68.1	0.3	0.0	69.7	70.1	72.1	4.3	YES	73.7	67.3	70.6	2.8	0.0	72.1	69.9	72.0	4.2	YES	73.5	67.6	70.7	2.9	0.0	72.3	66.3	70.1	2.3	0.0	71.7
Top	8	8C	67.8	69.4	62.3	68.9	1.1	0.0	70.4	58.6	68.3	0.5	0.0	69.8	70.3	72.2	4.4	YES	73.8	67.7	70.8	3.0	0.0	72.3	70.0	72.0	4.3	YES	73.6	67.7	70.8	3.0	0.0	72.3	66.4	70.2	2.4	0.0	71.7
1	8	8D	69.2	70.8	54.8	69.3	0.2	0.0	70.9	54.7	69.3	0.2	0.0	70.9	65.1	70.6	1.4	0.0	72.2	65.2	70.6	1.5	0.0	72.2	66.6	71.1	1.9	0.0	72.7	65.1	70.6	1.4	0.0	72.2	64.7	70.5	1.3	0.0	72.1
2	8	8D	70.5	72.1	57.5	70.7	0.2	0.0	72.3	53.8	70.6	0.1	0.0	72.1	66.9	72.1	1.6	0.0	73.6	66.4	71.9	1.4	0.0	73.5	67.9	72.4	1.9	0.0	74.0	66.1	71.8	1.3	0.0	73.4	65.7	71.7	1.2	0.0	73.3
3	8	8D	71.5	73.1	60.7	71.8	0.3	0.0	73.4	55.7	71.6	0.1	0.0	73.2	70.5	74.0	2.5	0.0	75.6	67.0	72.8	1.3	0.0	74.4	69.0	73.4	1.9	0.0	75.0	67.9	73.1	1.6	0.0	74.6	67.0	72.8	1.3	0.0	74.4
4	8	8D	71.8	73.4	61.2	72.2	0.4	0.0	73.7	55.8	71.9	0.1	0.0	73.5	70.4	74.2	2.4	0.0	75.7	67.7	73.2	1.4	0.0	74.8	70.9	74.4	2.6	0.0	75.9	70.2	74.1	2.3	0.0	75.6	69.7	73.9	2.1	0.0	75.4
5	8	8D	71.8	73.4	61.2	72.2	0.4	0.0	73.7	56.0	71.9	0.1	0.0	73.5	70.4	74.2	2.4	0.0	75.7	68.4	73.4	1.6	0.0	75.0	71.3	74.6	2.8	0.0	76.1	70.4	74.2	2.4	0.0	75.7	69.9	74.0	2.2	0.0	75.5
6	8	8D	71.7	73.3	61.3	72.1	0.4	0.0	73.6	56.3	71.8	0.1	0.0	73.4	70.4	74.1	2.4	0.0	75.7	69.4	73.7	2.0	0.0	75.3	71.8	74.8	3.1	YES	76.3	70.6	74.2	2.5	0.0	75.7	70.1	74.0	2.3	0.0	75.5
7	8	8D	71.6	73.2	61.3	72.0	0.4	0.0	73.5	56.6	71.7	0.1	0.0	73.3	70.4	74.0	2.5	0.0	75.6	69.6	73.7	2.1	0.0	75.3	71.8	74.7	3.1	YES	76.3	70.5	74.1	2.5	0.0	75.6	70.1	73.9	2.3	0.0	75.5
8	8	8D	71.5	73.1	61.5	71.9	0.4	0.0	73.5	57.4	71.7	0.2	0.0	73.2	70.4	74.0	2.5	0.0	75.5	69.9	73.8	2.3	0.0	75.3	71.8	74.7	3.2	YES	76.2	70.5	74.0	2.5	0.0	75.6	70.1	73.9	2.4	0.0	75.4
9	8	8D	71.3	72.9	61.6	71.7	0.4	0.0	73.3	57.8	71.5	0.2	0.0	73.0	70.4	73.9	2.6	0.0	75.4	70.3	73.8	2.5	0.0	75.4	71.9	74.6	3.3	YES	76.2	70.6	74.0	2.7	0.0	75.5	70.1	73.7	2.5	0.0	75.3
10	8	8D	71.1	72.7	61.6	71.6	0.5	0.0	73.1	57.8	71.3	0.2	0.0	72.8	70.4	73.8	2.7	0.0	75.3	70.3	73.7	2.6	0.0	75.3	71.9	74.5	3.4	YES	76.1	70.6	73.9	2.8	0.0	75.4	70.1	73.6	2.5	0.0	75.2
11	8	8D	71.0	72.6	61.6	71.5	0.5	0.0	73.0	57.9	71.2	0.2	0.0	72.8	70.4	73.7	2.7	0.0	75.3	70.3	73.7	2.7	0.0	75.2	71.9	74.5	3.5	YES	76.0	70.6	73.8	2.8	0.0	75.4	70.1	73.6	2.6	0.0	75.1
12	8	8D	70.8	72.4	61.6	71.3	0.5	0.0	72.8	58.0	71.0	0.2	0.0	72.6	70.5	73.7	2.9	0.0	75.2	70.4	73.6	2.8	0.0	75.2	71.9	74.4	3.6	YES	76.0	70.5	73.7	2.9	0.0	75.2	69.9	73.4	2.6	0.0	74.9
13	8	8D	70.6	72.2	61.5	71.1	0.5	0.0	72.7	58.1	70.8	0.2	0.0	72.4	70.6	73.6	3.0	YES	75.2	70.5	73.6	3.0	0.0	75.1	71.8	74.2	3.7	YES	75.8	70.4	73.5	2.9	0.0	75.1	69.8	73.2	2.6	0.0	74.8
14	8	8D	70.4	72.0	61.6	70.9	0.5	0.0	72.5	58.1	70.6	0.2	0.0	72.2	70.7	73.6	3.2	YES	75.1	70.5	73.5	3.1	YES	75.0	71.8	74.2	3.8	YES	75.7	70.4	73.4	3.0	YES	75.0	69.7	73.1	2.7	0.0	74.6
15	8	8D	70.2	71.8	61.6	70.8	0.6	0.0	72.3	58.6	70.5	0.3	0.0	72.0	70.7	73.5	3.3	YES	75.0	70.5	73.4	3.2	YES	74.9	71.7	74.0	3.8	YES	75.6	70.3	73.3	3.1	YES	74.8	69.7	73.0	2.8	0.0	74.5
16	8	8D	70.0	71.6	61.5	70.6	0.6	0.0	72.1	58.7	70.3	0.3	0.0	71.9	70.7	73.4	3.4	YES	74.9	70.4	73.2	3.2	YES	74.8	71.6	73.9	3.9	YES	75.4	70.2	73.1	3.1	YES	74.7	69.6	72.8	2.8	0.0	74.4
17	8	8D	69.8	71.4	61.5	70.4	0.6	0.0	72.0	58.6	70.1	0.3	0.0	71.7	70.7	7																							

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
4	9	9A	68.6	70.2	46.9	68.6	0.0	0.0	70.2	50.3	68.7	0.1	0.0	70.2	66.3	70.6	2.0	0.0	72.2	67.1	70.9	2.3	0.0	72.5	65.7	70.4	1.8	0.0	72.0	65.1	70.2	1.6	0.0	71.8	64.5	70.0	1.4	0.0	71.6
5	9	9A	69.2	70.8	46.7	69.2	0.0	0.0	70.8	49.9	69.2	0.1	0.0	70.8	66.3	71.0	1.8	0.0	72.6	67.3	71.4	2.2	0.0	72.9	66.8	71.2	2.0	0.0	72.7	66.7	71.1	1.9	0.0	72.7	66.0	70.9	1.7	0.0	72.5
6	9	9A	69.5	71.1	46.6	69.5	0.0	0.0	71.1	50.3	69.5	0.1	0.0	71.1	66.3	71.2	1.7	0.0	72.8	67.5	71.6	2.1	0.0	73.2	67.4	71.6	2.1	0.0	73.1	67.5	71.6	2.1	0.0	73.2	66.8	71.4	1.9	0.0	72.9
7	9	9A	69.6	71.2	46.5	69.6	0.0	0.0	71.2	50.6	69.6	0.1	0.0	71.2	66.3	71.3	1.7	0.0	72.8	67.7	71.8	2.2	0.0	73.3	67.5	71.7	2.1	0.0	73.2	67.8	71.8	2.2	0.0	73.4	67.2	71.6	2.0	0.0	73.1
8	9	9A	69.6	71.2	46.8	69.6	0.0	0.0	71.2	51.2	69.7	0.1	0.0	71.2	66.4	71.3	1.7	0.0	72.9	68.0	71.9	2.3	0.0	73.4	67.6	71.7	2.1	0.0	73.3	67.9	71.8	2.2	0.0	73.4	67.3	71.6	2.0	0.0	73.2
9	9	9A	69.6	71.2	47.4	69.6	0.0	0.0	71.2	51.9	69.7	0.1	0.0	71.2	66.4	71.3	1.7	0.0	72.9	68.4	72.0	2.5	0.0	73.6	67.7	71.8	2.2	0.0	73.3	67.9	71.8	2.2	0.0	73.4	67.4	71.6	2.1	0.0	73.2
10	9	9A	69.5	71.1	48.2	69.5	0.0	0.0	71.1	52.6	69.6	0.1	0.0	71.1	66.4	71.2	1.7	0.0	72.8	68.7	72.1	2.6	0.0	73.7	67.8	71.7	2.2	0.0	73.3	68.1	71.9	2.4	0.0	73.4	67.6	71.7	2.2	0.0	73.2
11	9	9A	69.4	71.0	49.5	69.4	0.0	0.0	71.0	53.6	69.5	0.1	0.0	71.1	66.4	71.2	1.8	0.0	72.7	68.9	72.2	2.8	0.0	73.7	68.1	71.8	2.4	0.0	73.4	68.3	71.9	2.5	0.0	73.4	67.9	71.7	2.3	0.0	73.3
12	9	9A	69.3	70.9	50.2	69.3	0.1	0.0	70.9	54.1	69.4	0.1	0.0	71.0	66.5	71.1	1.8	0.0	72.7	69.1	72.2	2.9	0.0	73.8	68.1	71.7	2.5	0.0	73.3	68.3	71.8	2.5	0.0	73.4	67.9	71.7	2.4	0.0	73.2
13	9	9A	69.2	70.8	50.2	69.2	0.1	0.0	70.8	54.2	69.3	0.1	0.0	70.9	66.5	71.1	1.9	0.0	72.6	69.2	72.2	3.0	YES	73.8	68.0	71.6	2.5	0.0	73.2	68.3	71.8	2.6	0.0	73.3	67.9	71.6	2.4	0.0	73.2
14	9	9A	69.0	70.6	50.3	69.0	0.1	0.0	70.6	54.3	69.1	0.1	0.0	70.7	66.6	71.0	2.0	0.0	72.5	69.2	72.1	3.1	YES	73.7	68.0	71.5	2.5	0.0	73.1	68.2	71.6	2.6	0.0	73.2	67.8	71.4	2.5	0.0	73.0
15	9	9A	68.9	70.5	50.3	68.9	0.1	0.0	70.5	54.4	69.0	0.2	0.0	70.6	66.7	70.9	2.1	0.0	72.5	69.4	72.2	3.3	YES	73.7	67.9	71.4	2.5	0.0	73.0	68.2	71.6	2.7	0.0	73.1	67.8	71.4	2.5	0.0	72.9
16	9	9A	68.7	70.3	50.5	68.8	0.1	0.0	70.3	54.6	68.9	0.2	0.0	70.4	66.9	70.9	2.2	0.0	72.5	69.4	72.1	3.4	YES	73.6	67.9	71.3	2.6	0.0	72.9	68.1	71.4	2.7	0.0	73.0	67.8	71.3	2.6	0.0	72.8
17	9	9A	68.6	70.2	50.6	68.7	0.1	0.0	70.2	54.7	68.8	0.2	0.0	70.3	66.9	70.8	2.2	0.0	72.4	69.4	72.0	3.4	YES	73.6	67.9	71.3	2.7	0.0	72.8	68.1	71.4	2.8	0.0	72.9	67.7	71.2	2.6	0.0	72.7
18	9	9A	68.4	70.0	51.1	68.5	0.1	0.0	70.0	55.0	68.6	0.2	0.0	70.1	66.9	70.7	2.3	0.0	72.3	69.5	72.0	3.6	YES	73.6	67.8	71.1	2.7	0.0	72.7	68.0	71.2	2.8	0.0	72.8	67.7	71.1	2.7	0.0	72.6
19	9	9A	68.3	69.9	51.7	68.4	0.1	0.0	69.9	55.5	68.5	0.2	0.0	70.1	66.9	70.7	2.4	0.0	72.2	69.5	71.9	3.7	YES	73.5	67.8	71.1	2.8	0.0	72.6	68.0	71.2	2.9	0.0	72.7	67.6	71.0	2.7	0.0	72.5
Top	9	9A	68.2	69.8	52.5	68.3	0.1	0.0	69.9	55.9	68.4	0.2	0.0	70.0	67.0	70.6	2.5	0.0	72.2	69.5	71.9	3.7	YES	73.5	67.8	71.0	2.8	0.0	72.6	68.0	71.1	2.9	0.0	72.7	67.7	71.0	2.8	0.0	72.5
1	9	9B	64.3	65.9	44.8	64.3	0.0	0.0	65.9	47.0	64.4	0.1	0.0	65.9	61.0	66.0	1.7	0.0	67.5	63.3	66.8	2.5	0.0	68.4	60.1	65.7	1.4	0.0	67.3	61.9	66.3	2.0	0.0	67.8	61.2	66.0	1.7	0.0	67.6
2	9	9B	65.1	66.7	45.3	65.1	0.0	0.0	66.7	47.3	65.2	0.1	0.0	66.7	61.6	66.7	1.6	0.0	68.3	64.1	67.6	2.5	0.0	69.2	60.6	66.4	1.3	0.0	68.0	62.7	67.1	2.0	0.0	68.6	62.3	66.9	1.8	0.0	68.5
3	9	9B	65.8	67.4	45.6	65.8	0.0	0.0	67.4	48.2	65.9	0.1	0.0	67.4	63.6	67.8	2.1	0.0	69.4	64.8	68.3	2.5	0.0	69.9	62.0	67.3	1.5	0.0	68.9	63.8	67.9	2.1	0.0	69.5	63.2	67.7	1.9	0.0	69.3
4	9	9B	66.5	68.1	45.8	66.5	0.0	0.0	68.1	48.4	66.6	0.1	0.0	68.1	65.7	69.1	2.6	0.0	70.7	66.3	69.4	2.9	0.0	71.0	63.4	68.2	1.7	0.0	69.8	64.7	68.7	2.2	0.0	70.3	64.0	68.4	1.9	0.0	70.0
5	9	9B	67.1	68.7	45.5	67.1	0.0	0.0	68.7	48.3	67.1	0.1	0.0	68.7	65.7	69.5	2.4	0.0	71.0	66.4	69.8	2.7	0.0	71.3	63.9	68.8	1.7	0.0	70.4	65.4	69.3	2.2	0.0	70.9	64.6	69.0	1.9	0.0	70.6
6	9	9B	67.6	69.2	45.5	67.6	0.0	0.0	69.2	48.3	67.6	0.1	0.0	69.2	65.7	69.8	2.2	0.0	71.3	66.6	70.1	2.5	0.0	71.7	64.9	69.5	1.9	0.0	71.0	66.6	70.1	2.5	0.0	71.7	65.8	69.8	2.2	0.0	71.4
7	9	9B	67.8	69.4	45.8	67.8	0.0	0.0	69.4	48.6	67.8	0.1	0.0	69.4	65.7	69.9	2.1	0.0	71.4	66.8	70.3	2.5	0.0	71.9	65.1	69.7	1.9	0.0	71.2	67.2	70.5	2.7	0.0	72.1	66.5	70.2	2.4	0.0	71.8
8	9	9B	67.9	69.5	46.2	67.9	0.0	0.0	69.5	48.9	67.9	0.1	0.0	69.5	65.7	69.9	2.1	0.0	71.5	67.2	70.6	2.7	0.0	72.1	65.1	69.7	1.8	0.0	71.3	67.3	70.6	2.7	0.0	72.2	66.6	70.3	2.4	0.0	71.9
9	9	9B	67.8	69.4	46.6	67.8	0.0	0.0	69.4	49.2	67.8	0.1	0.0	69.4	65.7	69.9	2.1	0.0	71.4	67.7	70.8	3.0	0.0	72.3	65.1	69.7	1.9	0.0	71.2	67.3	70.6	2.8	0.0	72.1	66.7	70.3	2.5	0.0	71.8
10	9	9B	67.8	69.4	47.1	67.8	0.0	0.0	69.4	49.5	67.9	0.1	0.0	69.4	65.7	69.9	2.1	0.0	71.4	68.3	71.1	3.3	YES	72.6	65.2	69.7	1.9	0.0	71.3	67.4	70.6	2.8	0.0	72.2	66.8	70.3	2.5	0.0	71.9
11	9	9B	67.7	69.3	47.9	67.7	0.0	0.0	69.3	50.2	67.8	0.1	0.0	69.3	65.7	69.8	2.1	0.0	71.4	68.4	71.1	3.4	YES	72.6	65.3	69.7	2.0	0.0	71.2	67.5	70.6	2.9	0.0	72.2	66.9	70.3	2.6	0.0	71.9
12	9	9B	67.6	69.2	49.1	67.7	0.1	0.0	69.2	51.3	67.7	0.1	0.0	69.3	65.7	69.8	2.2	0.0	71.3	68.4	71.0	3.4	YES	72.6	65.8	69.8	2.2	0.0	71.4	67.7	70.7	3.1	YES	72.2	67.3	70.5	2.9	0.0	72.0
13	9	9B	67.6	69.2	49.6	67.7	0.1	0.0	69.2	51.7	67.7	0.1	0.0	69.3	65.7	69.8	2.2	0.0	71.3	68.5	71.1	3.5	YES	72.6	66.0	69.9	2.3	0.0	71.4	67.9	70.8	3.2	YES	72.3	67.4	70.5	2.9	0.0	72.1
14	9	9B	67.5	69.1	49.6	67.6	0.1	0.0	69.1	51.7	67.6	0.1	0.0	69.2	65.8	69.7	2.2	0.0	71.3	68.6	71.1	3.6	YES	72.7	66.0	69.8	2.3	0.0	71.4	67.8	70.7	3.2	YES	72.2	67.4	70.5	3.0	0.0	72.0
15	9	9B	67.4	69.0	49.6	67.5	0.1	0.0	69.0	51.6	67.5	0.1	0.0	69.1	65.9	69.7	2.3	0.0	71.3	68.7	71.1	3.7	YES	72.7	65.9	69.7	2.3	0.0	71.3	67.8	70.6	3.2	YES	72.2	67.4	70.4	3.0	YES	72.0
16	9	9B	67.2	68.8	49.6	67.3	0.1	0.0	68.8	51.6	67.3	0.1	0.0	68.9	66.0	69.6	2.5	0.0	71.2	68.8	71.1	3.9	YES	72.6	65.9	69.6	2.4	0.0	71.2	67.7	70.5	3.3	YES	72.0	67.4	70.3	3.1	YES	71.9
17	9	9B	67.1	68.7	49.6	67.2	0.1	0.0	68.7	51.6	67.2	0.1	0.0	68.8	66.2	69.7	2.6	0.0	71.2	68.7	71.0	3.9	YES	72.5	65.8	69.5	2.4	0.0	71.1	67.7	70.4	3.3	YES	72.0	67.4	70.3	3.2	YES	71.8
18	9	9B	67.0	68.6	49.7	67.1	0.1	0.0	68.6	51.7																													

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total					
					Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?	Const
5	9	9E	72.2	73.8	59.2	72.4	0.2	0.0	74.0	59.4	72.4	0.2	0.0	74.0	67.3	73.4	1.2	0.0	75.0	68.6	73.8	1.6	0.0	75.3	68.0	73.6	1.4	0.0	75.2	69.0	73.9	1.7	0.0	75.5	68.2	73.6	1.5	0.0	75.2
6	9	9E	72.1	73.7	59.1	72.3	0.2	0.0	73.9	60.0	72.4	0.3	0.0	73.9	67.5	73.4	1.3	0.0	74.9	69.0	73.8	1.7	0.0	75.4	68.3	73.6	1.5	0.0	75.2	69.3	73.9	1.8	0.0	75.5	68.6	73.7	1.6	0.0	75.3
7	9	9E	71.9	73.5	59.2	72.1	0.2	0.0	73.7	61.7	72.3	0.4	0.0	73.8	67.9	73.3	1.5	0.0	74.9	69.6	73.9	2.0	0.0	75.5	69.0	73.7	1.8	0.0	75.3	69.7	73.9	2.1	0.0	75.5	69.1	73.7	1.8	0.0	75.3
8	9	9E	71.7	73.3	59.4	71.9	0.2	0.0	73.5	62.3	72.2	0.5	0.0	73.7	68.2	73.3	1.6	0.0	74.9	70.1	74.0	2.3	0.0	75.5	69.7	73.8	2.1	0.0	75.4	70.3	74.1	2.4	0.0	75.6	69.8	73.9	2.2	0.0	75.4
9	9	9E	71.6	73.2	59.4	71.8	0.3	0.0	73.4	63.0	72.2	0.6	0.0	73.7	68.1	73.2	1.6	0.0	74.8	70.3	74.0	2.4	0.0	75.6	69.7	73.8	2.2	0.0	75.3	70.3	74.0	2.4	0.0	75.6	69.9	73.8	2.2	0.0	75.4
10	9	9E	71.4	73.0	59.4	71.7	0.3	0.0	73.2	63.6	72.1	0.7	0.0	73.6	68.3	73.1	1.7	0.0	74.7	70.4	73.9	2.5	0.0	75.5	69.7	73.6	2.2	0.0	75.2	70.3	73.9	2.5	0.0	75.4	70.0	73.8	2.4	0.0	75.3
11	9	9E	71.1	72.7	59.5	71.4	0.3	0.0	72.9	64.9	72.0	0.9	0.0	73.6	68.8	73.1	2.0	0.0	74.7	70.5	73.8	2.7	0.0	75.4	69.7	73.5	2.4	0.0	75.0	70.2	73.7	2.6	0.0	75.2	70.0	73.6	2.5	0.0	75.1
12	9	9E	70.9	72.5	59.5	71.2	0.3	0.0	72.8	65.0	71.9	1.0	0.0	73.4	68.9	73.0	2.1	0.0	74.6	70.6	73.8	2.9	0.0	75.3	69.6	73.3	2.4	0.0	74.9	70.1	73.5	2.6	0.0	75.1	70.0	73.5	2.6	0.0	75.0
13	9	9E	70.7	72.3	59.5	71.0	0.3	0.0	72.6	65.0	71.7	1.0	0.0	73.3	68.9	72.9	2.2	0.0	74.5	70.8	73.8	3.1	YES	75.3	69.6	73.2	2.5	0.0	74.7	70.1	73.4	2.7	0.0	75.0	70.0	73.4	2.7	0.0	74.9
14	9	9E	70.5	72.1	59.4	70.8	0.3	0.0	72.4	65.0	71.6	1.1	0.0	73.1	69.0	72.8	2.3	0.0	74.4	70.8	73.7	3.2	YES	75.2	69.5	73.0	2.5	0.0	74.6	70.0	73.3	2.8	0.0	74.8	70.0	73.3	2.8	0.0	74.8
15	9	9E	70.3	71.9	59.6	70.6	0.4	0.0	72.2	65.0	71.4	1.1	0.0	73.0	69.0	72.7	2.4	0.0	74.3	70.8	73.6	3.3	YES	75.1	69.5	72.9	2.6	0.0	74.5	70.0	73.2	2.9	0.0	74.7	69.6	73.0	2.7	0.0	74.5
16	9	9E	70.1	71.7	59.6	70.5	0.4	0.0	72.0	65.0	71.3	1.2	0.0	72.8	69.0	72.6	2.5	0.0	74.1	70.8	73.5	3.4	YES	75.0	69.4	72.8	2.7	0.0	74.3	69.9	73.0	2.9	0.0	74.6	69.6	72.9	2.8	0.0	74.4
17	9	9E	69.9	71.5	59.6	70.3	0.4	0.0	71.8	65.0	71.1	1.2	0.0	72.7	69.0	72.5	2.6	0.0	74.0	70.7	73.3	3.4	YES	74.9	69.4	72.7	2.8	0.0	74.2	69.9	72.9	3.0	YES	74.5	69.6	72.8	2.9	0.0	74.3
18	9	9E	69.7	71.3	59.6	70.1	0.4	0.0	71.7	64.9	70.9	1.2	0.0	71.5	68.9	72.3	2.6	0.0	73.9	70.7	73.2	3.5	YES	74.8	69.4	72.6	2.9	0.0	74.1	69.8	72.8	3.1	YES	74.3	69.5	72.6	2.9	0.0	74.2
19	9	9E	69.5	71.1	59.6	69.9	0.4	0.0	71.5	64.9	70.8	1.3	0.0	72.3	68.9	72.2	2.7	0.0	73.8	70.7	73.2	3.7	YES	74.7	69.3	72.4	2.9	0.0	74.0	69.7	72.6	3.1	YES	74.2	69.4	72.5	3.0	0.0	74.0
Top	9	9E	69.3	70.9	59.6	69.7	0.4	0.0	71.3	64.9	70.6	1.3	0.0	72.2	68.9	72.1	2.8	0.0	73.7	70.6	73.0	3.7	YES	74.6	69.3	72.3	3.0	YES	73.9	69.6	72.5	3.2	YES	74.0	69.4	72.4	3.1	YES	73.9
1	9	9F	67.0	68.6	62.3	68.3	1.3	0.0	69.8	67.6	70.3	3.3	YES	71.9	67.7	70.4	3.4	YES	71.9	67.2	70.1	3.1	YES	71.7	63.3	68.5	1.5	0.0	70.1	64.1	68.8	1.8	0.0	70.4	63.5	68.6	1.6	0.0	70.2
2	9	9F	68.0	69.6	67.9	71.0	3.0	0.0	72.5	73.2	74.3	6.4	YES	75.9	73.3	74.4	6.4	YES	76.0	71.7	73.2	5.2	YES	74.8	64.3	69.5	1.5	0.0	71.1	64.9	69.7	1.7	0.0	71.3	64.3	69.5	1.5	0.0	71.1
3	9	9F	69.0	70.6	68.3	71.7	2.7	0.0	73.2	73.4	74.7	5.8	YES	76.3	73.5	74.8	5.8	YES	76.4	72.1	73.8	4.8	YES	75.4	65.9	70.7	1.7	0.0	72.3	66.2	70.8	1.8	0.0	72.4	65.8	70.7	1.7	0.0	72.3
4	9	9F	69.6	71.2	69.1	72.4	2.8	0.0	73.9	74.0	75.3	5.8	YES	76.9	74.1	75.4	5.8	YES	77.0	72.9	74.6	5.0	YES	76.1	68.4	72.0	2.5	0.0	73.6	68.8	72.2	2.6	0.0	73.8	68.3	72.0	2.4	0.0	73.6
5	9	9F	69.8	71.4	69.1	72.5	2.7	0.0	74.0	74.2	75.5	5.8	YES	77.1	74.2	75.5	5.8	YES	77.1	73.0	74.7	4.9	YES	76.3	68.9	72.4	2.6	0.0	73.9	69.6	72.7	2.9	0.0	74.3	69.1	72.5	2.7	0.0	74.0
6	9	9F	69.8	71.4	69.2	72.5	2.7	0.0	74.1	74.3	75.6	5.8	YES	77.2	74.3	75.6	5.8	YES	77.2	73.1	74.8	5.0	YES	76.3	69.4	72.6	2.8	0.0	74.2	70.1	73.0	3.2	YES	74.5	69.6	72.7	2.9	0.0	74.3
7	9	9F	69.7	71.3	69.2	72.5	2.8	0.0	74.0	74.3	75.6	5.9	YES	77.2	74.3	75.7	6.0	YES	77.2	73.2	74.8	5.1	YES	76.4	69.5	72.6	2.9	0.0	74.2	70.2	73.0	3.3	YES	74.5	69.7	72.7	3.0	YES	74.3
8	9	9F	69.6	71.2	69.1	72.4	2.8	0.0	73.9	74.5	75.7	6.1	YES	77.3	74.5	75.7	6.1	YES	77.3	73.3	74.8	5.2	YES	76.4	69.7	72.7	3.1	YES	74.2	70.3	73.0	3.4	YES	74.5	69.9	72.8	3.2	YES	74.3
9	9	9F	69.5	71.1	69.0	72.3	2.8	0.0	73.8	74.7	75.8	6.4	YES	77.4	74.7	75.8	6.4	YES	77.4	73.5	75.0	5.5	YES	76.5	70.1	72.8	3.3	YES	74.4	70.6	73.1	3.6	YES	74.7	70.2	72.9	3.4	YES	74.4
10	9	9F	69.4	71.0	68.9	72.2	2.8	0.0	73.7	74.8	75.9	6.5	YES	77.5	74.8	75.9	6.5	YES	77.5	73.3	74.8	5.4	YES	76.3	70.2	72.8	3.4	YES	74.4	70.7	73.1	3.7	YES	74.7	70.3	72.9	3.5	YES	74.4
11	9	9F	69.2	70.8	68.8	72.0	2.8	0.0	73.6	74.9	75.9	6.7	YES	77.5	74.9	75.9	6.7	YES	77.5	73.4	74.8	5.6	YES	76.4	70.4	72.8	3.7	YES	74.4	70.9	73.1	3.9	YES	74.7	70.5	72.9	3.7	YES	74.5
12	9	9F	69.1	70.7	68.8	72.0	2.9	0.0	73.5	74.0	75.2	6.1	YES	76.8	74.1	75.3	6.2	YES	76.9	73.3	74.7	5.6	YES	76.3	70.5	72.9	3.8	YES	74.4	71.0	73.2	4.1	YES	74.7	70.6	72.9	3.8	YES	74.5
13	9	9F	68.9	70.5	68.7	71.8	2.9	0.0	73.4	74.0	75.2	6.3	YES	76.7	74.0	75.2	6.3	YES	76.7	73.3	74.6	5.8	YES	76.2	70.6	72.8	3.9	YES	74.4	71.0	73.1	4.2	YES	74.6	70.6	72.8	3.9	YES	74.4
14	9	9F	68.7	70.3	68.5	71.6	2.9	0.0	73.2	73.9	75.0	6.4	YES	76.6	74.0	75.1	6.4	YES	76.7	73.3	74.6	5.9	YES	76.2	70.8	72.9	4.2	YES	74.4	71.0	73.0	4.3	YES	74.6	70.6	72.8	4.1	YES	74.3
15	9	9F	68.6	70.2	68.4	71.5	2.9	0.0	73.1	74.0	75.1	6.5	YES	76.7	74.0	75.1	6.5	YES	76.7	73.3	74.6	6.0	YES	76.1	70.8	72.8	4.3	YES	74.4	70.9	72.9	4.3	YES	74.5	70.6	72.7	4.1	YES	74.3
16	9	9F	68.4	70.0	68.3	71.4	3.0	0.0	72.9	74.0	75.1	6.7	YES	76.6	74.0	75.1	6.7	YES	76.6	73.2	74.4	6.0	YES	76.0	70.7	72.7	4.3	YES	74.3	70.8	72.8	4.4	YES	74.3	70.5	72.6	4.2	YES	74.1
17	9	9F	68.2	69.8	68.2	71.2	3.0	YES	72.8	74.1	75.1	6.9	YES	76.7	74.1	75.1	6.9	YES	76.7	73.1	74.3	6.1	YES	75.9	70.6	72.6	4.4	YES	74.1	70.8	72.7	4.5	YES	74.3	70.4	72.4	4.3	YES	74.0
18	9	9F	68.0	69.6	68.0	71.0	3.0	YES	72.6	74.4	75.3	7.3	YES	76.9	74.4	75.3	7.3	YES	76.9	73.0	74.2	6.2	YES	75.8	70.6	72.5	4.5	YES	74.1	70.7	72.6	4.6	YES	74.1	70.3	72.3	4.3	YES	73.9
19	9	9F	67.9	69.5	67.9	70.9	3.0	YES	72.5	74.3	75.2	7.3	YES	76.8	74.4	75.3	7.4	YES	76.8	72.9	74.1	6.2	YES	75.7	70.5	72.4	4.5	YES	74.0	70.6									

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
5	10	10D	72.2	73.8	52.1	72.2	0.0	0.0	73.8	54.2	72.3	0.1	0.0	73.8	67.3	73.4	1.2	0.0	75.0	68.8	73.8	1.6	0.0	75.4	66.7	73.3	1.1	0.0	74.8	58.4	72.4	0.2	0.0	73.9	58.4	72.4	0.2	0.0	73.9
6	10	10D	72.2	73.8	52.1	72.2	0.0	0.0	73.8	54.3	72.3	0.1	0.0	73.8	67.8	73.5	1.3	0.0	75.1	68.8	73.8	1.6	0.0	75.4	67.2	73.4	1.2	0.0	74.9	58.5	72.4	0.2	0.0	73.9	58.5	72.4	0.2	0.0	73.9
Top	10	10D	72.0	73.6	52.5	72.0	0.0	0.0	73.6	54.9	72.1	0.1	0.0	73.6	69.2	73.8	1.8	0.0	75.4	68.7	73.7	1.7	0.0	75.2	67.6	73.3	1.3	0.0	74.9	58.4	72.2	0.2	0.0	73.7	58.3	72.2	0.2	0.0	73.7
1	11	11A	71.2	72.8	52.5	71.2	0.1	0.0	72.8	54.0	71.3	0.1	0.0	72.8	62.9	71.8	0.6	0.0	73.4	65.1	72.1	1.0	0.0	73.7	63.7	71.9	0.7	0.0	73.5	57.8	71.4	0.2	0.0	72.9	57.8	71.4	0.2	0.0	72.9
2	11	11A	72.9	74.5	52.7	72.9	0.0	0.0	74.5	54.4	73.0	0.1	0.0	74.5	65.6	73.6	0.7	0.0	75.2	70.0	74.7	1.8	0.0	76.3	67.0	73.9	1.0	0.0	75.4	63.5	73.4	0.5	0.0	74.9	63.5	73.4	0.5	0.0	74.9
3	11	11A	73.4	75.0	53.6	73.4	0.0	0.0	75.0	55.3	73.5	0.1	0.0	75.0	67.3	74.3	1.0	0.0	75.9	69.7	74.9	1.5	0.0	76.5	67.6	74.4	1.0	0.0	76.0	63.0	73.8	0.4	0.0	75.3	62.9	73.8	0.4	0.0	75.3
4	11	11A	73.6	75.2	54.2	73.6	0.0	0.0	75.2	55.9	73.7	0.1	0.0	75.2	67.6	74.6	1.0	0.0	76.1	70.4	75.3	1.7	0.0	76.9	68.0	74.6	1.1	0.0	76.2	63.0	74.0	0.4	0.0	75.5	63.0	74.0	0.4	0.0	75.5
5	11	11A	73.5	75.1	53.9	73.5	0.0	0.0	75.1	55.7	73.6	0.1	0.0	75.1	68.0	74.6	1.1	0.0	76.1	70.2	75.2	1.7	0.0	76.7	68.7	74.7	1.2	0.0	76.3	63.2	73.9	0.4	0.0	75.4	63.1	73.9	0.4	0.0	75.4
6	11	11A	73.4	75.0	53.9	73.4	0.0	0.0	75.0	55.9	73.5	0.1	0.0	75.0	69.0	74.7	1.3	0.0	76.3	70.2	75.1	1.7	0.0	76.7	69.1	74.8	1.4	0.0	76.3	63.2	73.8	0.4	0.0	75.3	63.2	73.8	0.4	0.0	75.3
7	11	11A	73.1	74.7	54.0	73.1	0.1	0.0	74.7	56.1	73.2	0.1	0.0	74.7	69.9	74.8	1.7	0.0	76.4	70.0	74.8	1.7	0.0	76.4	69.2	74.6	1.5	0.0	76.1	63.1	73.5	0.4	0.0	75.1	63.1	73.5	0.4	0.0	75.1
8	11	11A	72.9	74.5	54.3	72.9	0.1	0.0	74.5	56.9	73.0	0.1	0.0	74.6	70.3	74.8	1.9	0.0	76.4	70.3	74.8	1.9	0.0	76.4	69.6	74.6	1.7	0.0	76.1	63.3	73.3	0.5	0.0	74.9	63.2	73.3	0.4	0.0	74.9
9	11	11A	72.6	74.2	56.0	72.7	0.1	0.0	74.2	58.9	72.8	0.2	0.0	74.3	71.2	75.0	2.4	0.0	76.5	70.5	74.7	2.1	0.0	76.2	70.4	74.6	2.1	0.0	76.2	63.8	73.1	0.5	0.0	74.7	63.7	73.1	0.5	0.0	74.7
10	11	11A	72.3	73.9	57.2	72.4	0.1	0.0	74.0	60.8	72.6	0.3	0.0	74.1	71.5	74.9	2.6	0.0	76.5	69.6	74.2	1.9	0.0	75.7	70.1	74.3	2.1	0.0	75.9	62.9	72.8	0.5	0.0	74.3	62.8	72.8	0.5	0.0	74.3
11	11	11A	72.1	73.7	58.8	72.3	0.2	0.0	73.8	62.7	72.6	0.5	0.0	74.1	70.8	74.5	2.4	0.0	76.1	69.9	74.1	2.1	0.0	75.7	70.3	74.3	2.2	0.0	75.9	64.1	72.7	0.6	0.0	74.3	64.0	72.7	0.6	0.0	74.3
12	11	11A	71.9	73.5	60.2	72.2	0.3	0.0	73.7	64.1	72.6	0.7	0.0	74.1	70.6	74.3	2.4	0.0	75.9	70.1	74.1	2.2	0.0	75.7	70.4	74.2	2.3	0.0	75.8	64.8	72.7	0.8	0.0	74.2	64.7	72.6	0.8	0.0	74.2
13	11	11A	71.7	73.3	61.4	72.1	0.4	0.0	73.6	64.7	72.5	0.8	0.0	74.0	70.6	74.2	2.5	0.0	75.7	70.2	74.0	2.3	0.0	75.6	70.1	74.0	2.3	0.0	75.5	65.1	72.6	0.9	0.0	74.1	65.0	72.5	0.8	0.0	74.1
14	11	11A	71.5	73.1	63.1	72.1	0.6	0.0	73.6	65.6	72.5	1.0	0.0	74.0	70.8	74.2	2.7	0.0	75.7	70.5	74.0	2.5	0.0	75.6	70.4	74.0	2.5	0.0	75.5	65.9	72.5	1.1	0.0	74.1	65.8	72.5	1.0	0.0	74.1
15	11	11A	71.3	72.9	63.2	71.9	0.6	0.0	73.5	65.8	72.4	1.1	0.0	73.9	70.9	74.1	2.8	0.0	75.7	70.5	73.9	2.6	0.0	75.5	70.5	73.9	2.6	0.0	75.5	66.0	72.4	1.1	0.0	74.0	65.9	72.4	1.1	0.0	74.0
16	11	11A	71.1	72.7	63.2	71.7	0.7	0.0	73.3	65.9	72.2	1.1	0.0	73.8	71.0	74.1	3.0	0.0	75.6	70.5	73.8	2.7	0.0	75.4	70.7	73.9	2.8	0.0	75.5	66.0	72.3	1.2	0.0	73.8	65.9	72.2	1.1	0.0	73.8
17	11	11A	70.9	72.5	63.1	71.6	0.7	0.0	73.1	65.9	72.1	1.2	0.0	73.6	71.0	74.0	3.1	YES	75.5	70.4	73.7	2.8	0.0	75.2	70.6	73.8	2.9	0.0	75.3	65.9	72.1	1.2	0.0	73.6	65.9	72.1	1.2	0.0	73.6
Top	11	11A	70.6	72.2	63.1	71.3	0.7	0.0	72.9	66.0	71.9	1.3	0.0	73.4	70.9	73.8	3.2	YES	75.3	70.4	73.5	2.9	0.0	75.1	70.5	73.6	3.0	0.0	75.1	65.9	71.9	1.3	0.0	73.4	65.8	71.8	1.2	0.0	73.4
1	11	11B	62.0	63.6	47.4	62.1	0.1	0.0	63.7	51.2	62.3	0.3	0.0	63.9	56.5	63.1	1.1	0.0	64.6	58.8	63.7	1.7	0.0	65.3	55.8	62.9	0.9	0.0	64.5	47.6	62.1	0.2	0.0	63.7	47.5	62.1	0.2	0.0	63.7
2	11	11B	63.0	64.6	47.0	63.1	0.1	0.0	64.7	51.0	63.3	0.3	0.0	64.8	58.3	64.3	1.3	0.0	65.8	59.2	64.5	1.5	0.0	66.1	57.4	64.0	1.1	0.0	65.6	47.7	63.1	0.1	0.0	64.7	47.6	63.1	0.1	0.0	64.7
3	11	11B	63.9	65.5	47.1	64.0	0.1	0.0	65.5	51.0	64.1	0.2	0.0	65.7	58.7	65.0	1.1	0.0	66.6	59.6	65.3	1.4	0.0	66.8	57.8	64.8	1.0	0.0	66.4	48.1	64.0	0.1	0.0	65.6	48.1	64.0	0.1	0.0	65.6
4	11	11B	64.7	66.3	47.7	64.8	0.1	0.0	66.3	51.1	64.9	0.2	0.0	66.4	59.0	65.7	1.0	0.0	67.3	61.6	66.4	1.7	0.0	68.0	58.2	65.6	0.9	0.0	66.7	48.6	64.8	0.1	0.0	66.4	48.5	64.8	0.1	0.0	66.4
5	11	11B	65.2	66.8	48.1	65.3	0.1	0.0	66.8	51.6	65.4	0.2	0.0	66.9	61.8	66.8	1.6	0.0	68.4	62.7	67.1	1.9	0.0	68.7	58.7	66.1	0.9	0.0	67.6	49.3	65.3	0.1	0.0	66.9	49.2	65.3	0.1	0.0	66.9
6	11	11B	65.3	66.9	48.5	65.4	0.1	0.0	66.9	52.1	65.5	0.2	0.0	67.1	61.7	66.9	1.6	0.0	68.4	62.6	67.2	1.9	0.0	68.7	60.2	66.5	1.2	0.0	68.0	50.2	65.4	0.1	0.0	67.0	49.8	65.4	0.1	0.0	67.0
7	11	11B	65.3	66.9	48.7	65.4	0.1	0.0	66.9	52.9	65.5	0.2	0.0	67.1	62.0	67.0	1.7	0.0	68.5	62.8	67.2	1.9	0.0	68.8	60.0	66.4	1.1	0.0	68.0	51.3	65.5	0.2	0.0	67.0	50.9	65.4	0.2	0.0	67.0
8	11	11B	65.2	66.8	50.0	65.3	0.1	0.0	66.9	55.0	65.6	0.4	0.0	67.1	65.7	68.5	3.3	YES	70.0	63.3	67.4	2.2	0.0	68.9	60.7	66.5	1.3	0.0	68.1	53.7	65.5	0.3	0.0	67.0	53.1	65.5	0.3	0.0	67.0
9	11	11B	65.3	66.9	54.0	65.6	0.3	0.0	67.2	59.1	66.2	0.9	0.0	67.8	66.6	69.0	3.7	YES	70.6	63.5	67.5	2.2	0.0	69.1	61.5	66.8	1.5	0.0	68.4	57.4	65.9	0.7	0.0	67.5	57.2	65.9	0.6	0.0	67.5
10	11	11B	65.4	67.0	55.9	65.9	0.5	0.0	67.4	61.8	67.0	1.6	0.0	68.5	67.3	69.5	4.1	YES	71.0	64.1	67.8	2.4	0.0	69.4	62.8	67.3	1.9	0.0	68.9	59.3	66.3	1.0	0.0	67.9	59.0	66.3	0.9	0.0	67.8
11	11	11B	65.6	67.2	58.3	66.3	0.7	0.0	67.9	63.1	67.5	1.9	0.0	69.1	67.7	69.8	4.2	YES	71.3	64.7	68.2	2.6	0.0	69.7	64.8	68.2	2.6	0.0	69.8	60.9	66.9	1.3	0.0	68.4	60.7	66.8	1.2	0.0	68.4
12	11	11B	65.9	67.5	59.9	66.9	1.0	0.0	68.4	64.4	68.2	2.3	0.0	69.8	67.9	70.0	4.1	YES	71.6	65.4	68.7	2.8	0.0	70.2	66.3	69.1	3.2	YES	70.7	62.9	67.7	1.8	0.0	69.2	62.7	67.6	1.7	0.0	69.2
13	11	11B	65.8	67.4	61.2	67.1	1.3	0.0	68.6	65.0	68.4	2.6	0.0	70.0	68.2	70.2	4.4	YES	71.7	65.9	68.9	3.1	YES	70.4	65.9	68.9	3.1	YES	70.4	63.7	67.9	2.1	0.0	69.4	63.5	67.8	2.0	0.	

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
7	12	12A	71.1	72.7	53.8	71.2	0.1	0.0	72.7	55.7	71.2	0.1	0.0	72.8	68.3	72.9	1.8	0.0	74.5	68.3	72.9	1.8	0.0	74.5	69.0	73.2	2.1	0.0	74.7	60.0	71.4	0.3	0.0	73.0	60.0	71.4	0.3	0.0	73.0
8	12	12A	70.6	72.2	53.7	70.7	0.1	0.0	72.2	55.6	70.7	0.1	0.0	72.3	68.6	72.7	2.1	0.0	74.3	68.3	72.6	2.0	0.0	74.2	69.3	73.0	2.4	0.0	74.6	60.0	71.0	0.4	0.0	72.5	60.0	71.0	0.4	0.0	72.5
9	12	12A	70.3	71.9	53.6	70.4	0.1	0.0	71.9	55.6	70.4	0.1	0.0	72.0	69.1	72.7	2.5	0.0	74.3	68.3	72.4	2.1	0.0	74.0	69.9	73.1	2.8	0.0	74.7	60.0	70.7	0.4	0.0	72.2	60.0	70.7	0.4	0.0	72.2
10	12	12A	70.0	71.6	53.4	70.1	0.1	0.0	71.6	55.4	70.1	0.1	0.0	71.7	69.6	72.8	2.8	0.0	74.4	68.3	72.2	2.2	0.0	73.8	70.0	73.0	3.0	YES	74.6	60.0	70.4	0.4	0.0	72.0	60.0	70.4	0.4	0.0	72.0
11	12	12A	69.7	71.3	53.2	69.8	0.1	0.0	71.3	55.3	69.8	0.2	0.0	71.4	68.4	72.1	2.4	0.0	73.7	68.1	72.0	2.3	0.0	73.5	69.1	72.4	2.7	0.0	74.0	59.3	70.1	0.4	0.0	71.6	59.3	70.1	0.4	0.0	71.6
12	12	12A	69.5	71.1	53.1	69.6	0.1	0.0	71.1	55.2	69.6	0.2	0.0	71.2	67.7	71.7	2.2	0.0	73.3	67.2	71.5	2.0	0.0	73.1	68.5	72.0	2.5	0.0	73.6	58.6	69.8	0.3	0.0	71.4	58.6	69.8	0.3	0.0	71.4
13	12	12A	69.2	70.8	53.1	69.3	0.1	0.0	70.9	55.4	69.4	0.2	0.0	70.9	67.7	71.5	2.3	0.0	73.1	67.2	71.3	2.1	0.0	72.9	67.9	71.6	2.4	0.0	73.2	58.6	69.6	0.4	0.0	71.1	58.5	69.5	0.4	0.0	71.1
14	12	12A	68.9	70.5	53.0	69.0	0.1	0.0	70.6	55.4	69.1	0.2	0.0	70.6	67.2	71.1	2.2	0.0	72.7	67.1	71.1	2.2	0.0	72.7	67.8	71.4	2.5	0.0	72.9	58.5	69.3	0.4	0.0	70.8	58.5	69.3	0.4	0.0	70.8
15	12	12A	68.7	70.3	52.9	68.8	0.1	0.0	70.4	55.5	68.9	0.2	0.0	70.5	66.8	70.9	2.2	0.0	72.4	67.1	71.0	2.3	0.0	72.5	67.8	71.3	2.6	0.0	72.8	58.6	69.1	0.4	0.0	70.7	58.5	69.1	0.4	0.0	70.6
16	12	12A	68.4	70.0	53.1	68.5	0.1	0.0	70.1	55.6	68.6	0.2	0.0	70.2	67.0	70.8	2.4	0.0	72.3	67.0	70.8	2.4	0.0	72.3	67.9	71.2	2.8	0.0	72.7	58.6	68.8	0.4	0.0	70.4	58.6	68.8	0.4	0.0	70.4
17	12	12A	68.2	69.8	53.6	68.3	0.1	0.0	69.9	56.0	68.4	0.3	0.0	70.0	67.4	70.8	2.6	0.0	72.4	67.1	70.7	2.5	0.0	72.2	68.1	71.2	3.0	0.0	72.7	59.2	68.7	0.5	0.0	70.3	59.2	68.7	0.5	0.0	70.3
18	12	12A	68.0	69.6	53.9	68.2	0.2	0.0	69.7	56.5	68.3	0.3	0.0	69.8	67.3	70.7	2.7	0.0	72.2	67.1	70.6	2.6	0.0	72.1	68.0	71.0	3.0	YES	72.6	59.3	68.5	0.6	0.0	70.1	59.3	68.5	0.6	0.0	70.1
Top	12	12A	67.7	69.3	56.0	68.0	0.3	0.0	69.5	58.2	68.2	0.5	0.0	69.7	67.4	70.6	2.9	0.0	72.1	67.3	70.5	2.8	0.0	72.1	68.0	70.9	3.2	YES	72.4	60.3	68.4	0.7	0.0	70.0	60.2	68.4	0.7	0.0	70.0
1	12	12B	61.4	63.0	47.9	61.6	0.2	0.0	63.1	52.0	61.9	0.5	0.0	63.4	58.4	63.2	1.8	0.0	64.7	59.9	63.7	2.3	0.0	65.3	53.6	62.1	0.7	0.0	63.6	50.6	61.7	0.3	0.0	63.3	49.7	61.7	0.3	0.0	63.2
2	12	12B	62.1	63.7	48.0	62.3	0.2	0.0	63.8	52.5	62.5	0.5	0.0	64.1	58.9	63.8	1.7	0.0	65.4	60.1	64.2	2.1	0.0	65.8	54.8	62.8	0.7	0.0	64.4	51.0	62.4	0.3	0.0	64.0	50.1	62.4	0.3	0.0	63.9
3	12	12B	62.6	64.2	48.4	62.8	0.2	0.0	64.3	52.9	63.0	0.4	0.0	64.6	59.3	64.3	1.7	0.0	65.8	60.4	64.6	2.1	0.0	66.2	56.1	63.5	0.9	0.0	65.0	51.4	62.9	0.3	0.0	64.5	50.6	62.9	0.3	0.0	64.4
4	12	12B	63.2	64.8	49.3	63.4	0.2	0.0	64.9	53.6	63.6	0.5	0.0	65.2	59.8	64.8	1.6	0.0	66.4	61.5	65.4	2.2	0.0	67.0	59.3	64.7	1.5	0.0	66.2	52.2	63.5	0.3	0.0	65.1	51.6	63.5	0.3	0.0	65.0
5	12	12B	63.6	65.2	48.8	63.7	0.1	0.0	65.3	53.5	64.0	0.4	0.0	65.6	62.0	65.9	2.3	0.0	67.4	62.3	66.0	2.4	0.0	67.6	59.2	64.9	1.3	0.0	66.5	51.4	63.8	0.3	0.0	65.4	50.7	63.8	0.2	0.0	65.4
6	12	12B	64.0	65.6	48.8	64.1	0.1	0.0	65.7	53.6	64.4	0.4	0.0	65.9	61.8	66.0	2.1	0.0	67.6	61.9	66.1	2.1	0.0	67.6	59.3	65.3	1.3	0.0	66.8	51.6	64.2	0.2	0.0	65.8	50.8	64.2	0.2	0.0	65.8
7	12	12B	64.0	65.6	48.7	64.1	0.1	0.0	65.7	53.9	64.4	0.4	0.0	66.0	62.0	66.1	2.1	0.0	67.7	61.9	66.1	2.1	0.0	67.6	62.6	66.4	2.4	0.0	67.9	51.6	64.2	0.2	0.0	65.8	50.9	64.2	0.2	0.0	65.8
8	12	12B	64.0	65.6	48.8	64.1	0.1	0.0	65.7	54.6	64.5	0.5	0.0	66.0	62.3	66.2	2.2	0.0	67.8	62.0	66.1	2.1	0.0	67.7	62.6	66.4	2.4	0.0	67.9	52.0	64.3	0.3	0.0	65.8	51.4	64.2	0.2	0.0	65.8
9	12	12B	64.0	65.6	48.8	64.1	0.1	0.0	65.7	55.1	64.5	0.5	0.0	66.1	63.1	66.6	2.6	0.0	68.1	62.1	66.2	2.2	0.0	67.7	62.5	66.3	2.3	0.0	67.9	52.4	64.3	0.3	0.0	65.8	51.8	64.2	0.3	0.0	65.8
10	12	12B	64.0	65.6	49.0	64.1	0.1	0.0	65.7	55.8	64.6	0.6	0.0	66.2	63.3	66.7	2.7	0.0	68.2	62.2	66.2	2.2	0.0	67.8	62.5	66.3	2.3	0.0	67.9	52.9	64.3	0.3	0.0	65.9	52.3	64.3	0.3	0.0	65.8
11	12	12B	64.0	65.6	49.3	64.1	0.1	0.0	65.7	56.7	64.7	0.7	0.0	66.3	63.7	66.9	2.9	0.0	68.4	62.5	66.3	2.3	0.0	67.9	62.6	66.4	2.4	0.0	67.9	53.6	64.4	0.4	0.0	65.9	53.0	64.3	0.3	0.0	65.9
12	12	12B	64.0	65.6	53.8	64.4	0.4	0.0	65.9	58.0	65.0	1.0	0.0	66.5	64.6	67.3	3.3	YES	68.9	63.0	66.5	2.5	0.0	68.1	62.9	66.5	2.5	0.0	68.0	55.0	64.5	0.5	0.0	66.1	54.5	64.5	0.5	0.0	66.0
13	12	12B	64.0	65.6	53.9	64.4	0.4	0.0	66.0	58.3	65.0	1.0	0.0	66.6	64.9	67.5	3.5	YES	69.0	63.3	66.7	2.7	0.0	68.2	63.0	66.5	2.5	0.0	68.1	55.6	64.6	0.6	0.0	66.1	55.1	64.5	0.5	0.0	66.1
14	12	12B	64.0	65.6	53.9	64.4	0.4	0.0	66.0	58.9	65.2	1.2	0.0	66.7	65.0	67.5	3.5	YES	69.1	63.5	66.8	2.8	0.0	68.3	64.4	67.2	3.2	YES	68.8	56.4	64.7	0.7	0.0	66.2	55.7	64.6	0.6	0.0	66.2
15	12	12B	63.9	65.5	54.6	64.4	0.5	0.0	65.9	59.9	65.3	1.5	0.0	66.9	66.2	68.2	4.3	YES	69.8	63.9	66.9	3.0	YES	68.5	64.4	67.2	3.3	YES	68.7	57.2	64.7	0.8	0.0	66.3	56.6	64.6	0.7	0.0	66.2
16	12	12B	63.9	65.5	55.1	64.4	0.5	0.0	66.0	60.5	65.5	1.6	0.0	67.1	66.3	68.3	4.4	YES	69.8	64.2	67.1	3.2	YES	68.6	64.6	67.3	3.4	YES	68.8	58.2	64.9	1.0	0.0	66.5	57.8	64.8	1.0	0.0	66.4
17	12	12B	63.8	65.4	55.3	64.4	0.6	0.0	65.9	60.6	65.5	1.7	0.0	67.1	66.3	68.2	4.4	YES	69.8	64.2	67.0	3.2	YES	68.6	64.6	67.2	3.4	YES	68.8	58.4	64.9	1.1	0.0	66.5	58.0	64.8	1.0	0.0	66.4
18	12	12B	63.7	65.3	55.6	64.3	0.6	0.0	65.9	60.5	65.4	1.7	0.0	67.0	66.2	68.1	4.4	YES	69.7	64.2	67.0	3.3	YES	68.5	64.4	67.1	3.4	YES	68.6	58.1	64.7	1.1	0.0	66.3	57.7	64.7	1.0	0.0	66.2
Top	12	12B	63.6	65.2	56.0	64.3	0.7	0.0	65.8	60.8	65.4	1.8	0.0	67.0	66.2	68.1	4.5	YES	69.7	64.3	67.0	3.4	YES	68.5	64.5	67.1	3.5	YES	68.6	58.4	64.7	1.1	0.0	66.3	58.0	64.6	1.1	0.0	66.2
1	12	12C	65.1	66.7	49.5	65.2	0.1	0.0	66.8	53.3	65.4	0.3	0.0	66.9	60.9	66.5	1.4	0.0	68.1	63.4	67.3	2.2	0.0	68.9	60.5	66.4	1.3	0.0	67.9	55.0	65.5	0.4	0.0	67.1	54.6	65.5	0.4	0.0	67.0
2	12	12C	66.1	67.7	50.0	66.2	0.1	0.0	67.8	54.0	66.4	0.3	0.0	67.9	61.6	67.4	1.3	0.0	69.0	64.0	68.2	2.1	0.0	69.7	61.2	67.3	1.2	0.0	68.9	55.4	66.4	0.4	0.0	68.0	55.0	66.4	0.3	0.0	68.0

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
Top	13	13A	72.5	74.1	55.6	72.6	0.1	0.0	74.1	57.1	72.6	0.1	0.0	74.2	65.9	73.4	0.9	0.0	74.9	74.1	76.4	3.9	YES	77.9	67.9	73.8	1.3	0.0	75.3	63.6	73.0	0.5	0.0	74.6	63.6	73.0	0.5	0.0	74.6
1	13	13B	65.7	67.3	49.7	65.8	0.1	0.0	67.4	52.4	65.9	0.2	0.0	67.4	60.2	66.8	1.1	0.0	68.3	60.9	66.9	1.2	0.0	68.5	60.4	66.8	1.1	0.0	68.4	51.1	65.8	0.1	0.0	67.4	50.8	65.8	0.1	0.0	67.4
2	13	13B	66.9	68.5	50.4	67.0	0.1	0.0	68.5	52.8	67.1	0.2	0.0	68.6	61.2	67.9	1.0	0.0	69.5	61.7	68.0	1.1	0.0	69.6	61.3	67.9	1.1	0.0	69.5	51.8	67.0	0.1	0.0	68.6	51.5	67.0	0.1	0.0	68.6
3	13	13B	67.8	69.4	50.9	67.9	0.1	0.0	69.4	53.2	67.9	0.1	0.0	69.5	63.4	69.1	1.3	0.0	70.7	62.2	68.8	1.1	0.0	70.4	63.2	69.1	1.3	0.0	70.6	52.4	67.9	0.1	0.0	69.5	52.1	67.9	0.1	0.0	69.5
4	13	13B	68.2	69.8	51.5	68.3	0.1	0.0	69.8	54.0	68.4	0.2	0.0	69.9	64.1	69.6	1.4	0.0	71.2	62.7	69.3	1.1	0.0	70.8	63.7	69.5	1.3	0.0	71.1	53.0	68.3	0.1	0.0	69.9	52.7	68.3	0.1	0.0	69.9
5	13	13B	68.4	70.0	52.0	68.5	0.1	0.0	70.0	54.4	68.6	0.2	0.0	70.1	64.4	69.8	1.5	0.0	71.4	63.5	69.6	1.2	0.0	71.2	64.3	69.8	1.4	0.0	71.4	53.5	68.5	0.1	0.0	70.1	53.3	68.5	0.1	0.0	70.1
6	13	13B	68.4	70.0	52.2	68.5	0.1	0.0	70.1	54.6	68.6	0.2	0.0	70.1	64.7	69.9	1.5	0.0	71.5	64.1	69.8	1.4	0.0	71.3	65.2	70.1	1.7	0.0	71.7	53.8	68.5	0.1	0.0	70.1	53.6	68.5	0.1	0.0	70.1
7	13	13B	68.4	70.0	52.3	68.5	0.1	0.0	70.1	54.8	68.6	0.2	0.0	70.1	65.1	70.1	1.7	0.0	71.6	64.2	69.8	1.4	0.0	71.4	64.9	70.0	1.6	0.0	71.6	54.0	68.5	0.2	0.0	70.1	53.8	68.5	0.1	0.0	70.1
8	13	13B	68.1	69.7	52.4	68.2	0.1	0.0	69.8	54.9	68.3	0.2	0.0	69.9	65.4	70.0	1.9	0.0	71.5	64.6	69.7	1.6	0.0	71.3	65.1	69.9	1.8	0.0	71.4	54.3	68.3	0.2	0.0	69.8	54.0	68.3	0.2	0.0	69.8
9	13	13B	67.8	69.4	52.4	67.9	0.1	0.0	69.5	54.9	68.0	0.2	0.0	69.6	65.7	69.9	2.1	0.0	71.4	64.9	69.6	1.8	0.0	71.2	65.2	69.7	1.9	0.0	71.3	53.7	68.0	0.2	0.0	69.5	53.5	67.9	0.2	0.0	69.5
10	13	13B	67.5	69.1	51.8	67.6	0.1	0.0	69.2	54.3	67.7	0.2	0.0	69.3	65.9	69.8	2.3	0.0	71.3	65.2	69.5	2.0	0.0	71.1	65.4	69.6	2.1	0.0	71.1	53.6	67.7	0.2	0.0	69.2	53.5	67.7	0.2	0.0	69.2
11	13	13B	67.3	68.9	51.7	67.4	0.1	0.0	69.0	53.8	67.5	0.2	0.0	69.0	66.0	69.7	2.4	0.0	71.3	65.4	69.5	2.2	0.0	71.0	65.6	69.5	2.2	0.0	71.1	53.5	67.5	0.2	0.0	69.0	53.4	67.5	0.2	0.0	69.0
Top	13	13B	67.2	68.8	51.8	67.3	0.1	0.0	68.9	53.8	67.4	0.2	0.0	68.9	65.7	69.5	2.3	0.0	71.1	65.9	69.6	2.4	0.0	71.2	65.6	69.5	2.3	0.0	71.0	54.2	67.4	0.2	0.0	69.0	54.1	67.4	0.2	0.0	69.0
1	13	13C	66.7	68.3	48.3	66.8	0.1	0.0	68.3	53.3	66.9	0.2	0.0	68.4	56.0	67.0	0.4	0.0	68.6	66.0	69.4	2.7	0.0	70.9	56.7	67.1	0.4	0.0	68.7	54.3	66.9	0.2	0.0	68.5	54.1	66.9	0.2	0.0	68.5
2	13	13C	67.9	69.5	49.8	68.0	0.1	0.0	69.5	54.8	68.1	0.2	0.0	69.7	56.9	68.2	0.3	0.0	69.8	68.4	71.2	3.3	YES	72.7	57.9	68.3	0.4	0.0	69.9	56.0	68.2	0.3	0.0	69.7	55.8	68.2	0.3	0.0	69.7
3	13	13C	68.3	69.9	50.4	68.4	0.1	0.0	69.9	55.1	68.5	0.2	0.0	70.1	57.6	68.6	0.4	0.0	70.2	69.3	71.8	3.5	YES	73.4	58.8	68.8	0.5	0.0	70.3	56.6	68.6	0.3	0.0	70.1	56.5	68.6	0.3	0.0	70.1
4	13	13C	68.5	70.1	51.1	68.6	0.1	0.0	70.1	55.6	68.7	0.2	0.0	70.3	59.4	69.0	0.5	0.0	70.6	69.7	72.1	3.7	YES	73.7	60.4	69.1	0.6	0.0	70.7	57.0	68.8	0.3	0.0	70.3	56.9	68.8	0.3	0.0	70.3
5	13	13C	68.4	70.0	51.7	68.5	0.1	0.0	70.0	56.0	68.6	0.2	0.0	70.2	59.6	68.9	0.5	0.0	70.5	70.6	72.6	4.3	YES	74.2	60.5	69.0	0.7	0.0	70.6	57.3	68.7	0.3	0.0	70.3	57.2	68.7	0.3	0.0	70.3
6	13	13C	68.4	70.0	52.0	68.5	0.1	0.0	70.0	54.1	68.5	0.2	0.0	70.1	58.9	68.9	0.5	0.0	70.4	71.9	73.5	5.1	YES	75.1	60.4	69.0	0.6	0.0	70.6	57.1	68.7	0.3	0.0	70.3	57.0	68.7	0.3	0.0	70.3
7	13	13C	68.1	69.7	52.0	68.2	0.1	0.0	69.8	54.2	68.3	0.2	0.0	69.8	58.9	68.6	0.5	0.0	70.1	72.5	73.8	5.8	YES	75.4	60.8	68.8	0.7	0.0	70.4	57.9	68.5	0.4	0.0	70.0	57.8	68.5	0.4	0.0	70.0
8	13	13C	68.0	69.6	52.0	68.1	0.1	0.0	69.7	54.3	68.2	0.2	0.0	69.7	59.0	68.5	0.5	0.0	70.1	72.6	73.9	5.9	YES	75.5	59.7	68.6	0.6	0.0	70.2	55.4	68.2	0.2	0.0	69.8	55.2	68.2	0.2	0.0	69.8
9	13	13C	67.9	69.5	51.8	68.0	0.1	0.0	69.6	54.3	68.1	0.2	0.0	69.6	58.9	68.4	0.5	0.0	70.0	72.9	74.1	6.2	YES	75.7	59.9	68.5	0.6	0.0	70.1	56.0	68.2	0.3	0.0	69.7	55.9	68.2	0.3	0.0	69.7
10	13	13C	68.0	69.6	51.7	68.1	0.1	0.0	69.7	54.2	68.2	0.2	0.0	69.7	55.0	68.2	0.2	0.0	69.8	73.0	74.2	6.2	YES	75.8	56.6	68.3	0.3	0.0	69.9	56.5	68.3	0.3	0.0	69.8	56.4	68.3	0.3	0.0	69.8
11	13	13C	68.0	69.6	51.5	68.1	0.1	0.0	69.6	54.1	68.2	0.2	0.0	69.7	54.9	68.2	0.2	0.0	69.8	71.7	73.2	5.2	YES	74.8	57.9	68.4	0.4	0.0	70.0	57.9	68.4	0.4	0.0	70.0	57.8	68.4	0.4	0.0	69.9
Top	13	13C	68.2	69.8	51.7	68.3	0.1	0.0	69.8	54.3	68.4	0.2	0.0	69.9	55.0	68.4	0.2	0.0	70.0	72.2	73.7	5.5	YES	75.2	62.2	69.2	1.0	0.0	70.7	62.2	69.2	1.0	0.0	70.7	62.2	69.2	1.0	0.0	70.7
1	13	13D	74.3	75.9	53.8	74.3	0.0	0.0	75.9	55.3	74.3	0.1	0.0	75.9	61.1	74.5	0.2	0.0	76.1	70.1	75.7	1.4	0.0	77.3	63.5	74.6	0.3	0.0	76.2	60.9	74.5	0.2	0.0	76.0	60.9	74.5	0.2	0.0	76.0
2	13	13D	74.8	76.4	54.8	74.8	0.0	0.0	76.4	56.4	74.9	0.1	0.0	76.4	62.1	75.0	0.2	0.0	76.6	72.3	76.7	1.9	0.0	78.3	65.1	75.2	0.4	0.0	76.8	63.0	75.1	0.3	0.0	76.6	63.0	75.1	0.3	0.0	76.6
3	13	13D	74.9	76.5	55.7	74.9	0.1	0.0	76.5	57.3	75.0	0.1	0.0	76.5	63.6	75.2	0.3	0.0	76.8	75.3	78.1	3.2	YES	79.7	67.6	75.6	0.7	0.0	77.2	66.2	75.4	0.6	0.0	77.0	66.2	75.4	0.6	0.0	77.0
4	13	13D	74.9	76.5	56.2	74.9	0.1	0.0	76.5	57.9	75.0	0.1	0.0	76.5	65.1	75.3	0.4	0.0	76.9	75.7	78.3	3.4	YES	79.9	68.5	75.8	0.9	0.0	77.3	66.8	75.5	0.6	0.0	77.1	66.8	75.5	0.6	0.0	77.1
5	13	13D	74.7	76.3	56.3	74.8	0.1	0.0	76.3	58.0	74.8	0.1	0.0	76.3	65.2	75.2	0.5	0.0	76.7	76.0	78.4	3.7	YES	80.0	68.8	75.7	1.0	0.0	77.2	66.8	75.3	0.7	0.0	76.9	66.8	75.3	0.7	0.0	76.9
6	13	13D	74.5	76.1	56.4	74.6	0.1	0.0	76.1	58.0	74.6	0.1	0.0	76.1	64.8	74.9	0.4	0.0	76.5	76.8	78.8	4.3	YES	80.4	68.7	75.5	1.0	0.0	77.1	66.8	75.2	0.7	0.0	76.7	66.8	75.2	0.7	0.0	76.7
7	13	13D	74.2	75.8	56.2	74.3	0.1	0.0	75.8	57.9	74.3	0.1	0.0	75.9	65.1	74.7	0.5	0.0	76.3	77.1	78.9	4.7	YES	80.5	68.6	75.2	1.1	0.0	76.8	66.5	74.9	0.7	0.0	76.4	66.5	74.9	0.7	0.0	76.4
8	13	13D	73.9	75.5	56.1	74.0	0.1	0.0	75.5	57.7	74.0	0.1	0.0	75.6	65.5	74.5	0.6	0.0	76.0	77.0	78.7	4.8	YES	80.3	68.6	75.0	1.1	0.0	76.6	66.4	74.6	0.7	0.0	76.2	66.4	74.6	0.7	0.0	76.2
9	13	13D	73.6	75.2	55.8	73.7	0.1	0.0	75.2	57.5	73.7	0.1	0.0	75.3	65.7	74.2	0.7	0.0	75.8	76.9	78.6	5.0	YES	80.1	68.6	74.8	1.2	0.0	76.3	66.3	74.3	0.7	0.0	75.9	66.3	74.3	0.7	0.0	75.9
10	13	13D	73.3	74.9	55.5	73.4	0.1	0.0	74.9	57.2	73.4	0.1	0.0	75.0	65.8																								

**ESCR
Construction Noise Analysis Daytime Results**

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2										2020 Q4										2021 Q1										2021 Q4										2022 Q2										2022 Q4										2023 Q1									
					Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total																									
					Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?																										
17	15	15A	69.1	70.7	52.0	69.2	0.1	0.0	70.7	54.0	69.2	0.1	0.0	70.8	59.6	69.6	0.5	0.0	71.1	76.7	77.4	8.3	YES	79.0	70.7	73.0	3.9	YES	74.5	70.4	72.8	3.7	YES	74.4	70.4	72.8	3.7	YES	74.4	70.4	72.8	3.7	YES	74.4																														
Top	15	15A	68.8	70.4	52.0	68.9	0.1	0.0	70.4	53.9	68.9	0.1	0.0	70.5	59.6	69.3	0.5	0.0	70.8	76.4	77.1	8.3	YES	78.7	70.3	72.6	3.8	YES	74.2	70.0	72.4	3.7	YES	74.0	70.0	72.4	3.7	YES	74.0	70.0	72.4	3.7	YES	74.0																														
1	15	15B	65.8	67.4	47.0	65.8	0.1	0.0	67.4	49.2	65.9	0.1	0.0	67.4	49.9	65.9	0.1	0.0	67.5	67.1	69.5	3.7	YES	71.1	61.2	67.1	1.3	0.0	68.6	61.1	67.1	1.3	0.0	68.6	61.1	67.1	1.3	0.0	68.6	61.1	67.1	1.3	0.0	68.6																														
2	15	15B	66.8	68.4	49.1	66.9	0.1	0.0	68.4	51.1	66.9	0.1	0.0	68.5	51.8	66.9	0.1	0.0	68.5	70.7	72.2	5.4	YES	73.7	64.0	68.6	1.8	0.0	70.2	63.9	68.6	1.8	0.0	70.2	63.9	68.6	1.8	0.0	70.2	63.9	68.6	1.8	0.0	70.2																														
3	15	15B	67.4	69.0	50.0	67.5	0.1	0.0	69.0	52.0	67.5	0.1	0.0	69.1	52.9	67.5	0.2	0.0	69.1	71.9	73.2	5.8	YES	74.8	65.2	69.4	2.1	0.0	71.0	65.2	69.4	2.1	0.0	71.0	65.2	69.4	2.1	0.0	71.0	65.2	69.4	2.1	0.0	71.0																														
4	15	15B	67.8	69.4	51.1	67.9	0.1	0.0	69.4	53.0	67.9	0.1	0.0	69.5	53.7	68.0	0.2	0.0	69.5	72.4	73.7	5.9	YES	75.3	65.9	70.0	2.2	0.0	71.5	65.9	70.0	2.2	0.0	71.5	65.9	70.0	2.2	0.0	71.5	65.9	70.0	2.2	0.0	71.5																														
5	15	15B	67.9	69.5	51.7	68.0	0.1	0.0	69.6	53.6	68.0	0.2	0.0	69.6	54.4	68.1	0.2	0.0	69.6	72.8	74.0	6.1	YES	75.6	66.5	70.3	2.4	0.0	71.8	66.4	70.2	2.3	0.0	71.8	66.4	70.2	2.3	0.0	71.8	66.4	70.2	2.3	0.0	71.8																														
6	15	15B	68.0	69.6	52.2	68.1	0.1	0.0	69.7	54.1	68.2	0.2	0.0	69.7	55.0	68.2	0.2	0.0	69.8	74.9	75.7	7.7	YES	77.3	69.0	71.5	3.5	YES	73.1	69.0	71.5	3.5	YES	73.1	69.0	71.5	3.5	YES	73.1	69.0	71.5	3.5	YES	73.1																														
7	15	15B	68.0	69.6	52.5	68.1	0.1	0.0	69.7	54.5	68.2	0.2	0.0	69.7	55.6	68.2	0.2	0.0	69.8	76.1	76.7	8.7	YES	78.3	69.9	72.1	4.1	YES	73.6	69.8	72.0	4.0	YES	73.6	69.8	72.0	4.0	YES	73.6	69.8	72.0	4.0	YES	73.6																														
8	15	15B	67.9	69.5	52.9	68.0	0.1	0.0	69.6	55.1	68.1	0.2	0.0	69.7	56.7	68.2	0.3	0.0	69.8	76.1	76.7	8.8	YES	78.3	69.7	71.9	4.0	YES	73.5	69.7	71.9	4.0	YES	73.5	69.7	71.9	4.0	YES	73.5	69.7	71.9	4.0	YES	73.5																														
9	15	15B	67.9	69.5	53.4	68.0	0.2	0.0	69.6	55.7	68.1	0.3	0.0	69.7	58.3	68.3	0.5	0.0	69.9	76.1	76.7	8.8	YES	78.3	69.7	71.9	4.0	YES	73.5	69.5	71.8	3.9	YES	73.3	69.5	71.8	3.9	YES	73.3	69.5	71.8	3.9	YES	73.3																														
10	15	15B	67.7	69.3	53.8	67.9	0.2	0.0	69.4	55.8	68.0	0.3	0.0	69.5	59.0	68.2	0.6	0.0	69.8	76.0	76.6	8.9	YES	78.2	69.5	71.7	4.0	YES	73.3	69.4	71.6	3.9	YES	73.2	69.3	71.6	3.9	YES	73.1	69.3	71.6	3.9	YES	73.1																														
11	15	15B	67.4	69.0	53.6	67.6	0.2	0.0	69.1	55.9	67.7	0.3	0.0	69.2	61.2	68.3	0.9	0.0	69.9	75.9	76.5	9.1	YES	78.0	69.5	71.6	4.2	YES	73.1	69.2	71.4	4.0	YES	73.0	69.2	71.4	4.0	YES	73.0	69.2	71.4	4.0	YES	73.0																														
12	15	15B	67.2	68.8	53.5	67.4	0.2	0.0	68.9	55.7	67.5	0.3	0.0	69.0	61.9	68.3	1.1	0.0	69.9	75.8	76.4	9.2	YES	77.9	69.4	71.4	4.3	YES	73.0	69.0	71.2	4.0	YES	72.8	68.9	71.1	3.9	YES	72.7	68.8	71.0	3.9	YES	72.6																														
13	15	15B	67.1	68.7	53.4	67.3	0.2	0.0	68.8	55.8	67.4	0.3	0.0	69.0	61.8	68.2	1.1	0.0	69.8	75.7	76.3	9.2	YES	77.8	69.3	71.3	4.3	YES	72.9	68.8	71.0	3.9	YES	72.6	68.8	71.0	3.9	YES	72.6	68.8	71.0	3.9	YES	72.6																														
14	15	15B	67.1	68.7	53.4	67.3	0.2	0.0	68.8	56.0	67.4	0.3	0.0	69.0	61.9	68.2	1.1	0.0	69.8	75.4	76.0	8.9	YES	77.6	68.5	70.9	3.8	YES	72.4	67.8	70.5	3.4	YES	72.0	67.8	70.5	3.4	YES	72.0	67.8	70.5	3.4	YES	72.0																														
15	15	15B	67.2	68.8	53.3	67.4	0.2	0.0	68.9	56.0	67.5	0.3	0.0	69.1	61.5	68.2	1.0	0.0	69.8	75.2	75.8	8.6	YES	77.4	68.1	70.7	3.5	YES	72.2	67.4	70.3	3.1	YES	71.9	67.4	70.3	3.1	YES	71.9	67.4	70.3	3.1	YES	71.9																														
16	15	15B	67.2	68.8	52.9	67.3	0.2	0.0	68.9	56.0	67.5	0.3	0.0	69.1	61.0	68.1	0.9	0.0	69.7	75.1	75.8	8.6	YES	77.3	67.8	70.5	3.3	YES	72.1	67.1	70.2	3.0	0.0	71.7	67.1	70.2	3.0	0.0	71.7	67.1	70.2	3.0	0.0	71.7																														
17	15	15B	67.0	68.6	52.7	67.1	0.2	0.0	68.7	56.4	67.4	0.4	0.0	68.9	60.5	67.9	0.9	0.0	69.4	75.0	75.6	8.6	YES	77.2	67.0	70.0	3.0	YES	71.6	66.3	69.7	2.7	0.0	71.2	66.3	69.7	2.7	0.0	71.2	66.3	69.7	2.7	0.0	71.2																														
Top	15	15B	66.9	68.5	52.6	67.0	0.2	0.0	68.6	56.4	67.3	0.4	0.0	68.8	60.4	67.8	0.9	0.0	69.3	74.8	75.5	8.6	YES	77.0	66.9	69.9	3.0	YES	71.5	66.1	69.5	2.6	0.0	71.1	66.1	69.5	2.6	0.0	71.1	66.1	69.5	2.6	0.0	71.1																														
1	15	15C	67.0	68.6	48.8	67.1	0.1	0.0	68.6	50.9	67.1	0.1	0.0	68.7	51.5	67.1	0.1	0.0	68.7	58.0	67.5	0.5	0.0	69.1	54.6	67.2	0.2	0.0	68.8	54.3	67.2	0.2	0.0	68.8	54.3	67.2	0.2	0.0	68.8	54.3	67.2	0.2	0.0	68.8																														
2	15	15C	68.0	69.6	52.1	68.1	0.1	0.0	69.7	54.1	68.2	0.2	0.0	69.7	54.6	68.2	0.2	0.0	69.7	62.9	69.2	1.2	0.0	70.7	57.5	68.4	0.4	0.0	69.9	57.2	68.3	0.3	0.0	69.9	57.2	68.3	0.3	0.0	69.9	57.2	68.3	0.3	0.0	69.9																														
3	15	15C	68.4	70.0	54.2	68.6	0.2	0.0	70.1	56.1	68.6	0.2	0.0	70.2	56.7	68.7	0.3	0.0	70.2	64.1	69.8	1.4	0.0	71.3	59.5	68.9	0.5	0.0	70.4	59.2	68.9	0.5	0.0	70.4	59.2	68.9	0.5	0.0	70.4	59.2	68.9	0.5	0.0	70.4																														
4	15	15C	68.5	70.1	57.1	68.8	0.3	0.0	70.4	58.9	68.9	0.5	0.0	70.5	59.5	69.0	0.5	0.0	70.6	65.4	70.2	1.7	0.0	71.8	61.7	69.3	0.8	0.0	70.9	61.3	69.2	0.8	0.0	70.8	61.3	69.2	0.8	0.0	70.8	61.3	69.2	0.8	0.0	70.8																														
5	15	15C	68.2	69.8	57.4	68.5	0.3	0.0	70.1	59.2	68.7	0.5	0.0	70.3	59.7	68.8	0.6	0.0	70.3	65.8	70.2	2.0	0.0	71.7	62.0	69.1	0.9	0.0	70.7	61.7	69.1	0.9	0.0	70.6	61.7	69.1	0.9	0.0	70.6	61.7	69.1	0.9	0.0	70.6																														
6	15	15C	68.3	69.9	57.1	68.6	0.3	0.0	70.2	58.9	68.8	0.5	0.0	70.3	59.5	68.8	0.5	0.0	70.4	66.3	70.4	2.1	0.0	72.0	62.6	69.3	1.0	0.0	70.9	62.4	69.3	1.0	0.0	70.8	62.4	69.3	1.0	0.0	70.8	62.4	69.3	1.0	0.0	70.8																														
7	15	15C	68.2	69.8	56.8	68.5	0.3	0.0	70.1	58.7	68.7	0.5	0.0	70.2	59.2	68.7	0.5	0.0	70.3	66.4	70.4	2.2	0.0	72.0	62.4	69.2	1.0	0.0	70.8	62.1	69.1	1.0	0.0	70.7	62.1	69.1	1.0	0.0	70.7	62.1	69.1	1.0	0.0	70.7																														
8	15	15C	68.2	69.8	56.5	68.5	0.3	0.0	70.0	58.5	68.6	0.4	0.0	70.2	59.0	68.7	0.5	0.0	70.2	66.4	70.4	2.2	0.0	72.0	62.2	69.2	1.0	0.0	70.7	62.0	69.1	0.9	0.0	70.7	61.9	69.1	0.9	0.0	70.7	61.9	69.1	0.9	0.0	70.7																														
9	15	15C	68.2	69.8	56.2	68.5	0.3	0.0	70.0	58.2	68.6	0.4	0.0	70.2	58.7	68.7	0.5	0.0	70.2	66.3	70.4	2.2	0.0	71.9	61.9	69.1	0.9	0.0	70.7	61.7	69.1	0.9	0.0	70.6	61.7	69.1	0.9	0.0	70.6	61.7	69.1	0.9	0.0	70.6																														
10	15	15C	68.1	69.7	56.0	68.4	0.3	0.0	69.9	57.9	68.5	0.4	0.0	70.0	58.5	68.5	0.5	0.0	70.1	66.3	70.3	2.2	0.0	71.9	61.7	69.0	0.9	0.0	70.5	61.5	69.0	0.9	0.0	70.5	61.5	69.0	0.9	0.0	70.5	61.5	69.0	0.9	0.0	70.5																														
11	15	15C	68.0	69.6	55.6	68.2	0.2	0.0	69.8	57.5																																																																

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total					
					Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?	Const
6	16	16C	60.3	62.9	42.2	60.4	0.1	0.0	63.0	66.0	67.0	6.7	YES	69.6	66.0	67.0	6.7	YES	69.6	68.5	69.1	8.8	YES	71.7	68.4	69.0	8.7	YES	71.6	63.2	65.0	4.7	YES	67.6	41.8	60.4	0.1	0.0	63.0
7	16	16C	60.3	62.9	42.5	60.4	0.1	0.0	63.0	66.0	67.0	6.7	YES	69.6	66.0	67.0	6.7	YES	69.6	68.5	69.1	8.8	YES	71.7	68.4	69.0	8.7	YES	71.6	63.2	65.0	4.7	YES	67.6	42.2	60.4	0.1	0.0	63.0
8	16	16C	60.3	62.9	42.6	60.4	0.1	0.0	63.0	66.0	67.0	6.7	YES	69.6	66.0	67.0	6.7	YES	69.6	68.5	69.1	8.8	YES	71.7	68.4	69.0	8.7	YES	71.6	63.2	65.0	4.7	YES	67.6	42.4	60.4	0.1	0.0	63.0
9	16	16C	60.3	62.9	42.7	60.4	0.1	0.0	63.0	66.0	67.0	6.7	YES	69.6	66.0	67.0	6.7	YES	69.6	68.5	69.1	8.8	YES	71.7	68.4	69.0	8.7	YES	71.6	63.2	65.0	4.7	YES	67.6	42.6	60.4	0.1	0.0	63.0
Top	16	16C	60.3	62.9	42.7	60.4	0.1	0.0	63.0	66.0	67.0	6.7	YES	69.6	66.1	67.1	6.8	YES	69.7	68.5	69.1	8.8	YES	71.7	68.4	69.0	8.7	YES	71.6	63.1	64.9	4.6	0.0	67.5	42.5	60.4	0.1	0.0	63.0
1	17	17A	70.8	73.4	72.8	74.9	4.1	YES	77.5	74.9	76.3	5.5	YES	78.9	75.0	76.4	5.6	YES	79.0	75.0	76.4	5.6	YES	79.0	73.7	75.5	4.7	YES	78.1	73.5	75.4	4.5	YES	78.0	73.4	75.3	4.5	YES	77.9
2	17	17A	71.2	73.8	72.6	75.0	3.7	YES	77.6	75.4	76.8	5.6	YES	79.4	75.4	76.8	5.6	YES	79.4	75.5	76.4	5.6	YES	79.5	73.7	75.7	4.4	YES	78.2	73.4	75.5	4.2	YES	78.1	73.4	75.5	4.2	YES	78.1
3	17	17A	71.3	73.9	72.6	75.0	3.7	YES	77.6	75.7	77.1	5.7	YES	79.6	75.7	77.1	5.7	YES	79.6	75.8	77.1	5.8	YES	79.7	73.8	75.8	4.4	YES	78.3	73.4	75.5	4.2	YES	78.1	73.4	75.5	4.2	YES	78.1
4	17	17A	71.3	73.9	72.6	75.0	3.7	YES	77.6	75.9	77.2	5.9	YES	79.8	76.0	77.3	5.9	YES	79.9	76.0	77.3	5.9	YES	79.9	73.8	75.8	4.4	YES	78.3	73.4	75.5	4.2	YES	78.1	73.3	75.4	4.1	YES	78.0
5	17	17A	71.2	73.8	72.5	74.9	3.7	YES	77.5	77.1	78.1	6.9	YES	80.7	77.1	78.1	6.9	YES	80.7	77.1	78.1	6.9	YES	80.7	73.8	75.7	4.5	YES	78.3	73.4	75.5	4.2	YES	78.1	73.3	75.4	4.2	YES	78.0
6	17	17A	71.1	73.7	72.5	74.9	3.7	YES	77.5	78.0	78.8	7.7	YES	81.4	78.0	78.8	7.7	YES	81.4	78.0	78.8	7.7	YES	81.4	73.8	75.7	4.5	YES	78.3	73.3	75.4	4.2	YES	78.0	73.2	75.3	4.2	YES	77.9
7	17	17A	71.0	73.6	72.4	74.8	3.7	YES	77.4	78.0	78.8	7.8	YES	81.4	78.0	78.8	7.8	YES	81.4	78.1	78.9	7.8	YES	81.5	73.9	75.7	4.7	YES	78.3	73.2	75.3	4.2	YES	77.9	73.1	75.2	4.2	YES	77.8
8	17	17A	70.8	73.4	72.3	74.6	3.8	YES	77.2	77.9	78.7	7.8	YES	81.3	78.0	78.8	7.9	YES	81.4	78.0	78.8	7.9	YES	81.4	74.0	75.7	4.9	YES	78.3	73.1	75.1	4.3	YES	77.7	73.1	75.1	4.3	YES	77.7
9	17	17A	70.6	73.2	72.2	74.5	3.9	YES	77.1	77.8	78.6	7.9	YES	81.2	77.9	78.6	8.0	YES	81.2	78.0	78.7	8.1	YES	81.3	73.9	75.6	4.9	YES	78.2	73.0	75.0	4.3	YES	77.6	73.0	75.0	4.3	YES	77.6
10	17	17A	70.4	73.0	72.1	74.4	3.9	YES	77.0	77.6	78.4	7.9	YES	81.0	77.7	78.4	8.0	YES	81.0	77.8	78.5	8.1	YES	81.1	73.8	75.4	5.0	YES	78.0	72.9	74.9	4.4	YES	77.4	72.9	74.9	4.4	YES	77.4
Top	17	17A	70.2	72.8	72.0	74.2	4.0	YES	76.8	77.5	78.2	8.0	YES	80.8	77.6	78.3	8.1	YES	80.9	77.7	78.4	8.2	YES	81.0	73.7	75.3	5.1	YES	77.9	72.8	74.7	4.5	YES	77.3	72.7	74.7	4.4	YES	77.2
1	17	17B	66.5	69.1	68.7	70.8	4.2	YES	73.4	70.6	72.0	5.5	YES	74.6	70.8	72.2	5.6	YES	74.8	70.8	72.2	5.6	YES	74.8	69.8	71.5	4.9	YES	74.1	68.8	70.8	4.3	YES	73.4	68.8	70.8	4.3	YES	73.4
2	17	17B	67.2	69.8	75.3	75.9	8.7	YES	78.5	74.5	75.2	8.0	YES	77.8	74.6	75.3	8.1	YES	77.9	74.6	75.3	8.1	YES	77.9	74.1	74.9	7.7	YES	77.5	73.8	74.7	7.4	YES	77.3	73.8	74.7	7.4	YES	77.3
3	17	17B	67.4	70.0	75.4	76.0	8.6	YES	78.6	76.7	77.2	9.7	YES	79.8	76.7	77.2	9.7	YES	79.8	76.7	77.2	9.7	YES	79.8	76.1	76.7	9.2	YES	79.2	75.9	76.5	9.0	YES	79.1	75.9	76.5	9.0	YES	79.1
4	17	17B	67.6	70.2	76.5	77.0	9.4	YES	79.6	76.9	77.4	9.7	YES	80.0	76.9	77.4	9.7	YES	80.0	76.9	77.4	9.7	YES	80.0	76.3	76.9	9.2	YES	79.4	76.0	76.6	8.9	YES	79.2	76.0	76.6	8.9	YES	79.2
5	17	17B	67.6	70.2	77.5	77.9	10.3	YES	80.5	77.3	77.7	10.1	YES	80.3	77.4	77.8	10.2	YES	80.4	77.4	77.8	10.2	YES	80.4	76.6	77.1	9.5	YES	79.7	76.4	76.9	9.3	YES	79.5	76.4	76.9	9.3	YES	79.5
6	17	17B	67.6	70.2	77.2	77.7	10.0	YES	80.2	77.8	78.2	10.6	YES	80.8	77.8	78.2	10.6	YES	80.8	77.8	78.2	10.6	YES	80.8	77.1	77.6	9.9	YES	80.2	76.7	77.2	9.6	YES	79.8	76.7	77.2	9.6	YES	79.8
7	17	17B	67.5	70.1	77.1	77.6	10.0	YES	80.1	78.3	78.7	11.1	YES	81.2	78.4	78.7	11.2	YES	81.3	78.4	78.7	11.2	YES	81.3	77.8	78.2	10.6	YES	80.8	77.4	77.8	10.3	YES	80.4	77.4	77.8	10.3	YES	80.4
8	17	17B	67.4	70.0	77.5	77.9	10.5	YES	80.5	79.5	79.8	12.3	YES	82.4	79.5	79.8	12.3	YES	82.4	79.5	79.8	12.3	YES	82.4	79.0	79.3	11.8	YES	81.9	78.7	79.0	11.6	YES	81.6	78.7	79.0	11.6	YES	81.6
9	17	17B	67.3	69.9	77.3	77.7	10.4	YES	80.3	79.2	79.5	12.1	YES	82.1	79.2	79.5	12.1	YES	82.1	79.2	79.5	12.1	YES	82.1	78.7	79.0	11.7	YES	81.6	78.4	78.7	11.4	YES	81.3	78.4	78.7	11.4	YES	81.3
10	17	17B	67.2	69.8	77.2	77.6	10.4	YES	80.2	78.9	79.2	11.9	YES	81.8	79.0	79.3	12.0	YES	81.9	79.0	79.3	12.0	YES	81.9	78.4	78.7	11.5	YES	81.3	78.0	78.4	11.1	YES	80.9	78.0	78.4	11.1	YES	80.9
Top	17	17B	67.2	69.8	77.0	77.4	10.2	YES	80.0	78.6	78.9	11.7	YES	81.5	78.7	79.0	11.8	YES	81.6	78.7	79.0	11.8	YES	81.6	78.1	78.4	11.2	YES	81.0	77.7	78.1	10.8	YES	80.7	77.7	78.1	10.8	YES	80.7
1	17	17C	63.0	65.6	45.0	63.1	0.1	0.0	65.7	59.9	64.8	1.7	0.0	67.4	67.3	68.7	1.7	0.0	67.4	67.3	68.7	1.7	0.0	67.4	66.7	68.3	5.2	YES	70.8	56.8	64.0	0.9	0.0	66.6	44.8	63.1	0.1	0.0	65.7
2	17	17C	63.9	66.5	44.7	64.0	0.1	0.0	66.6	66.4	68.4	4.4	YES	70.9	66.4	68.4	4.4	YES	70.9	67.7	69.2	5.3	YES	71.8	66.4	68.4	4.4	YES	70.9	60.2	65.5	1.5	0.0	68.1	44.1	64.0	0.0	0.0	66.6
3	17	17C	64.5	67.1	44.7	64.6	0.0	0.0	67.2	66.1	68.4	3.9	YES	71.0	66.1	68.4	3.9	YES	71.0	67.5	69.3	4.7	YES	71.9	65.9	68.3	3.7	YES	70.9	60.7	66.0	1.5	0.0	68.6	44.1	64.6	0.0	0.0	67.2
4	17	17C	64.9	67.5	44.8	65.0	0.0	0.0	67.6	66.0	68.5	3.6	YES	71.1	66.0	68.5	3.6	YES	71.1	67.6	69.5	4.5	YES	72.1	65.8	68.4	3.5	YES	71.0	60.6	66.3	1.4	0.0	68.9	44.1	65.0	0.0	0.0	67.6
5	17	17C	65.1	67.7	44.8	65.2	0.0	0.0	67.8	66.7	69.0	3.9	YES	71.6	66.7	69.0	3.9	YES	71.6	68.1	69.9	4.7	YES	72.5	65.8	68.5	3.3	YES	71.1	60.6	66.5	1.3	0.0	69.0	44.1	65.2	0.0	0.0	67.8
6	17	17C	65.3	67.9	45.0	65.4	0.0	0.0	68.0	67.1	69.3	4.0	YES	71.9	67.1	69.3	4.0	YES	71.9	68.4	70.1	4.8	YES	72.7	65.8	68.6	3.2	YES	71.2	60.6	66.6	1.3	0.0	69.2	44.2	65.4	0.0	0.0	68.0
7	17	17C	65.3	67.9	45.0	65.4	0.0	0.0	68.0	67.5	69.6	4.2	YES	72.2	67.5	69.6	4.2	YES	72.2	68.7	70.3	5.0	YES	72.9	65.8	68.6	3.2	YES	71.2	60.6	66.6	1.3	0.0	69.2	44.3	65.4	0.0	0.0	68.0
8	17	17C	65.4	68.0	45.1	65.5	0.0	0.0	68.1	67.6	69.7	4.2	YES	72.3	67.6	69.7	4.2	YES	72.3	68.8	70.4	5.0	YES	73.0	65.8	68.6	3.2	YES	71.2	60.6	66.7	1.2	0.0	69.3	44.6	65.5	0.0	0.0	68.1
9	17	17																																					

**ESCR
Construction Noise Analysis Daytime Results**

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			L10	Leq			L10	Leq			L10	Leq			L10	Leq			L10	Leq			L10	Leq			L10							
					Const	Total	Change		Exceed?	Total	Const		Total	Change	Exceed?		Total	Const	Total		Change	Exceed?	Total		Const	Total	Change		Exceed?	Total	Const		Total	Change	Exceed?	Total	Const	Total	Change
Top	18	18D	63.3	65.9	72.1	72.6	9.3	YES	75.2	75.3	75.6	12.2	YES	78.2	75.4	75.7	12.3	YES	78.3	75.4	75.7	12.3	YES	78.3	72.9	73.4	10.0	YES	75.9	72.5	73.0	9.7	YES	75.6	72.5	73.0	9.7	YES	75.6
1	19	19A	71.3	73.9	74.8	76.4	5.1	YES	79.0	74.5	76.2	4.9	YES	78.8	74.9	76.5	5.1	YES	79.1	75.0	76.6	5.2	YES	79.1	74.8	76.4	5.1	YES	79.0	73.7	75.7	4.3	YES	78.3	73.7	75.7	4.3	YES	78.3
2	19	19A	71.7	74.3	74.8	76.5	4.8	YES	79.1	74.7	76.5	4.7	YES	79.1	75.2	76.8	5.1	YES	79.4	75.2	76.8	5.1	YES	79.4	75.0	76.7	4.9	YES	79.3	73.7	75.8	4.1	YES	78.4	73.7	75.8	4.1	YES	78.4
3	19	19A	71.8	74.4	74.8	76.6	4.7	YES	79.2	74.8	76.6	4.7	YES	79.2	75.4	77.0	5.1	YES	79.6	75.4	77.0	5.1	YES	79.6	75.1	76.8	4.9	YES	79.4	73.6	75.8	4.0	YES	78.4	73.6	75.8	4.0	YES	78.4
4	19	19A	71.8	74.4	74.7	76.5	4.7	YES	79.1	74.9	76.6	4.8	YES	79.2	75.5	77.1	5.2	YES	79.6	75.5	77.1	5.2	YES	79.6	75.3	76.9	5.1	YES	79.5	73.6	75.8	4.0	YES	78.4	73.6	75.8	4.0	YES	78.4
5	19	19A	71.8	74.4	74.6	76.4	4.6	YES	79.0	75.2	76.8	5.0	YES	79.4	76.1	77.5	5.6	YES	80.1	76.1	77.5	5.6	YES	80.1	75.8	77.3	5.4	YES	79.9	73.6	75.8	4.0	YES	78.4	73.5	75.8	3.9	YES	78.4
6	19	19A	71.7	74.3	74.6	76.4	4.7	YES	79.0	75.8	77.2	5.5	YES	79.8	77.0	78.1	6.4	YES	80.7	77.0	78.1	6.4	YES	80.7	76.6	77.8	6.1	YES	80.4	73.5	75.7	4.0	YES	78.3	73.5	75.7	4.0	YES	78.3
7	19	19A	71.6	74.2	74.5	76.3	4.7	YES	78.9	76.0	77.4	5.7	YES	79.9	77.1	78.2	6.5	YES	80.8	77.1	78.2	6.5	YES	80.8	76.7	77.9	6.2	YES	80.5	73.5	75.7	4.0	YES	78.3	73.4	75.6	4.0	YES	78.2
8	19	19A	71.5	74.1	74.4	76.2	4.7	YES	78.8	76.1	77.4	5.9	YES	80.0	77.1	78.2	6.6	YES	80.8	77.2	78.2	6.7	YES	80.8	76.6	77.8	6.2	YES	80.4	73.4	75.6	4.0	YES	78.2	73.4	75.6	4.0	YES	78.2
9	19	19A	71.4	74.0	74.2	76.0	4.6	YES	78.6	76.1	77.4	5.9	YES	80.0	77.1	78.1	6.7	YES	80.7	77.1	78.1	6.7	YES	80.7	76.4	77.6	6.2	YES	80.2	73.3	75.5	4.0	YES	78.1	73.3	75.5	4.0	YES	78.1
10	19	19A	71.2	73.8	74.1	75.9	4.7	YES	78.5	76.0	77.3	6.0	YES	79.8	77.0	78.0	6.8	YES	80.6	77.1	78.1	6.9	YES	80.7	76.3	77.5	6.2	YES	80.1	73.2	75.3	4.1	YES	77.9	73.2	75.3	4.1	YES	77.9
11	19	19A	71.0	73.6	74.0	75.8	4.7	YES	78.4	76.0	77.2	6.2	YES	79.8	77.0	78.0	6.9	YES	80.6	77.0	78.0	6.9	YES	80.6	76.3	77.4	6.4	YES	80.0	73.1	75.2	4.2	YES	77.8	73.1	75.2	4.2	YES	77.8
12	19	19A	70.8	73.4	73.8	75.6	4.7	YES	78.2	75.9	77.1	6.2	YES	79.7	76.8	77.8	6.9	YES	80.4	76.8	77.8	6.9	YES	80.4	76.0	77.2	6.3	YES	79.7	73.0	75.1	4.2	YES	77.7	72.9	75.0	4.2	YES	77.6
13	19	19A	70.6	73.2	73.6	75.4	4.7	YES	78.0	75.8	77.0	6.3	YES	79.5	76.7	77.7	7.0	YES	80.3	76.8	77.7	7.1	YES	80.3	76.0	77.1	6.5	YES	79.7	72.9	74.9	4.3	YES	77.5	72.8	74.9	4.2	YES	77.5
14	19	19A	70.4	73.0	73.5	75.2	4.8	YES	77.8	75.8	76.9	6.5	YES	79.5	76.6	77.5	7.1	YES	80.1	76.7	77.6	7.2	YES	80.2	75.8	76.9	6.5	YES	79.5	72.7	74.7	4.3	YES	77.3	72.7	74.7	4.3	YES	77.3
Top	19	19A	70.2	72.8	73.3	75.0	4.8	YES	77.6	75.7	76.8	6.5	YES	79.4	76.6	77.5	7.3	YES	80.1	76.6	77.5	7.3	YES	80.1	75.7	76.8	6.5	YES	79.4	72.6	74.6	4.3	YES	77.2	72.6	74.6	4.3	YES	77.2
1	19	19B	69.3	71.9	62.1	70.1	0.7	0.0	72.7	66.2	71.1	1.7	0.0	73.7	68.5	72.0	2.6	0.0	74.5	68.6	72.0	2.7	0.0	74.6	69.0	72.2	2.8	0.0	74.8	60.3	69.9	0.5	0.0	72.4	60.3	69.9	0.5	0.0	72.4
2	19	19B	70.0	72.6	61.7	70.6	0.6	0.0	73.2	66.6	71.7	1.6	0.0	74.3	69.3	72.7	2.7	0.0	75.3	69.4	72.7	2.7	0.0	75.3	69.9	73.0	2.9	0.0	75.6	59.9	70.4	0.4	0.0	73.0	59.7	70.4	0.4	0.0	73.0
3	19	19B	70.2	72.8	61.6	70.8	0.6	0.0	73.4	66.8	71.9	1.6	0.0	74.5	69.7	73.0	2.7	0.0	75.6	69.7	73.0	2.7	0.0	75.6	70.2	73.2	3.0	0.0	75.8	59.9	70.6	0.4	0.0	73.2	59.7	70.6	0.4	0.0	73.2
4	19	19B	70.3	72.9	61.6	70.9	0.5	0.0	73.5	67.2	72.1	1.7	0.0	74.7	70.1	73.2	2.9	0.0	75.8	70.1	73.2	2.9	0.0	75.8	70.6	73.5	3.1	YES	76.1	59.9	70.7	0.4	0.0	73.3	59.7	70.7	0.4	0.0	73.3
5	19	19B	70.3	72.9	61.6	70.9	0.5	0.0	73.5	68.4	72.5	2.1	0.0	75.1	71.7	74.1	3.7	YES	76.7	71.7	74.1	3.7	YES	76.7	72.3	74.4	4.1	YES	77.0	60.0	70.7	0.4	0.0	73.3	59.6	70.7	0.4	0.0	73.3
6	19	19B	70.3	72.9	61.6	70.9	0.5	0.0	73.5	69.2	72.8	2.5	0.0	75.4	72.9	74.8	4.5	YES	77.4	73.0	74.9	4.5	YES	77.5	73.8	75.4	5.1	YES	78.0	59.9	70.7	0.4	0.0	73.3	59.6	70.7	0.4	0.0	73.3
7	19	19B	70.2	72.8	61.5	70.8	0.5	0.0	73.4	70.5	73.4	3.1	YES	76.0	73.8	75.4	5.1	YES	78.0	73.8	75.4	5.1	YES	78.0	74.4	75.8	5.6	YES	78.4	59.9	70.6	0.4	0.0	73.2	59.6	70.6	0.4	0.0	73.2
8	19	19B	70.1	72.7	61.5	70.7	0.6	0.0	73.3	70.7	73.4	3.3	YES	76.0	73.7	75.3	5.1	YES	77.9	73.8	75.4	5.2	YES	77.9	74.3	75.7	5.6	YES	78.3	59.9	70.5	0.4	0.0	73.1	59.6	70.5	0.4	0.0	73.1
9	19	19B	70.0	72.6	61.4	70.6	0.6	0.0	73.2	70.9	73.5	3.5	YES	76.1	73.8	75.3	5.3	YES	77.9	73.8	75.3	5.3	YES	77.9	74.2	75.6	5.6	YES	78.2	59.9	70.4	0.4	0.0	73.0	59.5	70.4	0.4	0.0	73.0
10	19	19B	69.8	72.4	61.4	70.4	0.6	0.0	73.0	70.8	73.4	3.5	YES	75.9	73.7	75.2	5.4	YES	77.8	73.8	75.3	5.4	YES	77.9	74.1	75.5	5.6	YES	78.1	59.9	70.3	0.4	0.0	72.9	59.6	70.2	0.4	0.0	72.8
11	19	19B	69.6	72.2	61.3	70.2	0.6	0.0	72.8	70.8	73.3	3.6	YES	75.9	73.7	75.1	5.5	YES	77.7	73.7	75.1	5.5	YES	77.7	74.0	75.4	5.7	YES	77.9	59.9	70.1	0.4	0.0	72.7	59.5	70.0	0.4	0.0	72.6
12	19	19B	69.5	72.1	61.3	70.2	0.6	0.0	72.7	70.8	73.2	3.7	YES	75.8	73.4	74.9	5.4	YES	77.5	73.4	74.9	5.4	YES	77.5	73.7	75.1	5.6	YES	77.7	59.8	70.0	0.4	0.0	72.6	59.5	70.0	0.4	0.0	72.5
13	19	19B	69.3	71.9	61.2	70.0	0.6	0.0	72.6	70.8	73.1	3.8	YES	75.7	73.0	74.6	5.2	YES	77.1	73.0	74.6	5.2	YES	77.1	73.3	74.8	5.4	YES	77.4	59.8	69.8	0.5	0.0	72.4	59.4	69.8	0.4	0.0	72.4
14	19	19B	69.1	71.7	61.1	69.8	0.6	0.0	72.4	70.7	73.0	3.9	YES	75.6	72.9	74.4	5.3	YES	77.0	73.0	74.5	5.4	YES	77.1	73.2	74.6	5.5	YES	77.2	59.7	69.6	0.5	0.0	72.2	59.4	69.6	0.4	0.0	72.2
Top	19	19B	69.0	71.6	61.5	69.8	0.7	0.0	72.3	70.8	73.0	4.0	YES	75.6	72.9	74.4	5.4	YES	77.0	73.0	74.5	5.4	YES	77.1	73.2	74.6	5.6	YES	77.2	60.3	69.6	0.5	0.0	72.2	59.8	69.5	0.5	0.0	72.1
1	19	19C	66.1	68.7	50.9	66.3	0.1	0.0	68.9	59.9	67.1	0.9	0.0	69.7	66.0	69.1	2.9	0.0	71.7	66.0	69.1	2.9	0.0	71.7	67.3	69.8	3.6	YES	72.4	49.7	66.2	0.1	0.0	68.8	49.7	66.2	0.1	0.0	68.8
2	19	19C	67.2	69.8	50.0	67.3	0.1	0.0	69.9	60.8	68.1	0.9	0.0	70.7	67.0	70.1	2.9	0.0	72.7	67.0	70.1	2.9	0.0	72.7	68.3	70.8	3.6	YES	73.4	49.1	67.3	0.1	0.0	69.9	48.7	67.3	0.1	0.0	69.9
3	19	19C	67.7	70.3	50.0	67.8	0.1	0.0	70.4	61.4	68.7	0.9	0.0	71.2	67.4	70.6	2.8	0.0	73.2	67.4	70.6	2.8	0.0	73.2	68.7	71.3	3.5	YES	73.8	49.1	67.8	0.1	0.0	70.4	48.7	67.8	0.1	0.0	70.4
4	19	19C	67.9	70.5	50.0	68.0	0.1	0.0	70.6	62.6	69.1	1.1	0.0	71.6	67.9	70.9	3.0	0.0	73.5	67.9	70.9	3.0	0.0	73.5	69.3	71.7	3.7	YES	74.3	49.0	68.0	0.1	0.0	70.6	48.7				

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1				
					Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change		
6	20	20C	63.6	66.2	43.3	63.7	0.0	0.0	66.3	52.0	63.9	0.3	0.0	66.5	62.7	66.2	2.6	0.0	68.8	62.7	66.2	2.6	0.0	68.8	70.2	71.1	7.4	YES	73.7	43.6	63.7	0.0	0.0	66.3	43.2	63.7	0.0	0.0	66.3
7	20	20C	63.5	66.1	43.3	63.6	0.0	0.0	66.2	52.0	63.8	0.3	0.0	66.4	62.7	66.2	2.6	0.0	68.7	62.7	66.2	2.6	0.0	68.7	70.9	71.6	8.1	YES	74.2	43.7	63.6	0.0	0.0	66.2	43.4	63.6	0.0	0.0	66.2
8	20	20C	63.4	66.0	43.6	63.5	0.0	0.0	66.1	52.1	63.8	0.3	0.0	66.3	62.6	66.1	2.6	0.0	68.6	62.7	66.1	2.7	0.0	68.7	70.9	71.6	8.2	YES	74.2	44.0	63.5	0.0	0.0	66.1	43.6	63.5	0.0	0.0	66.1
9	20	20C	63.3	65.9	43.5	63.4	0.0	0.0	66.0	52.1	63.7	0.3	0.0	66.3	62.6	66.0	2.7	0.0	68.6	62.6	66.0	2.7	0.0	68.6	70.9	71.6	8.3	YES	74.2	44.0	63.4	0.1	0.0	66.0	43.7	63.4	0.0	0.0	66.0
10	20	20C	63.1	65.7	43.7	63.2	0.0	0.0	65.8	52.2	63.5	0.3	0.0	66.1	62.5	65.8	2.7	0.0	68.4	62.6	65.9	2.7	0.0	68.5	70.8	71.5	8.3	YES	74.1	44.2	63.2	0.1	0.0	65.8	43.8	63.2	0.1	0.0	65.8
11	20	20C	63.0	65.6	43.7	63.1	0.1	0.0	65.7	52.2	63.4	0.3	0.0	66.0	62.5	65.8	2.7	0.0	68.4	62.5	65.8	2.7	0.0	68.4	70.7	71.4	8.3	YES	74.0	44.2	63.1	0.1	0.0	65.7	43.9	63.1	0.1	0.0	65.7
12	20	20C	62.9	65.5	43.7	63.0	0.1	0.0	65.6	52.3	63.3	0.4	0.0	65.9	62.4	65.7	2.7	0.0	68.3	62.5	65.7	2.8	0.0	68.3	70.2	70.9	8.0	YES	73.5	44.6	63.0	0.1	0.0	65.6	44.3	63.0	0.1	0.0	65.6
13	20	20C	62.7	65.3	43.7	62.8	0.1	0.0	65.4	52.3	63.1	0.4	0.0	65.7	62.4	65.6	2.8	0.0	68.2	62.4	65.6	2.8	0.0	68.2	70.1	70.8	8.1	YES	73.4	44.8	62.8	0.1	0.0	65.4	44.5	62.8	0.1	0.0	65.4
14	20	20C	62.6	65.2	43.7	62.7	0.1	0.0	65.3	52.4	63.0	0.4	0.0	65.6	62.3	65.5	2.8	0.0	68.1	62.4	65.5	2.9	0.0	68.1	70.1	70.8	8.2	YES	73.4	45.2	62.7	0.1	0.0	65.3	44.9	62.7	0.1	0.0	65.3
Top	20	20C	66.0	68.6	47.8	66.1	0.1	0.0	68.7	58.1	66.7	0.6	0.0	69.3	63.6	68.0	2.0	0.0	70.6	63.8	68.1	2.0	0.0	70.7	70.5	71.8	5.8	YES	74.4	50.7	66.2	0.1	0.0	68.8	49.4	66.1	0.1	0.0	68.7
1	21	21A	71.2	73.8	66.0	72.4	1.1	0.0	75.0	66.6	72.5	1.3	0.0	75.1	68.5	73.1	1.9	0.0	75.7	68.6	73.1	1.9	0.0	75.7	71.6	74.4	3.2	YES	77.0	65.8	72.3	1.1	0.0	74.9	65.8	72.3	1.1	0.0	74.9
2	21	21A	71.6	74.2	64.7	72.4	0.8	0.0	75.0	65.7	72.6	1.0	0.0	75.2	68.2	73.3	1.6	0.0	75.9	68.4	73.3	1.7	0.0	75.9	72.2	74.9	3.3	YES	77.5	64.7	72.4	0.8	0.0	75.0	64.6	72.4	0.8	0.0	75.0
3	21	21A	71.8	74.4	64.1	72.5	0.7	0.0	75.1	65.2	72.7	0.9	0.0	75.3	68.1	73.4	1.5	0.0	76.0	68.3	73.4	1.6	0.0	76.0	72.3	75.1	3.2	YES	77.7	64.1	72.5	0.7	0.0	75.1	64.1	72.5	0.7	0.0	75.1
4	21	21A	71.9	74.5	64.1	72.6	0.7	0.0	75.2	65.5	72.8	0.9	0.0	75.4	68.5	73.6	1.6	0.0	76.2	68.8	73.7	1.7	0.0	76.3	73.2	75.6	3.7	YES	78.2	64.1	72.6	0.7	0.0	75.2	64.1	72.6	0.7	0.0	75.2
5	21	21A	71.9	74.5	64.1	72.6	0.7	0.0	75.2	65.4	72.8	0.9	0.0	75.4	69.4	73.9	1.9	0.0	76.5	69.6	73.9	2.0	0.0	76.5	74.8	76.6	4.7	YES	79.2	64.2	72.6	0.7	0.0	75.2	64.1	72.6	0.7	0.0	75.2
6	21	21A	71.8	74.4	64.1	72.5	0.7	0.0	75.1	65.9	72.8	1.0	0.0	75.4	70.4	74.2	2.3	0.0	76.8	70.6	74.3	2.4	0.0	76.9	76.0	77.4	5.6	YES	80.0	64.1	72.5	0.7	0.0	75.1	64.1	72.5	0.7	0.0	75.1
7	21	21A	71.7	74.3	64.1	72.4	0.7	0.0	75.0	66.5	72.9	1.1	0.0	75.5	71.0	74.4	2.7	0.0	77.0	71.1	74.4	2.7	0.0	77.0	76.1	77.5	5.7	YES	80.0	64.2	72.5	0.7	0.0	75.0	64.1	72.4	0.7	0.0	75.0
8	21	21A	71.6	74.2	64.0	72.3	0.7	0.0	74.9	66.9	72.9	1.3	0.0	75.5	71.1	74.4	2.7	0.0	77.0	71.3	74.5	2.8	0.0	77.1	76.0	77.4	5.7	YES	79.9	64.2	72.4	0.7	0.0	75.0	64.1	72.4	0.7	0.0	74.9
9	21	21A	71.4	74.0	64.0	72.2	0.7	0.0	74.8	67.1	72.8	1.4	0.0	75.4	71.3	74.4	2.9	0.0	77.0	71.5	74.5	3.0	YES	77.1	75.8	77.2	5.7	YES	79.7	64.2	72.2	0.7	0.0	74.8	64.2	72.2	0.7	0.0	74.8
10	21	21A	71.2	73.8	64.0	72.0	0.7	0.0	74.6	67.1	72.7	1.4	0.0	75.3	70.9	74.1	2.8	0.0	76.7	71.2	74.2	3.0	0.0	76.8	75.6	77.0	5.7	YES	79.5	64.3	72.0	0.8	0.0	74.6	64.2	72.0	0.8	0.0	74.6
11	21	21A	71.0	73.6	64.0	71.8	0.8	0.0	74.4	67.1	72.5	1.5	0.0	75.1	70.9	74.0	2.9	0.0	76.6	71.2	74.1	3.1	YES	76.7	75.6	76.9	5.9	YES	79.5	64.1	71.8	0.8	0.0	74.4	64.0	71.8	0.8	0.0	74.4
12	21	21A	70.9	73.5	64.0	71.7	0.8	0.0	74.3	67.1	72.4	1.5	0.0	75.0	70.9	73.9	3.0	0.0	76.5	71.2	74.1	3.1	YES	76.7	75.5	76.8	5.9	YES	79.4	64.1	71.8	0.8	0.0	74.4	64.0	71.7	0.8	0.0	74.3
13	21	21A	70.7	73.3	64.0	71.6	0.8	0.0	74.2	67.1	72.3	1.6	0.0	74.9	70.8	73.8	3.0	YES	76.4	71.1	73.9	3.2	YES	76.5	75.5	76.8	6.0	YES	79.3	64.1	71.6	0.9	0.0	74.2	64.0	71.6	0.8	0.0	74.2
14	21	21A	70.5	73.1	64.0	71.4	0.9	0.0	74.0	67.2	72.2	1.7	0.0	74.8	70.8	73.7	3.1	YES	76.3	71.1	73.8	3.3	YES	76.4	75.4	76.6	6.1	YES	79.2	64.1	71.4	0.9	0.0	74.0	63.9	71.4	0.9	0.0	74.0
Top	21	21A	70.3	72.9	63.9	71.2	0.9	0.0	73.8	67.2	72.1	1.7	0.0	74.7	70.8	73.6	3.2	YES	76.2	71.1	73.8	3.4	YES	76.3	75.3	76.5	6.2	YES	79.1	64.1	71.3	0.9	0.0	73.9	64.0	71.3	0.9	0.0	73.8
1	21	21B	69.4	72.0	49.0	69.5	0.0	0.0	72.1	49.1	69.5	0.0	0.0	72.1	61.0	70.0	0.6	0.0	72.6	62.0	70.2	0.7	0.0	72.8	69.6	72.5	3.1	YES	75.1	52.8	69.5	0.1	0.0	72.1	52.7	69.5	0.1	0.0	72.1
2	21	21B	70.0	72.6	48.0	70.1	0.0	0.0	72.7	52.6	70.1	0.1	0.0	72.7	61.8	70.7	0.6	0.0	73.2	62.9	70.8	0.8	0.0	73.4	70.6	73.3	3.3	YES	75.9	55.3	70.2	0.1	0.0	72.8	55.0	70.2	0.1	0.0	72.8
3	21	21B	70.3	72.9	47.1	70.4	0.0	0.0	73.0	58.8	70.5	0.1	0.0	73.1	62.4	71.0	0.6	0.0	73.6	63.4	71.1	0.8	0.0	73.7	70.9	73.6	3.3	YES	76.2	54.9	70.5	0.1	0.0	73.1	54.6	70.5	0.1	0.0	73.1
4	21	21B	70.3	72.9	47.1	70.4	0.0	0.0	73.0	60.3	70.8	0.4	0.0	73.3	64.0	71.3	0.9	0.0	73.8	64.8	71.4	1.1	0.0	74.0	71.3	73.9	3.5	YES	76.4	55.4	70.5	0.1	0.0	73.1	55.1	70.5	0.1	0.0	73.1
5	21	21B	70.3	72.9	47.2	70.4	0.0	0.0	73.0	60.7	70.8	0.4	0.0	73.4	64.5	71.4	1.0	0.0	73.9	65.6	71.6	1.3	0.0	74.2	72.7	74.7	4.3	YES	77.3	56.3	70.5	0.2	0.0	73.1	56.1	70.5	0.2	0.0	73.1
6	21	21B	70.3	72.9	47.2	70.4	0.0	0.0	73.0	60.7	70.8	0.4	0.0	73.4	66.0	71.7	1.4	0.0	74.3	66.8	71.9	1.6	0.0	74.5	74.8	76.1	5.8	YES	78.7	56.5	70.5	0.2	0.0	73.1	56.3	70.5	0.2	0.0	73.1
7	21	21B	70.2	72.8	47.2	70.3	0.0	0.0	72.9	60.7	70.7	0.5	0.0	73.3	66.6	71.8	1.6	0.0	74.4	67.3	72.0	1.8	0.0	74.6	75.1	76.3	6.1	YES	78.9	54.5	70.4	0.1	0.0	73.0	54.2	70.4	0.1	0.0	72.9
8	21	21B	70.1	72.7	47.2	70.2	0.0	0.0	72.8	60.6	70.6	0.5	0.0	73.2	66.8	71.8	1.7	0.0	74.4	67.5	72.0	1.9	0.0	74.6	74.9	76.2	6.0	YES	78.7	54.5	70.3	0.1	0.0	72.9	54.2	70.3	0.1	0.0	72.8
9	21	21B	70.0	72.6	47.2	70.1	0.0	0.0	72.7	60.7	70.5	0.5	0.0	73.1	67.0	71.8	1.7	0.0	74.4	67.7	72.0	2.0	0.0	74.6	74.9	76.1	6.1	YES	78.7	54.6	70.2	0.1	0.0	72.8	54.3	70.2	0.1	0.0	72.8
10</																																							

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
12	22	22B	68.6	71.2	46.9	68.7	0.0	0.0	71.3	58.1	69.0	0.4	0.0	71.6	62.6	69.6	1.0	0.0	72.2	67.8	71.3	2.6	0.0	73.8	73.9	75.0	6.4	YES	77.6	60.6	69.3	0.6	0.0	71.9	60.5	69.3	0.6	0.0	71.9
13	22	22B	68.5	71.1	46.8	68.6	0.0	0.0	71.2	58.1	68.9	0.4	0.0	71.5	62.6	69.5	1.0	0.0	72.1	67.7	71.2	2.6	0.0	73.7	73.8	74.9	6.4	YES	77.5	60.6	69.2	0.6	0.0	71.8	60.5	69.2	0.6	0.0	71.8
14	22	22B	68.3	70.9	46.6	68.4	0.0	0.0	71.0	58.1	68.7	0.4	0.0	71.3	62.6	69.4	1.0	0.0	72.0	67.7	71.0	2.7	0.0	73.6	73.7	74.8	6.5	YES	77.4	60.6	69.0	0.7	0.0	71.6	60.5	69.0	0.7	0.0	71.6
Top	22	22B	68.2	70.8	46.7	68.3	0.0	0.0	70.9	59.0	68.7	0.5	0.0	71.3	63.0	69.4	1.1	0.0	72.0	67.9	71.1	2.8	0.0	73.7	73.6	74.7	6.5	YES	77.3	60.5	68.9	0.7	0.0	71.5	60.4	68.9	0.7	0.0	71.5
1	22	22C	66.3	68.9	50.9	66.5	0.1	0.0	69.1	54.7	66.6	0.3	0.0	69.2	54.8	66.6	0.3	0.0	69.2	57.6	66.9	0.5	0.0	69.5	65.4	68.9	2.6	0.0	71.5	53.0	66.5	0.2	0.0	69.1	51.5	66.5	0.1	0.0	69.1
2	22	22C	67.1	69.7	51.4	67.3	0.1	0.0	69.9	55.5	67.4	0.3	0.0	70.0	55.7	67.4	0.3	0.0	70.0	60.3	68.0	0.8	0.0	70.6	66.6	69.9	2.7	0.0	72.5	54.6	67.4	0.2	0.0	70.0	53.4	67.3	0.2	0.0	69.9
3	22	22C	67.7	70.3	51.3	67.8	0.1	0.0	70.4	55.5	68.0	0.3	0.0	70.6	55.9	68.0	0.3	0.0	70.6	65.1	69.6	1.9	0.0	72.2	68.6	71.2	3.5	YES	73.8	57.7	68.2	0.4	0.0	70.7	57.2	68.1	0.4	0.0	70.7
4	22	22C	67.9	70.5	50.9	68.0	0.1	0.0	70.6	55.2	68.2	0.2	0.0	70.8	57.6	68.3	0.4	0.0	70.9	66.1	70.1	2.2	0.0	72.7	69.2	71.6	3.7	YES	74.2	57.7	68.3	0.4	0.0	70.9	57.3	68.3	0.4	0.0	70.9
5	22	22C	68.0	70.6	50.5	68.1	0.1	0.0	70.7	54.9	68.3	0.2	0.0	70.8	57.6	68.4	0.4	0.0	71.0	66.8	70.5	2.4	0.0	73.1	69.7	72.0	3.9	YES	74.6	58.5	68.5	0.5	0.0	71.1	58.1	68.5	0.4	0.0	71.1
6	22	22C	68.0	70.6	50.2	68.1	0.1	0.0	70.7	54.6	68.2	0.2	0.0	70.8	57.4	68.4	0.4	0.0	71.0	67.1	70.6	2.6	0.0	73.2	70.2	72.3	4.2	YES	74.9	59.1	68.6	0.5	0.0	71.2	58.8	68.5	0.5	0.0	71.1
7	22	22C	68.0	70.6	49.8	68.1	0.1	0.0	70.7	54.3	68.2	0.2	0.0	70.8	57.3	68.4	0.4	0.0	71.0	67.3	70.7	2.7	0.0	73.3	71.2	72.9	4.9	YES	75.5	59.3	68.6	0.5	0.0	71.2	59.1	68.6	0.5	0.0	71.2
8	22	22C	68.0	70.6	49.5	68.1	0.1	0.0	70.7	54.0	68.2	0.2	0.0	70.8	57.1	68.4	0.3	0.0	71.0	67.9	71.0	2.9	0.0	73.6	72.6	73.9	5.9	YES	76.5	59.7	68.6	0.6	0.0	71.2	59.5	68.6	0.6	0.0	71.2
9	22	22C	67.9	70.5	49.1	68.0	0.1	0.0	70.6	53.7	68.1	0.2	0.0	70.7	57.0	68.3	0.3	0.0	70.9	68.9	71.5	3.5	YES	74.0	73.0	74.2	6.2	YES	76.8	60.8	68.7	0.8	0.0	71.3	60.6	68.7	0.7	0.0	71.3
10	22	22C	67.8	70.4	48.7	67.9	0.1	0.0	70.5	53.4	68.0	0.2	0.0	70.6	56.8	68.2	0.3	0.0	70.8	69.0	71.5	3.6	YES	74.1	73.0	74.2	6.3	YES	76.7	61.1	68.7	0.8	0.0	71.3	60.9	68.6	0.8	0.0	71.2
11	22	22C	67.7	70.3	48.4	67.8	0.1	0.0	70.4	53.1	67.9	0.1	0.0	70.5	56.7	68.1	0.3	0.0	70.7	67.9	70.8	3.1	YES	73.4	72.5	73.8	6.0	YES	76.3	60.5	68.5	0.7	0.0	71.1	60.4	68.5	0.7	0.0	71.1
12	22	22C	67.6	70.2	48.1	67.7	0.0	0.0	70.3	52.9	67.8	0.1	0.0	70.4	56.6	68.0	0.3	0.0	70.6	68.8	71.3	3.6	YES	73.9	72.8	74.0	6.3	YES	76.5	61.3	68.6	0.9	0.0	71.1	61.2	68.5	0.9	0.0	71.1
13	22	22C	67.5	70.1	47.8	67.6	0.0	0.0	70.2	52.6	67.7	0.1	0.0	70.3	56.5	67.9	0.3	0.0	70.5	69.2	71.5	3.9	YES	74.1	73.0	74.1	6.5	YES	76.7	61.9	68.6	1.0	0.0	71.2	61.9	68.6	1.0	0.0	71.2
14	22	22C	67.4	70.0	47.5	67.5	0.0	0.0	70.1	52.4	67.6	0.1	0.0	70.2	56.4	67.8	0.3	0.0	70.4	69.2	71.4	4.0	YES	74.0	72.9	74.0	6.5	YES	76.6	61.6	68.5	1.0	0.0	71.0	61.5	68.4	1.0	0.0	71.0
Top	22	22C	67.3	69.9	46.9	67.4	0.0	0.0	70.0	51.9	67.5	0.1	0.0	70.1	56.2	67.7	0.3	0.0	70.3	69.2	71.4	4.0	YES	74.0	72.9	74.0	6.6	YES	76.6	61.7	68.4	1.0	0.0	71.0	61.6	68.4	1.0	0.0	71.0
1	23	23A	68.3	70.9	49.2	68.4	0.0	0.0	71.0	54.0	68.5	0.2	0.0	71.1	55.4	68.6	0.2	0.0	71.2	70.0	72.3	3.9	YES	74.9	70.4	72.5	4.2	YES	75.1	64.6	69.9	1.5	0.0	72.5	64.6	69.9	1.5	0.0	72.5
Top	23	23A	70.3	72.9	53.8	70.4	0.1	0.0	73.0	59.3	70.7	0.3	0.0	73.3	61.0	70.8	0.5	0.0	73.4	77.3	78.1	7.8	YES	80.7	77.5	78.3	7.9	YES	80.9	72.1	74.3	4.0	YES	76.9	72.1	74.3	4.0	YES	76.9
1	23	23B	65.9	68.5	35.1	66.0	0.0	0.0	68.5	42.0	66.0	0.0	0.0	68.6	45.8	66.0	0.0	0.0	68.6	76.2	76.6	10.6	YES	79.2	76.2	76.6	10.6	YES	79.2	68.3	70.3	4.3	YES	72.9	68.3	70.3	4.3	YES	72.9
Top	23	23B	68.7	71.3	47.7	68.8	0.0	0.0	71.4	56.6	69.0	0.3	0.0	71.6	59.1	69.2	0.4	0.0	71.8	82.8	83.0	14.2	YES	85.6	82.8	83.0	14.2	YES	85.6	74.2	75.3	6.5	YES	77.9	74.2	75.3	6.5	YES	77.9
1	23	23C	60.3	62.9	45.3	60.4	0.1	0.0	63.0	49.2	60.6	0.3	0.0	63.2	51.0	60.8	0.5	0.0	63.4	64.5	65.9	5.6	YES	68.5	64.8	66.1	5.8	YES	68.7	55.4	61.5	1.2	0.0	64.1	55.2	61.5	1.2	0.0	64.1
Top	23	23C	60.3	62.9	47.6	60.5	0.2	0.0	63.1	51.6	60.9	0.5	0.0	63.4	52.8	61.0	0.7	0.0	63.6	66.6	67.5	7.2	YES	70.1	66.8	67.7	7.4	YES	70.3	57.4	62.1	1.8	0.0	64.7	57.2	62.0	1.7	0.0	64.6
1	23	23D	64.0	66.6	57.6	64.9	0.9	0.0	67.5	60.4	65.6	1.6	0.0	68.2	61.2	65.9	1.8	0.0	68.5	61.6	66.0	2.0	0.0	68.6	64.5	67.3	3.2	YES	69.9	57.1	64.8	0.8	0.0	67.4	56.6	64.8	0.7	0.0	67.4
Top	23	23D	65.8	68.4	56.6	66.3	0.5	0.0	68.9	60.3	66.9	1.1	0.0	69.5	61.1	67.1	1.3	0.0	69.7	62.0	67.3	1.5	0.0	69.9	65.6	68.7	2.9	0.0	71.3	56.5	66.3	0.5	0.0	68.9	55.7	66.2	0.4	0.0	68.8
1	24	24A	62.7	65.3	47.5	62.9	0.1	0.0	65.5	53.4	63.2	0.5	0.0	65.8	54.8	63.4	0.6	0.0	66.0	71.0	71.6	8.9	YES	74.2	71.1	71.7	8.9	YES	74.3	60.0	64.6	1.9	0.0	67.2	60.0	64.6	1.9	0.0	67.2
2	24	24A	63.4	66.0	47.9	63.6	0.1	0.0	66.2	54.0	63.9	0.5	0.0	66.5	55.3	64.1	0.6	0.0	66.7	75.0	75.3	11.8	YES	77.9	75.1	75.4	11.9	YES	78.0	64.3	66.9	3.5	YES	69.5	64.3	66.9	3.5	YES	69.5
3	24	24A	63.9	66.5	52.0	64.2	0.3	0.0	66.8	56.0	64.6	0.6	0.0	67.2	57.0	64.7	0.8	0.0	67.3	75.5	75.8	11.8	YES	78.4	75.6	75.9	11.9	YES	78.5	64.4	67.2	3.2	YES	69.8	64.4	67.2	3.2	YES	69.8
4	24	24A	64.6	67.2	52.2	64.9	0.2	0.0	67.5	57.4	65.4	0.7	0.0	68.0	58.6	65.6	1.0	0.0	68.2	75.6	75.9	11.3	YES	78.5	75.7	76.0	11.4	YES	78.6	64.6	67.6	3.0	0.0	70.2	64.6	67.6	3.0	0.0	70.2
5	24	24A	64.0	66.6	52.0	64.3	0.3	0.0	66.9	58.2	65.1	1.0	0.0	67.6	59.6	65.4	1.3	0.0	68.0	73.6	74.1	10.0	YES	76.6	73.7	74.1	10.1	YES	76.7	64.6	67.3	3.3	YES	69.9	64.6	67.3	3.3	YES	69.9
6	24	24A	64.7	67.3	52.0	65.0	0.2	0.0	67.6	58.3	65.6	0.9	0.0	68.2	59.7	65.9	1.2	0.0	68.5	73.8	74.3	9.6	YES	76.9	73.9	74.4	9.7	YES	77.0	64.8	67.8	3.0	YES	70.4	64.8	67.8	3.0	YES	70.4
7	24	24A	65.2	67.8	52.1	65.5	0.2	0.0	68.0	58.3	66.0	0.8	0.0	68.6	59.7	66.3	1.1	0.0	68.9	73.7	74.3	9.0	YES	76.9	73.9	74.5	9.2	YES	77.0	64.8	68.0	2.8	0.0	70.6	64.7	68.0	2.7	0.0	70.6
Top	24	24A	65.1	67.7	52.1	65.4	0.2	0.0	67.9	58.4	66.0																												

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total							
					Const	Total	Change		Exceed?	Const	Total		Change	Exceed?	Const		Total	Change	Exceed?		Const	Total	Change		Exceed?	Const	Total		Change	Exceed?	Const		Total	Change	Exceed?	Const	Total	Change	Exceed?
17	25	25A	68.5	71.1	53.6	68.7	0.1	0.0	71.3	59.8	69.1	0.5	0.0	71.7	61.1	69.3	0.7	0.0	71.9	67.1	70.9	2.3	0.0	73.5	68.1	71.3	2.8	0.0	73.9	63.7	69.8	1.2	0.0	72.4	63.7	69.8	1.2	0.0	72.4
18	25	25A	68.3	70.9	53.6	68.5	0.1	0.0	71.1	59.1	68.8	0.5	0.0	71.4	60.7	69.0	0.7	0.0	71.6	67.1	70.8	2.4	0.0	73.4	68.3	71.3	3.0	0.0	73.9	63.6	69.6	1.3	0.0	72.2	63.6	69.6	1.3	0.0	72.2
19	25	25A	68.2	70.8	53.6	68.4	0.1	0.0	71.0	59.2	68.8	0.5	0.0	71.3	60.9	69.0	0.7	0.0	71.6	67.2	70.8	2.5	0.0	73.4	68.5	71.4	3.1	YES	74.0	63.5	69.5	1.3	0.0	72.1	63.4	69.5	1.2	0.0	72.1
20	25	25A	68.0	70.6	53.6	68.2	0.2	0.0	70.8	59.3	68.6	0.5	0.0	71.2	61.1	68.8	0.8	0.0	71.4	67.4	70.7	2.7	0.0	73.3	68.6	71.3	3.3	YES	73.9	63.4	69.3	1.3	0.0	71.9	63.3	69.3	1.3	0.0	71.9
21	25	25A	67.9	70.5	53.7	68.1	0.2	0.0	70.7	59.3	68.5	0.6	0.0	71.1	61.1	68.8	0.8	0.0	71.4	67.5	70.7	2.8	0.0	73.3	68.7	71.4	3.4	YES	73.9	63.3	69.2	1.3	0.0	71.8	63.2	69.2	1.3	0.0	71.8
22	25	25A	67.8	70.4	53.7	68.0	0.2	0.0	70.6	59.3	68.4	0.6	0.0	71.0	61.1	68.7	0.8	0.0	71.3	67.7	70.8	2.9	0.0	73.4	68.9	71.4	3.6	YES	74.0	63.2	69.1	1.3	0.0	71.7	63.1	69.1	1.3	0.0	71.7
23	25	25A	67.7	70.3	53.7	67.9	0.2	0.0	70.5	59.4	68.3	0.6	0.0	70.9	61.2	68.6	0.9	0.0	71.2	67.8	70.8	3.0	YES	73.4	69.2	71.5	3.8	YES	74.1	63.1	69.0	1.3	0.0	71.6	63.0	69.0	1.3	0.0	71.6
24	25	25A	67.5	70.1	53.8	67.7	0.2	0.0	70.3	59.4	68.2	0.6	0.0	70.8	61.2	68.5	0.9	0.0	71.0	68.0	70.8	3.2	YES	73.4	69.3	71.5	4.0	YES	74.1	63.0	68.9	1.3	0.0	71.4	62.9	68.8	1.3	0.0	71.4
25	25	25A	67.4	70.0	53.8	67.6	0.2	0.0	70.2	59.5	68.1	0.6	0.0	70.7	61.3	68.4	0.9	0.0	71.0	68.1	70.8	3.3	YES	73.4	69.4	71.5	4.1	YES	74.1	62.9	68.8	1.3	0.0	71.3	62.8	68.7	1.3	0.0	71.3
26	25	25A	67.2	69.8	53.8	67.4	0.2	0.0	70.0	59.6	67.9	0.7	0.0	70.5	61.3	68.2	1.0	0.0	70.8	68.3	70.8	3.6	YES	73.4	69.6	71.6	4.3	YES	74.2	62.7	68.6	1.3	0.0	71.1	62.6	68.5	1.3	0.0	71.1
27	25	25A	67.0	69.6	53.8	67.2	0.2	0.0	69.8	59.8	67.8	0.7	0.0	70.4	61.5	68.1	1.1	0.0	70.7	68.5	70.8	3.8	YES	73.4	69.7	71.6	4.5	YES	74.2	62.5	68.4	1.3	0.0	70.9	62.4	68.3	1.3	0.0	70.9
28	25	25A	66.9	69.5	53.8	67.2	0.2	0.0	69.7	59.9	67.7	0.8	0.0	70.3	61.6	68.1	1.1	0.0	70.6	68.6	70.9	3.9	YES	73.5	69.8	71.6	4.7	YES	74.2	62.4	68.3	1.3	0.0	70.8	62.3	68.2	1.3	0.0	70.8
29	25	25A	66.7	69.3	53.9	67.0	0.2	0.0	69.6	59.8	67.5	0.8	0.0	70.1	61.6	67.9	1.2	0.0	70.5	68.8	70.9	4.2	YES	73.5	69.9	71.6	4.9	YES	74.2	62.3	68.1	1.3	0.0	70.7	62.2	68.1	1.3	0.0	70.6
30	25	25A	66.6	69.2	53.9	66.9	0.2	0.0	69.5	59.8	67.5	0.8	0.0	70.1	61.6	67.8	1.2	0.0	70.4	68.9	70.9	4.3	YES	73.5	70.0	71.6	5.0	YES	74.2	62.1	68.0	1.3	0.0	70.5	62.0	67.9	1.3	0.0	70.5
31	25	25A	66.5	69.1	53.9	66.8	0.2	0.0	69.4	59.9	67.4	0.9	0.0	70.0	61.6	67.8	1.2	0.0	70.3	68.9	70.9	4.3	YES	73.5	70.1	71.7	5.1	YES	74.3	62.0	67.9	1.3	0.0	70.4	61.9	67.8	1.3	0.0	70.4
32	25	25A	66.3	68.9	53.9	66.6	0.2	0.0	69.2	60.0	67.3	0.9	0.0	69.8	61.7	67.6	1.3	0.0	70.2	68.9	70.8	4.5	YES	73.4	70.1	71.6	5.3	YES	74.2	61.9	67.7	1.3	0.0	70.3	61.8	67.7	1.3	0.0	70.2
33	25	25A	66.2	68.8	53.9	66.5	0.2	0.0	69.1	60.0	67.2	0.9	0.0	69.8	61.7	67.6	1.3	0.0	70.1	68.9	70.8	4.5	YES	73.4	70.0	71.5	5.3	YES	74.1	61.8	67.6	1.3	0.0	70.2	61.7	67.6	1.3	0.0	70.1
34	25	25A	66.1	68.7	53.9	66.4	0.3	0.0	69.0	60.1	67.1	1.0	0.0	69.7	61.8	67.5	1.4	0.0	70.1	66.3	69.2	3.1	YES	71.8	68.1	70.2	4.1	YES	72.8	61.7	67.5	1.3	0.0	70.1	61.6	67.5	1.3	0.0	70.0
35	25	25A	65.9	68.5	53.9	66.2	0.3	0.0	68.8	60.3	67.0	1.0	0.0	69.6	61.9	67.4	1.4	0.0	70.0	66.2	69.1	3.1	YES	71.7	68.1	70.2	4.2	YES	72.8	61.6	67.3	1.4	0.0	69.9	61.5	67.3	1.3	0.0	69.9
36	25	25A	65.8	68.4	53.9	66.1	0.3	0.0	68.7	60.3	66.9	1.1	0.0	69.5	61.9	67.3	1.5	0.0	69.9	66.2	69.0	3.2	YES	71.6	68.0	70.1	4.2	YES	72.7	61.5	67.2	1.4	0.0	69.8	61.4	67.2	1.3	0.0	69.8
37	25	25A	65.7	68.3	53.9	66.0	0.3	0.0	68.6	60.3	66.8	1.1	0.0	69.4	61.9	67.2	1.5	0.0	69.8	66.1	68.9	3.2	YES	71.5	68.0	70.0	4.3	YES	72.6	61.4	67.1	1.4	0.0	69.7	61.3	67.1	1.3	0.0	69.7
Top	25	25A	65.6	68.2	53.9	65.9	0.3	0.0	68.5	60.3	66.8	1.1	0.0	69.3	61.9	67.2	1.5	0.0	69.8	66.1	68.9	3.2	YES	71.5	67.9	69.9	4.3	YES	72.5	61.3	67.0	1.4	0.0	69.6	61.2	67.0	1.3	0.0	69.6
1	25	25B	66.5	69.1	33.5	66.5	0.0	0.0	69.1	38.4	66.6	0.0	0.0	69.1	39.4	66.6	0.0	0.0	69.1	60.2	67.5	0.9	0.0	70.0	60.3	67.5	0.9	0.0	70.1	54.9	66.8	0.3	0.0	69.4	54.9	66.8	0.3	0.0	69.4
2	25	25B	67.8	70.4	36.9	67.9	0.0	0.0	70.4	40.7	67.9	0.0	0.0	70.4	41.9	67.9	0.0	0.0	70.4	60.9	68.6	0.8	0.0	71.2	61.0	68.7	0.8	0.0	71.3	55.6	68.1	0.3	0.0	70.7	55.6	68.1	0.3	0.0	70.7
3	25	25B	68.9	71.5	36.5	69.0	0.0	0.0	71.5	40.4	69.0	0.0	0.0	71.5	41.7	69.0	0.0	0.0	71.5	61.1	69.6	0.7	0.0	72.2	61.2	69.6	0.7	0.0	72.2	56.0	69.2	0.2	0.0	71.8	56.0	69.2	0.2	0.0	71.8
4	25	25B	69.4	72.0	36.3	69.4	0.0	0.0	72.0	40.2	69.5	0.0	0.0	72.0	41.5	69.5	0.0	0.0	72.0	61.4	70.1	0.6	0.0	72.7	61.5	70.1	0.6	0.0	72.7	56.6	69.7	0.2	0.0	72.3	56.6	69.7	0.2	0.0	72.3
5	25	25B	69.6	72.2	37.7	69.7	0.0	0.0	72.2	41.8	69.7	0.0	0.0	72.2	42.7	69.7	0.0	0.0	72.2	61.8	70.3	0.7	0.0	72.9	61.9	70.3	0.7	0.0	72.9	57.2	69.9	0.2	0.0	72.5	57.1	69.9	0.2	0.0	72.5
6	25	25B	69.7	72.3	37.8	69.8	0.0	0.0	72.3	42.3	69.8	0.0	0.0	72.3	43.3	69.8	0.0	0.0	72.3	62.6	70.5	0.8	0.0	73.1	62.7	70.5	0.8	0.0	73.1	58.2	70.0	0.3	0.0	72.6	58.2	70.0	0.3	0.0	72.6
7	25	25B	69.7	72.3	37.9	69.8	0.0	0.0	72.3	42.3	69.8	0.0	0.0	72.3	43.7	69.8	0.0	0.0	72.3	63.4	70.7	0.9	0.0	73.2	63.6	70.7	0.9	0.0	73.3	59.1	70.1	0.4	0.0	72.7	59.1	70.1	0.4	0.0	72.7
8	25	25B	69.6	72.2	38.0	69.7	0.0	0.0	72.2	42.4	69.7	0.0	0.0	72.2	43.8	69.7	0.0	0.0	72.2	64.6	70.8	1.2	0.0	73.4	64.7	70.9	1.2	0.0	73.4	60.1	70.1	0.5	0.0	72.7	60.1	70.1	0.5	0.0	72.7
9	25	25B	69.6	72.2	38.1	69.7	0.0	0.0	72.2	42.5	69.7	0.0	0.0	72.2	43.9	69.7	0.0	0.0	72.2	64.9	70.9	1.3	0.0	73.5	65.0	70.9	1.3	0.0	73.5	61.2	70.2	0.6	0.0	72.8	61.2	70.2	0.6	0.0	72.8
10	25	25B	69.4	72.0	38.2	69.5	0.0	0.0	72.0	42.5	69.5	0.0	0.0	72.0	44.0	69.5	0.0	0.0	72.0	65.3	70.9	1.4	0.0	73.5	65.3	70.9	1.4	0.0	73.5	62.4	70.2	0.8	0.0	72.8	62.4	70.2	0.8	0.0	72.8
11	25	25B	69.3	71.9	38.2	69.4	0.0	0.0	71.9	42.6	69.4	0.0	0.0	71.9	44.1	69.4	0.0	0.0	71.9	65.7	70.9	1.6	0.0	73.5	65.8	70.9	1.6	0.0	73.5	59.7	69.8	0.4	0.0	72.4	59.7	69.8	0.4	0.0	72.4
12	25	25B	69.1	71.7	38.4	69.2	0.0	0.0	71.7	42.7	69.2	0.0	0.0	71.7	44.1	69.2	0.0	0.0	71.7	65.3	70.6	1.5	0.0	73.2	65.4	70.7	1.5	0.0	73.3	60.1	69.7	0.5	0.0	72.2	60.1	69.7	0.5	0.0	72.2
13	25	25B																																					

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total							
					Const	Total	Change		Exceed?	Const	Total		Change	Exceed?	Const		Total	Change	Exceed?		Const	Total	Change		Exceed?	Const	Total		Change	Exceed?	Const		Total	Change	Exceed?	Const	Total	Change	Exceed?
2	27	27B	68.5	70.1	71.7	73.4	4.9	YES	75.0	56.7	68.8	0.3	0.0	70.3	76.8	77.4	8.9	YES	79.0	72.3	73.8	5.3	YES	75.4	72.3	73.8	5.3	YES	75.4	68.2	71.4	2.9	0.0	72.9	68.0	71.3	2.8	0.0	72.8
3	27	27B	69.3	70.9	72.3	74.1	4.8	YES	75.6	56.6	69.5	0.2	0.0	71.1	76.7	77.4	8.1	YES	79.0	72.0	73.9	4.6	YES	75.4	72.0	73.9	4.6	YES	75.4	67.3	71.4	2.1	0.0	73.0	67.2	71.4	2.1	0.0	72.9
4	27	27B	70.0	71.6	72.3	74.3	4.3	YES	75.9	56.5	70.2	0.2	0.0	71.7	76.7	77.5	7.5	YES	79.1	71.9	74.1	4.1	YES	75.6	71.9	74.1	4.1	YES	75.6	67.2	71.8	1.8	0.0	73.4	67.1	71.8	1.8	0.0	73.4
5	27	27B	70.6	72.2	72.3	74.5	3.9	YES	76.1	56.5	70.8	0.2	0.0	72.3	76.7	77.7	7.1	YES	79.2	71.9	74.3	3.7	YES	75.9	71.9	74.3	3.7	YES	75.9	67.4	72.3	1.7	0.0	73.9	67.1	72.2	1.6	0.0	73.8
6	27	27B	70.9	72.5	72.2	74.6	3.7	YES	76.2	56.6	71.0	0.2	0.0	72.6	76.8	77.8	6.9	YES	79.4	72.0	74.5	3.6	YES	76.1	72.0	74.5	3.6	YES	76.1	67.4	72.5	1.6	0.0	74.1	67.1	72.4	1.5	0.0	74.0
7	27	27B	71.1	72.7	72.2	74.7	3.6	YES	76.3	56.8	71.2	0.2	0.0	72.8	76.8	77.8	6.7	YES	79.4	72.0	74.6	3.5	YES	76.1	72.0	74.6	3.5	YES	76.1	67.4	72.6	1.5	0.0	74.2	67.2	72.6	1.5	0.0	74.1
8	27	27B	71.1	72.7	72.2	74.7	3.6	YES	76.3	57.3	71.3	0.2	0.0	72.8	76.8	77.8	6.7	YES	79.4	72.0	74.6	3.5	YES	76.1	71.9	74.5	3.4	YES	76.1	67.4	72.6	1.5	0.0	74.2	67.2	72.6	1.5	0.0	74.1
9	27	27B	71.1	72.7	72.1	74.6	3.5	YES	76.2	57.5	71.3	0.2	0.0	72.8	76.8	77.8	6.7	YES	79.4	72.0	74.6	3.5	YES	76.1	72.0	74.6	3.5	YES	76.1	67.6	72.7	1.6	0.0	74.3	67.3	72.6	1.5	0.0	74.2
10	27	27B	71.1	72.7	72.1	74.6	3.5	YES	76.2	57.8	71.3	0.2	0.0	72.8	76.7	77.8	6.7	YES	79.3	72.0	74.6	3.5	YES	76.1	72.0	74.6	3.5	YES	76.1	67.6	72.7	1.6	0.0	74.3	67.3	72.6	1.5	0.0	74.2
11	27	27B	71.0	72.6	72.0	74.5	3.5	YES	76.1	58.3	71.2	0.2	0.0	72.8	76.7	77.7	6.7	YES	79.3	72.1	74.6	3.6	YES	76.2	72.0	74.5	3.5	YES	76.1	67.6	72.6	1.6	0.0	74.2	67.3	72.5	1.5	0.0	74.1
12	27	27B	70.9	72.5	72.0	74.5	3.6	YES	76.1	58.9	71.2	0.3	0.0	72.7	76.7	77.7	6.8	YES	79.3	72.1	74.5	3.7	YES	76.1	72.0	74.5	3.6	YES	76.1	67.6	72.6	1.7	0.0	74.1	67.4	72.5	1.6	0.0	74.1
Top	27	27B	70.9	72.5	72.0	74.5	3.6	YES	76.1	59.8	71.2	0.3	0.0	72.8	76.7	77.7	6.8	YES	79.3	72.1	74.5	3.7	YES	76.1	72.0	74.5	3.6	YES	76.1	67.7	72.6	1.7	0.0	74.2	67.4	72.5	1.6	0.0	74.1
1	27	27C	61.8	63.4	69.3	70.0	8.2	YES	71.6	47.5	61.9	0.2	0.0	63.5	72.9	73.2	11.4	YES	74.8	66.7	67.9	6.1	YES	69.5	66.6	67.8	6.0	YES	69.4	57.8	63.2	1.5	0.0	64.8	56.6	62.9	1.1	0.0	64.5
2	27	27C	62.3	63.9	68.1	69.1	6.8	YES	70.7	47.4	62.4	0.1	0.0	64.0	72.4	72.8	10.5	YES	74.4	67.7	68.8	6.5	YES	70.4	68.2	69.2	6.9	YES	70.8	61.2	64.8	2.5	0.0	66.3	56.2	63.2	1.0	0.0	64.8
3	27	27C	62.7	64.3	68.1	69.2	6.5	YES	70.8	47.4	62.8	0.1	0.0	64.4	72.3	72.8	10.1	YES	74.3	67.7	68.9	6.2	YES	70.5	68.1	69.2	6.5	YES	70.8	60.8	64.9	2.2	0.0	66.4	56.1	63.6	0.9	0.0	65.1
4	27	27C	63.2	64.8	68.2	69.4	6.2	YES	71.0	47.5	63.3	0.1	0.0	64.9	72.3	72.8	9.6	YES	74.4	67.7	69.0	5.8	YES	70.6	68.1	69.3	6.1	YES	70.9	60.8	65.2	2.0	0.0	66.7	56.3	64.0	0.8	0.0	65.6
5	27	27C	63.6	65.2	68.3	69.6	6.0	YES	71.1	47.6	63.7	0.1	0.0	65.3	72.3	72.8	9.3	YES	74.4	67.7	69.1	5.5	YES	70.7	68.1	69.4	5.8	YES	71.0	60.9	65.5	1.9	0.0	67.0	56.6	64.4	0.8	0.0	65.9
6	27	27C	64.1	65.7	68.3	69.7	5.6	YES	71.3	47.9	64.2	0.1	0.0	65.8	72.3	72.9	8.8	YES	74.5	67.7	69.3	5.2	YES	70.8	68.2	69.6	5.5	YES	71.2	61.3	65.9	1.8	0.0	67.5	57.5	65.0	0.9	0.0	66.5
7	27	27C	64.5	66.1	68.3	69.8	5.3	YES	71.4	48.3	64.6	0.1	0.0	66.2	72.5	73.1	8.6	YES	74.7	67.7	69.4	4.9	YES	71.0	68.2	69.7	5.2	YES	71.3	61.4	66.2	1.7	0.0	67.8	57.7	65.3	0.8	0.0	66.9
8	27	27C	64.8	66.4	68.3	69.9	5.1	YES	71.5	49.0	64.9	0.1	0.0	66.5	72.5	73.2	8.4	YES	74.7	67.8	69.6	4.8	YES	71.1	68.2	69.8	5.0	YES	71.4	61.5	66.5	1.7	0.0	68.0	58.0	65.6	0.8	0.0	67.2
9	27	27C	65.0	66.6	68.2	69.9	4.9	YES	71.5	49.8	65.1	0.1	0.0	66.7	72.5	73.2	8.2	YES	74.8	67.8	69.6	4.6	YES	71.2	68.2	69.9	4.9	YES	71.5	61.8	66.7	1.7	0.0	68.3	58.6	65.9	0.9	0.0	67.4
10	27	27C	65.1	66.7	68.2	69.9	4.8	YES	71.5	50.9	65.3	0.2	0.0	66.8	72.5	73.2	8.1	YES	74.8	67.8	69.7	4.6	YES	71.2	68.3	70.0	4.9	YES	71.6	62.1	66.9	1.8	0.0	68.4	59.3	66.1	1.0	0.0	67.7
11	27	27C	65.2	66.8	68.2	70.0	4.8	YES	71.5	52.0	65.4	0.2	0.0	67.0	72.5	73.2	8.1	YES	74.8	67.9	69.8	4.6	YES	71.3	68.3	70.0	4.8	YES	71.6	62.3	67.0	1.8	0.0	68.6	59.6	66.2	1.1	0.0	67.8
12	27	27C	65.3	66.9	68.2	70.0	4.7	YES	71.6	53.0	65.5	0.2	0.0	67.1	72.5	73.3	8.0	YES	74.8	67.9	69.8	4.5	YES	71.4	68.4	70.1	4.8	YES	71.7	62.4	67.1	1.8	0.0	68.7	59.9	66.4	1.1	0.0	68.0
Top	27	27C	65.4	67.0	68.2	70.0	4.6	YES	71.6	53.9	65.7	0.3	0.0	67.2	72.4	73.2	7.8	YES	74.7	68.0	69.9	4.5	YES	71.5	68.4	70.2	4.8	YES	71.7	62.5	67.2	1.8	0.0	68.8	60.1	66.5	1.1	0.0	68.1
1	27	27D	68.3	69.9	50.8	68.4	0.1	0.0	69.9	51.5	68.4	0.1	0.0	69.9	62.8	69.4	1.1	0.0	70.9	69.1	71.7	3.4	YES	73.3	71.9	73.5	5.2	YES	75.0	68.8	71.6	3.3	YES	73.1	58.9	68.8	0.5	0.0	70.3
2	27	27D	68.8	70.4	50.9	68.9	0.1	0.0	70.4	54.4	68.9	0.2	0.0	70.5	63.3	69.9	1.1	0.0	71.4	68.7	71.8	3.0	0.0	73.3	71.3	73.2	4.4	YES	74.8	68.1	71.5	2.7	0.0	73.0	59.2	69.2	0.5	0.0	70.8
3	27	27D	69.2	70.8	51.0	69.3	0.1	0.0	70.8	54.5	69.3	0.1	0.0	70.9	64.4	70.4	1.2	0.0	72.0	68.8	72.0	2.8	0.0	73.6	71.3	73.4	4.2	YES	74.9	68.1	71.7	2.5	0.0	73.2	59.4	69.6	0.4	0.0	71.2
4	27	27D	69.5	71.1	51.0	69.6	0.1	0.0	71.1	54.7	69.6	0.1	0.0	71.2	66.9	71.4	1.9	0.0	73.0	68.8	72.2	2.7	0.0	73.7	71.5	73.6	4.1	YES	75.2	68.3	71.9	2.5	0.0	73.5	60.4	70.0	0.5	0.0	71.6
5	27	27D	69.8	71.4	51.1	69.8	0.1	0.0	71.4	54.8	69.9	0.1	0.0	71.5	66.9	71.6	1.8	0.0	73.2	68.9	72.4	2.6	0.0	73.9	71.6	73.8	4.0	YES	75.4	68.6	72.2	2.5	0.0	73.8	61.5	70.4	0.6	0.0	72.0
6	27	27D	70.0	71.6	51.2	70.0	0.1	0.0	71.6	55.0	70.1	0.1	0.0	71.7	67.0	71.8	1.8	0.0	73.3	69.0	72.5	2.5	0.0	74.1	71.8	74.0	4.0	YES	75.6	68.9	72.5	2.5	0.0	74.0	63.0	70.8	0.8	0.0	72.3
7	27	27D	70.1	71.7	51.3	70.1	0.1	0.0	71.7	56.4	70.3	0.2	0.0	71.8	67.1	71.9	1.8	0.0	73.4	67.6	72.0	1.9	0.0	73.6	71.1	73.6	3.5	YES	75.2	69.0	72.6	2.5	0.0	74.1	63.3	70.9	0.8	0.0	72.5
8	27	27D	70.2	71.8	51.3	70.2	0.1	0.0	71.8	56.5	70.4	0.2	0.0	71.9	67.1	71.9	1.7	0.0	73.5	67.8	72.2	2.0	0.0	73.7	71.1	73.7	3.5	YES	75.2	69.0	72.6	2.5	0.0	74.2	63.4	71.0	0.8	0.0	72.6
9	27	27D	70.2	71.8	51.4	70.2	0.1	0.0	71.8	56.6	70.4	0.2	0.0	71.9	67.2	72.0	1.8	0.0	73.5	68.0	72.2	2.1	0.0	73.8	71.1	73.7	3.5	YES	75.2	69.0	72.6	2.5	0.0	74.2	63.4	71.0	0.8	0.0	72.6
10	27	27D	70.2	71.8	51.5	70.2	0.1	0.0	71.8	56.8	70.4	0.2	0.0	71.9	67.4																								

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total	Leq			L10 Total							
					Const	Total	Change		Exceed?	Const	Total		Change	Exceed?	Const		Total	Change	Exceed?		Const	Total	Change		Exceed?	Const	Total		Change	Exceed?	Const		Total	Change	Exceed?	Const	Total	Change	Exceed?
5	28	28D	66.6	68.2	67.3	70.0	3.4	YES	71.5	48.2	66.7	0.1	0.0	68.2	71.8	72.9	6.4	YES	74.5	60.5	67.5	1.0	0.0	69.1	61.3	67.7	1.1	0.0	69.3	58.4	67.2	0.6	0.0	68.8	57.1	67.1	0.5	0.0	68.6
6	28	28D	66.9	68.5	67.3	70.1	3.2	YES	71.7	48.6	67.0	0.1	0.0	68.5	71.9	73.1	6.2	YES	74.7	60.6	67.8	0.9	0.0	69.4	62.0	68.1	1.2	0.0	69.7	59.5	67.6	0.7	0.0	69.2	57.1	67.4	0.5	0.0	69.0
7	28	28D	67.1	68.7	67.3	70.2	3.1	YES	71.8	48.9	67.2	0.1	0.0	68.7	71.9	73.1	6.0	YES	74.7	60.8	68.0	0.9	0.0	69.6	62.5	68.4	1.3	0.0	69.9	60.2	67.9	0.8	0.0	69.5	58.8	67.7	0.6	0.0	69.3
8	28	28D	67.3	68.9	67.3	70.3	3.0	YES	71.9	49.2	67.4	0.1	0.0	68.9	71.9	73.2	5.9	YES	74.8	61.1	68.2	0.9	0.0	69.8	62.6	68.6	1.3	0.0	70.1	60.4	68.1	0.8	0.0	69.7	59.0	67.9	0.6	0.0	69.5
9	28	28D	67.3	68.9	67.2	70.3	3.0	0.0	71.8	49.5	67.4	0.1	0.0	68.9	71.9	73.2	5.9	YES	74.8	61.4	68.3	1.0	0.0	69.8	62.8	68.6	1.3	0.0	70.2	60.7	68.2	0.9	0.0	69.7	59.3	67.9	0.6	0.0	69.5
10	28	28D	67.4	69.0	67.2	70.3	2.9	0.0	71.9	49.8	67.5	0.1	0.0	69.0	71.9	73.2	5.8	YES	74.8	61.6	68.4	1.0	0.0	70.0	63.0	68.7	1.3	0.0	70.3	61.0	68.3	0.9	0.0	69.8	59.7	68.1	0.7	0.0	69.6
11	28	28D	67.4	69.0	67.2	70.3	2.9	0.0	71.9	50.2	67.5	0.1	0.0	69.0	71.8	73.1	5.8	YES	74.7	61.9	68.5	1.1	0.0	70.0	63.1	68.8	1.4	0.0	70.3	61.1	68.3	0.9	0.0	69.9	59.9	68.1	0.7	0.0	69.7
12	28	28D	67.5	69.1	67.1	70.3	2.8	0.0	71.9	50.8	67.6	0.1	0.0	69.1	71.8	73.2	5.7	YES	74.7	62.2	68.6	1.1	0.0	70.2	63.2	68.9	1.4	0.0	70.4	61.3	68.4	0.9	0.0	70.0	60.1	68.2	0.7	0.0	69.8
Top	28	28D	67.5	69.1	67.1	70.3	2.8	0.0	71.9	53.4	67.7	0.2	0.0	69.2	71.8	73.2	5.7	YES	74.7	62.7	68.7	1.2	0.0	70.3	63.5	68.9	1.5	0.0	70.5	61.5	68.5	1.0	0.0	70.0	60.4	68.3	0.8	0.0	69.8
1	29	29A	70.9	72.5	69.4	73.2	2.3	0.0	74.8	60.3	71.3	0.4	0.0	72.8	73.5	75.4	4.5	YES	77.0	69.8	73.4	2.5	0.0	74.9	69.7	73.3	2.5	0.0	74.9	68.0	72.7	1.8	0.0	74.3	67.9	72.7	1.8	0.0	74.2
2	29	29A	72.5	74.1	69.2	74.2	1.7	0.0	75.7	64.5	73.1	0.6	0.0	74.7	75.9	77.5	5.0	YES	79.1	76.2	77.7	5.2	YES	79.3	76.2	77.7	5.2	YES	79.3	74.5	76.6	4.1	YES	78.2	74.5	76.6	4.1	YES	78.2
3	29	29A	73.2	74.8	69.5	74.7	1.5	0.0	76.3	65.5	73.9	0.7	0.0	75.4	76.0	77.8	4.6	YES	79.4	76.3	78.0	4.8	YES	79.6	76.3	78.0	4.8	YES	79.6	74.6	77.0	3.8	YES	78.5	74.6	77.0	3.8	YES	78.5
4	29	29A	73.5	75.1	69.4	74.9	1.4	0.0	76.5	65.6	74.1	0.7	0.0	75.7	76.0	77.9	4.4	YES	79.5	76.5	78.3	4.8	YES	79.8	76.3	78.1	4.6	YES	79.7	74.7	77.1	3.7	YES	78.7	74.7	77.1	3.7	YES	78.7
5	29	29A	73.6	75.2	69.4	75.0	1.4	0.0	76.6	65.7	74.2	0.7	0.0	75.8	76.1	78.0	4.4	YES	79.6	76.4	78.2	4.6	YES	79.8	76.3	78.2	4.6	YES	79.7	74.7	77.2	3.6	YES	78.8	74.7	77.2	3.6	YES	78.8
6	29	29A	73.5	75.1	69.4	74.9	1.4	0.0	76.5	65.7	74.2	0.7	0.0	75.7	76.4	78.2	4.7	YES	79.8	76.4	78.2	4.7	YES	79.8	76.3	78.1	4.6	YES	79.7	74.7	77.1	3.7	YES	78.7	74.6	77.1	3.6	YES	78.7
7	29	29A	73.4	75.0	69.4	74.8	1.5	0.0	76.4	65.7	74.1	0.7	0.0	75.6	76.4	78.2	4.8	YES	79.7	76.4	78.2	4.8	YES	79.7	76.3	78.1	4.7	YES	79.7	74.7	77.1	3.7	YES	78.7	74.7	77.1	3.7	YES	78.7
8	29	29A	73.3	74.9	69.5	74.8	1.5	0.0	76.4	65.9	74.0	0.7	0.0	75.6	76.4	78.1	4.8	YES	79.7	76.4	78.1	4.8	YES	79.7	76.2	78.0	4.7	YES	79.6	74.7	77.1	3.8	YES	78.6	74.6	77.0	3.7	YES	78.6
9	29	29A	73.2	74.8	69.5	74.7	1.5	0.0	76.3	66.5	74.0	0.8	0.0	75.6	76.3	78.0	4.8	YES	79.6	76.3	78.0	4.8	YES	79.6	76.2	78.0	4.8	YES	79.5	74.6	77.0	3.8	YES	78.5	74.6	77.0	3.8	YES	78.5
10	29	29A	73.0	74.6	69.4	74.6	1.6	0.0	76.1	66.6	73.9	0.9	0.0	75.4	76.3	78.0	5.0	YES	79.5	76.2	77.9	4.9	YES	79.5	76.1	77.8	4.8	YES	79.4	74.6	76.9	3.9	YES	78.4	74.5	76.8	3.8	YES	78.4
11	29	29A	72.8	74.4	69.4	74.4	1.6	0.0	76.0	67.0	73.8	1.0	0.0	75.4	76.2	77.8	5.0	YES	79.4	76.2	77.8	5.0	YES	79.4	76.0	77.7	4.9	YES	79.3	74.5	76.7	3.9	YES	78.3	74.5	76.7	3.9	YES	78.3
12	29	29A	72.6	74.2	69.3	74.3	1.7	0.0	75.8	67.0	73.6	1.1	0.0	75.2	76.2	77.8	5.2	YES	79.3	76.1	77.7	5.1	YES	79.3	76.0	77.6	5.0	YES	79.2	74.5	76.7	4.1	YES	78.2	74.4	76.6	4.0	YES	78.2
Top	29	29A	72.4	74.0	69.3	74.1	1.7	0.0	75.7	67.0	73.5	1.1	0.0	75.1	76.1	77.6	5.2	YES	79.2	76.0	77.6	5.2	YES	79.1	75.9	77.5	5.1	YES	79.1	74.4	76.5	4.1	YES	78.1	74.3	76.5	4.1	YES	78.0
1	29	29B	67.9	69.5	65.3	69.8	1.9	0.0	71.4	62.0	68.9	1.0	0.0	70.4	67.3	70.6	2.7	0.0	72.2	69.0	71.5	3.6	YES	73.1	68.9	71.4	3.5	YES	73.0	68.0	71.0	3.1	YES	72.5	68.0	71.0	3.1	YES	72.5
2	29	29B	68.9	70.5	64.3	70.2	1.3	0.0	71.7	65.4	70.5	1.6	0.0	72.1	72.2	73.9	5.0	YES	75.4	75.7	76.5	7.6	YES	78.1	75.7	76.5	7.6	YES	78.1	75.0	76.0	7.1	YES	77.5	75.0	76.0	7.1	YES	77.5
3	29	29B	69.9	71.5	65.0	71.1	1.2	0.0	72.7	66.9	71.7	1.8	0.0	73.2	72.3	74.3	4.4	YES	75.8	75.7	76.7	6.8	YES	78.3	75.7	76.7	6.8	YES	78.3	75.0	76.2	6.3	YES	77.7	75.0	76.2	6.3	YES	77.7
4	29	29B	70.7	72.3	65.0	71.7	1.0	0.0	73.3	66.9	72.2	1.5	0.0	73.8	72.3	74.6	3.9	YES	76.1	75.7	76.9	6.2	YES	78.5	75.7	76.9	6.2	YES	78.5	75.0	76.4	5.7	YES	77.9	75.0	76.4	5.7	YES	77.9
5	29	29B	71.1	72.7	65.2	72.1	1.0	0.0	73.6	67.0	72.5	1.4	0.0	74.1	72.3	74.7	3.7	YES	76.3	75.7	77.0	5.9	YES	78.6	75.7	77.0	5.9	YES	78.6	75.0	76.5	5.4	YES	78.0	75.0	76.5	5.4	YES	78.0
6	29	29B	71.4	73.0	65.3	72.3	1.0	0.0	73.9	67.3	72.8	1.4	0.0	74.4	73.0	75.3	3.9	YES	76.8	75.7	77.1	5.7	YES	78.6	75.7	77.1	5.7	YES	78.6	75.0	76.6	5.2	YES	78.1	75.0	76.6	5.2	YES	78.1
7	29	29B	71.5	73.1	65.7	72.5	1.0	0.0	74.1	67.5	72.9	1.5	0.0	74.5	73.1	75.4	3.9	YES	76.9	75.8	77.2	5.7	YES	78.7	75.7	77.1	5.6	YES	78.7	75.0	76.6	5.1	YES	78.2	75.0	76.6	5.1	YES	78.2
8	29	29B	71.5	73.1	65.9	72.5	1.1	0.0	74.1	67.7	73.0	1.5	0.0	74.6	73.2	75.4	3.9	YES	77.0	75.9	77.2	5.8	YES	78.8	75.8	77.2	5.7	YES	78.7	75.1	76.7	5.2	YES	78.2	75.1	76.7	5.2	YES	78.2
9	29	29B	71.4	73.0	65.9	72.5	1.1	0.0	74.0	67.7	72.9	1.5	0.0	74.5	73.1	75.3	3.9	YES	76.9	75.8	77.1	5.8	YES	78.7	75.7	77.1	5.7	YES	78.6	75.1	76.6	5.2	YES	78.2	75.1	76.6	5.2	YES	78.2
10	29	29B	71.4	73.0	66.0	72.5	1.1	0.0	74.1	68.7	73.3	1.9	0.0	74.8	73.2	75.4	4.0	YES	77.0	75.8	77.1	5.8	YES	78.7	75.7	77.1	5.7	YES	78.6	75.0	76.6	5.2	YES	78.1	75.0	76.6	5.2	YES	78.1
11	29	29B	71.3	72.9	66.0	72.4	1.1	0.0	74.0	68.8	73.2	1.9	0.0	74.8	73.2	75.4	4.1	YES	76.9	75.7	77.0	5.8	YES	78.6	75.6	77.0	5.7	YES	78.5	75.0	76.5	5.2	YES	78.1	75.0	76.5	5.2	YES	78.1
12	29	29B	71.2	72.8	66.0	72.3	1.1	0.0	73.9	69.0	73.2	2.1	0.0	74.8	73.2	75.3	4.1	YES	76.9	75.7	77.0	5.8	YES	78.6	75.6	76.9	5.8	YES	78.5	75.0	76.5	5.3	YES	78.1	75.0	76.5	5.3	YES	78.1
Top	29	29B	71.6	73.2	66.1	72.7	1.1	0.0	74.2	69.5	73.7	2.1	0.0	75.2	74.0	76.0	4.4	YES	77.5	76.0	77.3	5.8	YES	78.9	75.8	77.2	5.6	YES	78.8	75.2									

**ESCR
Construction Noise Analysis Daytime Results**

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	
					Const	Total	Change			Exceed?	Const	Total			Change	Exceed?	Const			Total	Change	Exceed?			Const	Total	Change			Exceed?	Const	Total			Change	Exceed?	Const		Total
Top	30	30C	72.8	74.4	64.2	73.4	0.6	0.0	74.9	70.7	74.9	2.1	0.0	76.4	71.7	75.3	2.5	0.0	76.8	74.6	76.8	4.0	YES	78.4	74.0	76.4	3.7	YES	78.0	73.8	76.3	3.5	YES	77.9	73.8	76.3	3.5	YES	77.9
1	31	31A	68.1	69.7	61.2	68.9	0.8	0.0	70.5	68.7	71.4	3.3	YES	73.0	67.9	71.0	2.9	0.0	72.6	69.3	71.7	3.7	YES	73.3	68.0	71.1	3.0	0.0	72.6	67.9	71.0	2.9	0.0	72.6	67.9	71.0	2.9	0.0	72.6
2	31	31A	70.7	72.3	66.4	72.1	1.4	0.0	73.6	75.1	76.4	5.8	YES	78.0	73.0	75.0	4.3	YES	76.6	74.7	76.2	5.5	YES	77.7	73.0	75.0	4.3	YES	76.6	72.8	74.9	4.2	YES	76.4	72.8	74.9	4.2	YES	76.4
3	31	31A	73.2	74.8	65.5	73.9	0.7	0.0	75.4	75.2	77.3	4.1	YES	78.9	73.0	76.1	2.9	0.0	77.7	75.0	77.2	4.0	YES	78.8	73.5	76.4	3.2	YES	77.9	73.3	76.3	3.1	YES	77.8	73.3	76.3	3.1	YES	77.8
4	31	31A	74.3	75.9	65.2	74.8	0.5	0.0	76.4	75.2	77.8	3.5	YES	79.3	72.9	76.7	2.4	0.0	78.2	75.1	77.7	3.4	YES	79.3	73.6	77.0	2.7	0.0	78.5	73.5	76.9	2.6	0.0	78.5	73.4	76.9	2.6	0.0	78.4
5	31	31A	74.3	75.9	65.2	74.8	0.5	0.0	76.4	75.2	77.8	3.5	YES	79.3	73.0	76.7	2.4	0.0	78.3	75.2	77.8	3.5	YES	79.3	73.6	77.0	2.7	0.0	78.5	73.5	76.9	2.6	0.0	78.5	73.5	76.9	2.6	0.0	78.5
6	31	31A	74.2	75.8	66.2	74.8	0.6	0.0	76.4	75.3	77.8	3.6	YES	79.4	73.0	76.6	2.5	0.0	78.2	75.4	77.8	3.7	YES	79.4	74.0	77.1	2.9	0.0	78.7	73.9	77.1	2.9	0.0	78.6	73.8	76.9	2.8	0.0	78.6
7	31	31A	74.0	75.6	66.4	74.7	0.7	0.0	76.2	75.4	77.8	3.8	YES	79.3	73.0	76.5	2.5	0.0	78.1	75.4	77.8	3.8	YES	79.3	74.0	77.0	3.0	YES	78.6	73.8	76.9	2.9	0.0	78.5	73.8	76.9	2.9	0.0	78.5
8	31	31A	73.8	75.4	66.4	74.5	0.7	0.0	76.1	75.7	77.9	4.1	YES	79.4	73.0	76.4	2.6	0.0	78.0	75.4	77.7	3.9	YES	79.2	73.9	76.9	3.1	YES	78.4	73.8	76.8	3.0	YES	78.4	73.8	76.8	3.0	YES	78.4
Top	31	31A	73.6	75.2	66.4	74.3	0.8	0.0	75.9	75.6	77.7	4.1	YES	79.3	73.3	76.5	2.9	0.0	78.0	75.4	77.6	4.0	YES	79.2	73.9	76.8	3.2	YES	78.3	73.7	76.7	3.1	YES	78.2	73.7	76.7	3.1	YES	78.2
1	31	31B	65.6	67.2	60.8	66.8	1.2	0.0	68.4	69.0	70.6	5.0	YES	72.2	67.3	69.5	3.9	YES	71.1	69.9	71.3	5.7	YES	72.8	68.1	70.0	4.4	YES	71.6	68.2	70.1	4.5	YES	71.7	68.2	70.1	4.5	YES	71.7
2	31	31B	67.6	69.2	66.0	69.9	2.3	0.0	71.4	75.1	75.8	8.2	YES	77.4	72.9	74.0	6.4	YES	75.6	75.7	76.3	8.7	YES	77.9	73.3	74.3	6.7	YES	75.9	73.3	74.3	6.7	YES	75.9	73.3	74.3	6.7	YES	75.9
3	31	31B	69.5	71.1	65.9	71.1	1.6	0.0	72.6	75.5	76.5	7.0	YES	78.0	72.9	74.5	5.0	YES	76.1	75.8	76.7	7.2	YES	78.3	73.4	74.9	5.4	YES	76.4	73.3	74.8	5.3	YES	76.4	73.3	74.8	5.3	YES	76.4
4	31	31B	71.1	72.7	65.9	72.2	1.1	0.0	73.8	75.5	76.8	5.8	YES	78.4	73.0	75.2	4.1	YES	76.7	75.9	77.1	6.0	YES	78.7	73.6	75.5	4.4	YES	77.1	73.6	75.5	4.4	YES	77.1	73.6	75.5	4.4	YES	77.1
5	31	31B	71.8	73.4	66.0	72.8	1.0	0.0	74.4	75.5	77.0	5.2	YES	78.6	73.0	75.4	3.7	YES	77.0	75.9	77.3	5.5	YES	78.9	73.6	75.8	4.0	YES	77.4	73.6	75.8	4.0	YES	77.4	73.6	75.8	4.0	YES	77.4
6	31	31B	72.1	73.7	66.9	73.2	1.1	0.0	74.8	75.5	77.1	5.0	YES	78.7	73.0	75.6	3.5	YES	77.1	76.0	77.5	5.4	YES	79.0	73.7	76.0	3.9	YES	77.5	73.7	76.0	3.9	YES	77.5	73.7	76.0	3.9	YES	77.5
7	31	31B	72.2	73.8	67.5	73.5	1.3	0.0	75.0	75.6	77.2	5.0	YES	78.8	72.9	75.6	3.4	YES	77.1	76.3	77.7	5.5	YES	79.3	74.2	76.3	4.1	YES	77.9	74.2	76.3	4.1	YES	77.9	74.2	76.3	4.1	YES	77.9
8	31	31B	72.1	73.7	67.5	73.4	1.3	0.0	74.9	75.7	77.3	5.2	YES	78.8	72.9	75.5	3.4	YES	77.1	76.3	77.7	5.6	YES	79.3	74.2	76.3	4.2	YES	77.8	74.2	76.3	4.2	YES	77.8	74.2	76.3	4.2	YES	77.8
Top	31	31B	71.9	73.5	67.5	73.2	1.3	0.0	74.8	75.9	77.4	5.5	YES	78.9	72.9	75.4	3.5	YES	77.0	76.3	77.6	5.8	YES	79.2	74.1	76.1	4.3	YES	77.7	74.1	76.1	4.3	YES	77.7	74.1	76.1	4.3	YES	77.7
1	31	31C	65.3	66.9	65.7	65.7	0.5	0.0	67.3	64.9	68.1	2.8	0.0	69.7	64.6	68.0	2.7	0.0	69.5	64.6	68.0	2.7	0.0	69.5	64.4	67.9	2.6	0.0	69.4	63.8	67.6	2.3	0.0	69.2	63.7	67.6	2.3	0.0	69.1
2	31	31C	67.0	68.6	63.1	68.5	1.5	0.0	70.0	68.7	70.9	3.9	YES	72.5	70.2	71.9	4.9	YES	73.5	70.4	72.0	5.0	YES	73.6	70.3	72.0	5.0	YES	73.5	69.3	71.3	4.3	YES	72.9	69.3	71.3	4.3	YES	72.9
3	31	31C	68.2	69.8	62.4	69.2	1.0	0.0	70.8	68.6	71.4	3.2	YES	73.0	69.7	72.0	3.8	YES	73.6	71.3	73.0	4.8	YES	74.6	71.2	73.0	4.8	YES	74.5	70.6	72.6	4.4	YES	74.1	70.6	72.6	4.4	YES	74.1
4	31	31C	68.9	70.5	61.8	69.7	0.8	0.0	71.2	68.6	71.8	2.9	0.0	73.3	69.5	72.2	3.3	YES	73.8	71.2	73.2	4.3	YES	74.8	71.1	73.1	4.3	YES	74.7	70.6	72.8	3.9	YES	74.4	70.6	72.8	3.9	YES	74.4
5	31	31C	69.4	71.0	61.7	70.1	0.7	0.0	71.6	68.6	72.0	2.6	0.0	73.6	69.5	72.5	3.1	YES	74.0	71.2	73.4	4.0	YES	75.0	71.1	73.3	3.9	YES	74.9	70.6	73.0	3.7	YES	74.6	70.6	73.0	3.7	YES	74.6
6	31	31C	69.8	71.4	61.8	70.4	0.6	0.0	72.0	68.6	72.2	2.5	0.0	73.8	69.6	72.7	2.9	0.0	74.3	71.2	73.6	3.8	YES	75.1	71.2	73.6	3.8	YES	74.9	70.6	73.2	3.4	YES	74.8	70.6	73.2	3.4	YES	74.8
7	31	31C	70.9	72.5	61.9	71.4	0.5	0.0	73.0	68.5	72.9	2.0	0.0	74.4	69.9	73.4	2.5	0.0	75.0	71.2	74.1	3.2	YES	75.6	71.2	74.1	3.2	YES	75.6	70.6	73.8	2.9	0.0	75.3	70.5	73.7	2.8	0.0	75.3
8	31	31C	71.0	72.6	61.9	71.5	0.5	0.0	73.1	68.5	72.9	1.9	0.0	74.5	70.0	73.5	2.5	0.0	75.1	71.2	74.1	3.1	YES	75.7	71.2	74.1	3.1	YES	75.7	70.6	73.8	2.8	0.0	75.4	70.5	73.8	2.8	0.0	75.3
Top	31	31C	71.0	72.6	62.1	71.5	0.5	0.0	73.1	68.6	73.0	2.0	0.0	74.5	70.0	73.5	2.5	0.0	75.1	71.3	74.2	3.2	YES	75.7	71.2	74.1	3.1	YES	75.7	70.6	73.8	2.8	0.0	75.4	70.6	73.8	2.8	0.0	75.4
1	31	31D	63.8	65.4	54.2	64.2	0.5	0.0	65.8	57.6	64.7	0.9	0.0	66.3	61.1	65.7	1.9	0.0	67.2	61.1	65.7	1.9	0.0	67.2	61.2	65.7	1.9	0.0	67.3	60.6	65.5	1.7	0.0	67.1	60.4	65.4	1.6	0.0	67.0
2	31	31D	65.0	66.6	53.9	65.3	0.3	0.0	66.9	60.1	66.2	1.2	0.0	67.8	64.4	67.7	2.7	0.0	69.3	65.5	68.3	3.3	YES	69.8	65.5	68.3	3.3	YES	69.8	65.4	68.2	3.2	YES	69.8	65.3	68.2	3.2	YES	69.7
3	31	31D	65.6	67.2	53.7	65.9	0.3	0.0	67.4	60.1	66.7	1.1	0.0	68.2	65.5	68.6	3.0	0.0	70.1	67.7	69.8	4.2	YES	71.3	67.6	69.7	4.1	YES	71.3	67.6	69.7	4.1	YES	71.3	67.5	69.7	4.1	YES	71.2
4	31	31D	65.9	67.5	53.5	66.1	0.2	0.0	67.7	60.2	66.9	1.0	0.0	68.5	65.5	68.7	2.8	0.0	70.3	67.7	69.9	4.0	YES	71.5	67.6	69.8	3.9	YES	71.4	67.6	69.8	3.9	YES	71.4	67.5	69.8	3.9	YES	71.3
5	31	31D	66.4	68.0	53.4	66.6	0.2	0.0	68.2	60.1	67.3	0.9	0.0	68.9	65.6	69.0	2.6	0.0	70.6	67.7	70.1	3.7	YES	71.7	67.6	70.0	3.7	YES	71.6	67.6	70.0	3.7	YES	71.6	67.5	70.0	3.6	YES	71.6
6	31	31D	66.6	68.2	53.9	66.8	0.2	0.0	68.4	60.1	67.5	0.9	0.0	69.0	66.0	69.3	2.7	0.0	70.9	67.9	70.3	3.7	YES	71.9	67.8	70.2	3.7	YES	71.8	67.7	70.2	3.6	YES	71.8	67.7	70.2	3.6	YES	71.8
7	31	31D	66.8	68.4	55.1	67.1	0.3	0.0	68.6	60.1	67.6	0.8	0.0	69.2	66.2	69.5	2.7	0.0	71.1	68.0	70.4	3.7	YES	72.0	67.9	70.4													

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total	Leq			Exceed?	Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
9	32	32D	69.3	70.9	53.1	69.4	0.1	0.0	71.0	73.1	74.6	5.3	YES	76.2	70.2	72.8	3.5	YES	74.3	71.4	73.5	4.2	YES	75.0	71.0	73.2	3.9	YES	74.8	71.0	73.2	3.9	YES	74.8	71.0	73.2	3.9	YES	74.8
10	32	32D	69.3	70.9	54.0	69.4	0.1	0.0	71.0	73.6	75.0	5.7	YES	76.5	70.3	72.8	3.5	YES	74.4	71.4	73.5	4.2	YES	75.0	71.0	73.2	3.9	YES	74.8	70.9	73.2	3.9	YES	74.7	70.9	73.2	3.9	YES	74.7
11	32	32D	69.2	70.8	54.8	69.3	0.2	0.0	70.9	73.6	74.9	5.8	YES	76.5	70.7	73.0	3.8	YES	74.6	71.4	73.4	4.3	YES	75.0	71.0	73.2	4.0	YES	74.8	71.0	73.2	4.0	YES	74.8	71.0	73.2	4.0	YES	74.8
Top	32	32D	69.1	70.7	55.1	69.3	0.2	0.0	70.8	73.6	74.9	5.8	YES	76.5	70.9	73.1	4.0	YES	74.7	71.4	73.4	4.3	YES	75.0	71.1	73.2	4.1	YES	74.8	71.0	73.2	4.1	YES	74.7	71.0	73.2	4.1	YES	74.7
1	33	33A	69.8	71.4	66.9	71.6	1.8	0.0	73.2	70.5	73.2	3.4	YES	74.7	67.9	72.0	2.2	0.0	73.5	72.5	74.4	4.6	YES	75.9	68.4	72.2	2.4	0.0	73.8	68.5	72.2	2.4	0.0	73.8	68.5	72.2	2.4	0.0	73.8
2	33	33A	71.4	73.0	67.8	73.0	1.6	0.0	74.5	73.6	75.6	4.3	YES	77.2	72.7	75.1	3.7	YES	76.7	78.7	79.4	8.1	YES	81.0	73.7	75.7	4.3	YES	77.3	73.7	75.7	4.3	YES	77.3	73.7	75.7	4.3	YES	77.3
3	33	33A	72.4	74.0	67.8	73.7	1.3	0.0	75.2	73.6	76.0	3.7	YES	77.6	72.7	75.6	3.2	YES	77.1	78.7	79.6	7.2	YES	81.2	73.8	76.2	3.8	YES	77.7	73.8	76.2	3.8	YES	77.7	73.8	76.2	3.8	YES	77.7
4	33	33A	72.7	74.3	67.8	73.9	1.2	0.0	75.5	73.6	76.2	3.5	YES	77.7	72.6	75.7	3.0	0.0	77.2	78.7	79.7	7.0	YES	81.2	73.8	76.3	3.6	YES	77.9	73.8	76.3	3.6	YES	77.9	73.8	76.3	3.6	YES	77.9
5	33	33A	72.8	74.4	67.8	74.0	1.2	0.0	75.5	73.6	76.2	3.4	YES	77.8	72.6	75.7	2.9	0.0	77.3	78.6	79.6	6.8	YES	81.2	73.8	76.3	3.5	YES	77.9	73.8	76.3	3.5	YES	77.9	73.8	76.3	3.5	YES	77.9
6	33	33A	72.8	74.4	67.9	74.0	1.2	0.0	75.6	73.7	76.3	3.5	YES	77.8	72.5	75.7	2.9	0.0	77.2	78.6	79.6	6.8	YES	81.2	73.8	76.3	3.5	YES	77.9	73.8	76.3	3.5	YES	77.9	73.8	76.3	3.5	YES	77.9
7	33	33A	72.7	74.3	69.3	74.3	1.6	0.0	75.9	73.7	76.2	3.5	YES	77.8	72.5	75.6	2.9	0.0	77.2	78.7	79.7	7.0	YES	81.2	74.1	76.5	3.8	YES	78.0	74.1	76.5	3.8	YES	78.0	74.1	76.5	3.8	YES	78.0
8	33	33A	72.5	74.1	69.4	74.2	1.7	0.0	75.8	73.8	76.2	3.7	YES	77.8	72.5	75.5	3.0	YES	77.1	78.6	79.6	7.1	YES	81.1	74.0	76.3	3.8	YES	77.9	74.1	76.4	3.9	YES	77.9	74.1	76.4	3.9	YES	77.9
9	33	33A	72.4	74.0	69.4	74.2	1.8	0.0	75.7	73.7	76.1	3.7	YES	77.7	72.4	75.4	3.0	YES	77.0	78.5	79.5	7.1	YES	81.0	74.0	76.3	3.9	YES	77.8	74.0	76.3	3.9	YES	77.8	74.0	76.3	3.9	YES	77.8
10	33	33A	72.2	73.8	69.6	74.1	1.9	0.0	75.7	74.1	76.3	4.1	YES	77.8	72.4	75.3	3.1	YES	76.9	78.5	79.4	7.2	YES	81.0	73.9	76.1	3.9	YES	77.7	74.0	76.2	4.0	YES	77.8	74.0	76.2	4.0	YES	77.8
11	33	33A	72.0	73.6	69.6	74.0	2.0	0.0	75.5	74.1	76.2	4.2	YES	77.7	72.5	75.3	3.3	YES	76.8	78.4	79.3	7.3	YES	80.9	73.9	76.1	4.1	YES	77.6	73.9	76.1	4.1	YES	77.6	73.9	76.1	4.1	YES	77.6
Top	33	33A	71.8	73.4	69.6	73.8	2.1	0.0	75.4	74.1	76.1	4.3	YES	77.7	72.4	75.1	3.3	YES	76.7	78.3	79.2	7.4	YES	80.7	73.8	75.9	4.1	YES	77.5	73.8	75.9	4.1	YES	77.5	73.8	75.9	4.1	YES	77.5
1	33	33B	69.5	71.1	66.7	71.3	1.8	0.0	72.9	71.6	73.7	4.2	YES	75.2	68.4	72.0	2.5	0.0	73.5	72.6	74.3	4.8	YES	75.9	69.6	72.6	3.1	YES	74.1	69.7	72.6	3.1	YES	74.2	69.7	72.6	3.1	YES	74.2
2	33	33B	71.2	72.8	66.0	72.3	1.1	0.0	73.9	74.0	75.8	4.6	YES	77.4	72.8	75.1	3.9	YES	76.6	77.8	78.7	7.5	YES	80.2	73.4	75.4	4.3	YES	77.0	73.4	75.4	4.3	YES	77.0	73.4	75.4	4.3	YES	77.0
3	33	33B	71.9	73.5	66.1	72.9	1.0	0.0	74.5	74.0	76.1	4.2	YES	77.6	72.8	75.4	3.5	YES	76.9	77.8	78.8	6.9	YES	80.4	73.5	75.8	3.9	YES	77.3	73.4	75.7	3.8	YES	77.3	73.4	75.7	3.8	YES	77.3
4	33	33B	72.2	73.8	66.3	73.2	1.0	0.0	74.7	74.0	76.2	4.0	YES	77.8	72.8	75.5	3.3	YES	77.1	77.8	78.9	6.7	YES	80.4	73.5	75.9	3.7	YES	77.5	73.5	75.9	3.7	YES	77.5	73.5	75.9	3.7	YES	77.5
5	33	33B	72.3	73.9	66.3	73.3	1.0	0.0	74.8	74.1	76.3	4.0	YES	77.9	72.7	75.5	3.2	YES	77.1	77.8	78.9	6.6	YES	80.4	73.5	75.9	3.7	YES	77.5	73.5	75.9	3.7	YES	77.5	73.5	75.9	3.7	YES	77.5
6	33	33B	72.3	73.9	66.3	73.3	1.0	0.0	74.8	74.2	76.4	4.1	YES	77.9	72.7	75.5	3.2	YES	77.1	77.8	78.9	6.6	YES	80.4	73.5	75.9	3.7	YES	77.5	73.5	75.9	3.7	YES	77.5	73.5	75.9	3.7	YES	77.5
7	33	33B	72.2	73.8	67.0	73.3	1.1	0.0	74.9	74.3	76.4	4.2	YES	77.9	72.7	75.5	3.3	YES	77.0	77.9	78.9	6.7	YES	80.5	73.8	76.1	3.9	YES	77.6	73.8	76.1	3.9	YES	77.6	73.8	76.1	3.9	YES	77.6
8	33	33B	72.0	73.6	67.0	73.2	1.2	0.0	74.7	74.3	76.3	4.3	YES	77.9	72.6	75.3	3.3	YES	76.9	77.8	78.8	6.8	YES	80.4	73.8	76.0	4.0	YES	77.6	73.8	76.0	4.0	YES	77.6	73.8	76.0	4.0	YES	77.6
9	33	33B	71.8	73.4	67.0	73.0	1.2	0.0	74.6	74.3	76.2	4.4	YES	77.8	72.6	75.2	3.4	YES	76.8	77.7	78.7	6.9	YES	80.3	73.7	75.9	4.1	YES	77.4	73.7	75.9	4.1	YES	77.4	73.7	75.9	4.1	YES	77.4
10	33	33B	71.6	73.2	67.0	72.9	1.3	0.0	74.4	74.6	76.4	4.8	YES	77.9	72.6	75.1	3.5	YES	76.7	77.6	78.6	7.0	YES	80.1	73.7	75.8	4.2	YES	77.3	73.7	75.8	4.2	YES	77.3	73.7	75.8	4.2	YES	77.3
11	33	33B	71.4	73.0	67.0	72.7	1.3	0.0	74.3	74.9	76.5	5.1	YES	78.1	72.7	75.1	3.7	YES	76.7	77.6	78.5	7.1	YES	80.1	73.7	75.7	4.3	YES	77.3	73.6	75.6	4.3	YES	77.2	73.6	75.6	4.3	YES	77.2
Top	33	33B	71.2	72.8	67.2	72.6	1.5	0.0	74.2	74.9	76.4	5.2	YES	78.0	72.7	75.0	3.8	YES	76.6	77.5	78.4	7.2	YES	80.0	73.6	75.6	4.4	YES	77.1	73.6	75.6	4.4	YES	77.1	73.6	75.6	4.4	YES	77.1
1	33	33C	71.5	73.1	68.4	73.2	1.7	0.0	74.8	70.5	74.0	2.5	0.0	75.6	72.1	74.8	3.3	YES	76.4	74.1	76.0	4.5	YES	77.6	72.3	74.9	3.4	YES	76.5	72.4	75.0	3.5	YES	76.5	72.4	75.0	3.5	YES	76.5
2	33	33C	73.1	74.7	68.6	74.4	1.3	0.0	76.0	73.0	76.1	3.0	0.0	77.6	73.9	76.5	3.4	YES	78.1	78.2	79.4	6.3	YES	80.9	74.8	77.0	3.9	YES	78.6	75.0	77.2	4.1	YES	78.7	72.4	77.2	4.1	YES	78.7
3	33	33C	73.9	75.5	68.9	75.1	1.2	0.0	76.6	72.8	76.4	2.5	0.0	77.9	73.7	76.8	2.9	0.0	78.4	78.1	79.5	5.6	YES	81.1	74.8	77.4	3.5	YES	78.9	74.9	77.4	3.5	YES	79.0	74.9	77.4	3.5	YES	79.0
4	33	33C	74.1	75.7	68.7	75.2	1.1	0.0	76.8	72.7	76.5	2.4	0.0	78.0	73.5	76.8	2.7	0.0	78.4	78.1	79.6	5.5	YES	81.1	74.7	77.4	3.3	YES	79.0	74.9	77.5	3.4	YES	79.1	74.9	77.5	3.4	YES	79.1
5	33	33C	74.1	75.7	68.6	75.2	1.1	0.0	76.7	72.7	76.5	2.4	0.0	78.0	73.4	76.8	2.7	0.0	78.3	78.1	79.6	5.5	YES	81.1	74.6	77.4	3.3	YES	79.0	74.8	77.5	3.4	YES	79.0	74.8	77.5	3.4	YES	79.0
6	33	33C	74.1	75.7	68.6	75.2	1.1	0.0	76.7	72.8	76.5	2.4	0.0	78.1	73.4	76.8	2.7	0.0	78.3	78.0	79.5	5.4	YES	81.0	74.6	77.4	3.3	YES	78.9	74.8	77.5	3.4	YES	79.0	74.8	77.5	3.4	YES	79.0
7	33	33C	73.9	75.5	68.7	75.0	1.1	0.0	76.6	72.8	76.4	2.5	0.0	77.9	73.4	76.7	2.8	0.0	78.2	78.1	79.5	5.6	YES	81.1	74.8	77.4	3.5	YES	78.9	75.0	77.5	3.6	YES	79.1	75.0	77.5	3.6	YES	79.1
8	33	33C	73																																				

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1													
					Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total	Leq				L10 Total								
					Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?		Const	Total	Change	Exceed?	Const	Total	Change	Exceed?
					Total	Total	Total	Total		Total	Total	Total	Total		Total	Total	Total	Total		Total	Total	Total	Total		Total	Total	Total	Total		Total	Total	Total	Total		Total	Total	Total	Total	Total	Total	Total	Total
Top	34	34C	73.4	75.0	71.3	75.5	2.1	0.0	77.0	72.6	76.0	2.6	0.0	77.6	74.1	76.8	3.4	YES	78.3	76.1	78.0	4.6	YES	79.5	74.3	76.9	3.5	YES	78.4	74.8	77.2	3.8	YES	78.7	74.8	77.2	3.8	YES	78.7			
1	34	34D	65.7	67.3	63.6	67.8	2.1	0.0	69.3	64.0	67.9	2.2	0.0	69.5	67.0	69.4	3.7	YES	71.0	69.4	70.9	5.2	YES	72.5	67.8	69.9	4.2	YES	71.4	67.9	69.9	4.3	YES	71.5	67.9	69.9	4.3	YES	71.5			
2	34	34D	66.7	68.3	65.3	69.1	2.4	0.0	70.6	69.2	71.1	4.4	YES	72.7	69.3	71.2	4.5	YES	72.8	74.4	75.1	8.4	YES	76.6	71.2	72.5	5.8	YES	74.1	71.4	72.7	6.0	YES	74.2	71.4	72.7	6.0	YES	74.2			
3	34	34D	67.7	69.3	65.1	69.6	1.9	0.0	71.2	68.9	71.3	3.7	YES	72.9	69.2	71.5	3.8	YES	73.1	74.4	75.2	7.5	YES	76.8	71.1	72.7	5.0	YES	74.3	71.3	72.9	5.2	YES	74.4	71.3	72.9	5.2	YES	74.4			
4	34	34D	68.5	70.1	66.0	70.4	1.9	0.0	72.0	68.9	71.7	3.2	YES	73.3	69.1	71.8	3.3	YES	73.4	74.4	75.4	6.9	YES	77.0	71.1	73.0	4.5	YES	74.6	71.3	73.1	4.6	YES	74.7	71.3	73.1	4.6	YES	74.7			
5	34	34D	68.9	70.5	66.0	70.7	1.8	0.0	72.3	69.0	72.0	3.1	YES	73.5	69.1	72.0	3.1	YES	73.6	74.4	75.5	6.6	YES	77.0	71.1	73.1	4.3	YES	74.7	71.3	73.3	4.4	YES	74.8	71.3	73.3	4.4	YES	74.8			
6	34	34D	69.0	70.6	65.9	70.7	1.7	0.0	72.3	69.2	72.1	3.1	YES	73.7	69.1	72.1	3.1	YES	73.6	74.4	75.5	6.5	YES	77.1	71.1	73.2	4.2	YES	74.7	71.3	73.3	4.3	YES	74.9	71.3	73.3	4.3	YES	74.9			
7	34	34D	69.1	70.7	66.0	70.8	1.7	0.0	72.4	69.2	72.2	3.1	YES	73.7	69.1	72.1	3.0	YES	73.7	74.6	75.7	6.6	YES	77.2	71.5	73.5	4.4	YES	75.0	71.7	73.6	4.5	YES	75.2	71.7	73.6	4.5	YES	75.2			
8	34	34D	69.0	70.6	66.2	70.8	1.8	0.0	72.4	69.3	72.2	3.2	YES	73.7	69.1	72.1	3.1	YES	73.6	74.5	75.6	6.6	YES	77.1	71.5	73.4	4.4	YES	75.0	71.7	73.6	4.6	YES	75.1	71.7	73.6	4.6	YES	75.1			
9	34	34D	69.0	70.6	67.6	71.4	2.4	0.0	72.9	69.4	72.2	3.2	YES	73.8	69.1	72.1	3.1	YES	73.6	74.5	75.6	6.6	YES	77.1	71.5	73.4	4.4	YES	75.0	71.6	73.5	4.5	YES	75.1	71.6	73.5	4.5	YES	75.1			
Top	34	34D	69.0	70.6	67.9	71.5	2.5	0.0	73.0	69.7	72.4	3.4	YES	73.9	69.5	72.3	3.3	YES	73.8	74.6	75.7	6.7	YES	77.2	71.6	73.5	4.5	YES	75.1	71.8	73.6	4.6	YES	75.2	71.8	73.6	4.6	YES	75.2			
1	35	35A	72.0	73.6	71.0	74.5	2.5	0.0	76.1	72.4	75.2	3.2	YES	76.8	74.2	76.2	4.3	YES	77.8	75.9	77.4	5.4	YES	78.9	73.9	76.1	4.1	YES	77.6	74.3	76.3	4.3	YES	77.9	74.3	76.3	4.3	YES	77.9			
2	35	35A	73.6	75.2	71.1	75.5	1.9	0.0	77.1	73.1	76.4	2.8	0.0	77.9	74.6	77.1	3.5	YES	78.7	75.8	77.8	4.3	YES	79.4	73.9	76.8	3.2	YES	78.3	75.2	77.5	3.9	YES	79.0	75.2	77.5	3.9	YES	79.0			
3	35	35A	74.2	75.8	70.8	75.8	1.6	0.0	77.4	72.6	76.5	2.3	0.0	78.0	74.1	77.2	3.0	0.0	78.7	75.3	77.8	3.6	YES	79.4	73.6	76.9	2.7	0.0	78.5	75.0	77.6	3.4	YES	79.2	75.0	77.6	3.4	YES	79.2			
4	35	35A	74.5	76.1	70.7	76.0	1.5	0.0	77.6	72.4	76.6	2.1	0.0	78.1	74.0	77.3	2.8	0.0	78.8	75.2	77.9	3.4	YES	79.4	73.5	77.0	2.5	0.0	78.6	74.9	77.7	3.2	YES	79.3	74.9	77.7	3.2	YES	79.3			
5	35	35A	74.4	76.0	70.8	76.0	1.6	0.0	77.5	72.3	76.5	2.1	0.0	78.0	73.9	77.2	2.8	0.0	78.7	75.2	77.8	3.4	YES	79.4	73.5	77.0	2.6	0.0	78.5	74.9	77.7	3.3	YES	79.2	74.9	77.7	3.3	YES	79.2			
Top	35	35A	74.4	76.0	70.8	76.0	1.6	0.0	77.5	72.5	76.6	2.2	0.0	78.1	73.9	77.2	2.8	0.0	78.7	75.3	77.9	3.5	YES	79.4	73.7	77.1	2.7	0.0	78.6	75.0	77.7	3.3	YES	79.3	75.0	77.7	3.3	YES	79.3			
1	35	35B	70.3	71.9	72.3	74.4	4.1	YES	76.0	74.0	75.5	5.2	YES	77.1	75.2	76.4	6.1	YES	78.0	75.9	77.0	6.7	YES	78.5	74.5	75.9	5.6	YES	77.5	75.1	76.3	6.0	YES	77.9	75.1	76.3	6.0	YES	77.9			
2	35	35B	71.6	73.2	71.9	74.8	3.2	YES	76.3	73.7	75.8	4.2	YES	77.3	74.8	76.5	4.9	YES	78.1	75.3	76.8	5.2	YES	78.4	74.0	76.0	4.4	YES	77.5	75.3	76.8	5.2	YES	78.4	75.3	76.8	5.2	YES	78.4			
3	35	35B	72.6	74.2	71.6	75.1	2.5	0.0	76.7	73.2	75.9	3.3	YES	77.5	74.3	76.5	3.9	YES	78.1	74.8	76.8	4.3	YES	78.4	73.6	76.1	3.5	YES	77.7	75.0	77.0	4.4	YES	78.5	75.0	77.0	4.4	YES	78.5			
4	35	35B	73.1	74.7	71.5	75.4	2.3	0.0	76.9	73.0	76.1	3.0	0.0	77.6	74.1	76.6	3.5	YES	78.2	74.7	77.0	3.9	YES	78.5	73.5	76.3	3.2	YES	77.9	75.0	77.2	4.1	YES	78.7	75.0	77.2	4.1	YES	78.7			
5	35	35B	73.2	74.8	71.6	75.5	2.3	0.0	77.0	73.0	76.1	2.9	0.0	77.7	74.1	76.7	3.5	YES	78.2	74.7	77.0	3.8	YES	78.6	73.5	76.4	3.2	YES	77.9	75.0	77.2	4.0	YES	78.8	75.0	77.2	4.0	YES	78.8			
Top	35	35B	73.2	74.8	71.7	75.5	2.3	0.0	77.1	73.3	76.3	3.1	YES	77.8	74.2	76.7	3.5	YES	78.3	75.0	77.2	4.0	YES	78.8	73.8	76.5	3.3	YES	78.1	75.1	77.3	4.1	YES	78.8	75.1	77.3	4.1	YES	78.8			
1	35	35C	67.9	69.5	67.8	70.9	3.0	0.0	72.4	66.5	70.3	2.4	0.0	71.8	70.3	72.3	4.4	YES	73.8	71.6	73.1	5.2	YES	74.7	71.3	72.9	5.0	YES	74.5	71.5	73.1	5.2	YES	74.6	71.5	73.1	5.2	YES	74.6			
2	35	35C	69.0	70.6	67.5	71.3	2.3	0.0	72.9	69.6	72.3	3.3	YES	73.9	71.1	73.2	4.2	YES	74.7	73.4	74.7	5.8	YES	76.3	71.9	73.7	4.7	YES	75.3	72.5	74.1	5.1	YES	75.7	72.5	74.1	5.1	YES	75.7			
3	35	35C	70.1	71.7	67.0	71.8	1.7	0.0	73.4	68.9	72.5	2.5	0.0	74.1	70.7	73.4	3.3	YES	75.0	73.1	74.9	4.8	YES	76.4	71.5	73.9	3.8	YES	75.4	72.1	74.2	4.1	YES	75.8	72.1	74.2	4.1	YES	75.8			
4	35	35C	70.5	72.1	66.8	72.0	1.5	0.0	73.6	68.7	72.7	2.2	0.0	74.3	70.5	73.5	3.0	YES	75.1	72.9	74.9	4.4	YES	76.4	71.4	74.0	3.5	YES	75.5	72.0	74.3	3.8	YES	75.9	72.0	74.3	3.8	YES	75.9			
5	35	35C	70.6	72.2	67.2	72.2	1.6	0.0	73.8	68.8	72.8	2.2	0.0	74.4	70.5	73.6	3.0	0.0	75.1	73.0	75.0	4.4	YES	76.5	71.4	74.0	3.4	YES	75.6	72.0	74.4	3.8	YES	75.9	72.0	74.4	3.8	YES	75.9			
Top	35	35C	70.7	72.3	67.6	72.4	1.7	0.0	74.0	69.1	73.0	2.3	0.0	74.5	70.7	73.7	3.0	YES	75.3	73.3	75.2	4.5	YES	76.8	71.8	74.3	3.6	YES	75.9	72.3	74.6	3.9	YES	76.1	72.3	74.6	3.9	YES	76.1			
1	35	35D	60.8	62.4	61.5	64.2	3.4	0.0	65.7	62.4	64.7	3.9	0.0	66.2	66.6	67.6	6.8	YES	69.2	69.1	69.7	8.9	YES	71.3	68.3	69.0	8.2	YES	70.6	68.3	69.0	8.2	YES	70.6	68.3	69.0	8.2	YES	70.6			
2	35	35D	61.5	63.1	62.1	64.8	3.3	0.0	66.4	62.8	65.2	3.7	YES	66.8	65.5	67.0	5.5	YES	68.5	68.0	68.9	7.4	YES	70.4	67.1	68.2	6.7	YES	69.7	67.1	68.2	6.7	YES	69.7	67.1	68.2	6.7	YES	69.7			
3	35	35D	62.1	63.7	61.8	65.0	2.9	0.0	66.5	62.7	65.4	3.3	YES	67.0	65.5	67.1	5.0	YES	68.7	67.9	68.9	6.8	YES	70.5	67.1	68.3	6.2	YES	69.9	67.1	68.3	6.2	YES	69.9	67.1	68.3	6.2	YES	69.9			
4	35	35D	62.6	64.2	62.1	65.4	2.8	0.0	66.9	62.7	65.7	3.1	YES	67.2	65.5	67.3	4.7	YES	68.9	67.9	69.0	6.4	YES	70.6	67.1	68.4	5.8	YES	70.0	67.1	68.4	5.8	YES	70.0	67.1	68.4	5.8	YES	70.0			
5	35	35D	63.1	64.7	63.1	66.1	3.0	YES	67.7	62.8	66.0	2.9	0.0	67.5	65.6	67.5	4.4	YES	69.1	68.2	69.4	6.3	YES	70.9	67.2	68.6	5.5	YES	70.2	67.2	68.6	5.5	YES	70.2	67.2	68.6	5.5	YES	70.2			
Top	35	35D	63.7	65.3	63.7	66.7	3.0	YES	68.3	63.8	66.8	3.1																														

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1																																						
					Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total																												
																																								2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1			
																																								Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq	Leq
11	36	36D	65.8	67.4	63.4	67.8	2.0	0.0	69.3	64.3	68.1	2.3	0.0	69.7	65.5	68.7	2.9	0.0	70.2	68.3	70.2	4.4	YES	71.8	66.7	69.3	3.5	YES	70.8	66.8	69.3	3.5	YES	70.9	66.8	69.3	3.5	YES	70.9																												
Top	36	36D	66.1	67.7	63.5	68.0	1.9	0.0	69.6	64.5	68.4	2.3	0.0	69.9	65.7	68.9	2.8	0.0	70.5	68.4	70.4	4.3	YES	72.0	66.8	69.5	3.4	YES	71.0	66.8	69.5	3.4	YES	71.0	66.8	69.5	3.4	YES	71.0																												
1	37	37A	72.9	74.5	72.6	75.8	2.9	0.0	77.3	74.4	76.7	3.8	YES	78.3	74.4	76.7	3.8	YES	78.3	74.5	76.8	3.9	YES	78.3	73.0	76.0	3.1	YES	77.5	74.3	76.7	3.8	YES	78.2	74.3	76.7	3.8	YES	78.2																												
2	37	37A	74.4	76.0	73.8	77.1	2.7	0.0	78.7	74.9	77.7	3.3	YES	79.2	75.7	78.1	3.7	YES	79.7	76.2	78.4	4.0	YES	80.0	74.8	77.6	3.2	YES	79.2	76.6	78.6	4.3	YES	80.2	76.6	78.6	4.3	YES	80.2																												
3	37	37A	74.9	76.5	73.7	77.3	2.5	0.0	78.9	74.7	77.8	2.9	0.0	79.4	75.5	78.2	3.3	YES	79.8	76.0	78.5	3.6	YES	80.1	74.6	77.8	2.9	0.0	79.3	76.5	78.8	3.9	YES	80.3	76.5	78.8	3.9	YES	80.3																												
4	37	37A	75.0	76.6	73.7	77.4	2.4	0.0	79.0	74.6	77.8	2.8	0.0	79.4	75.5	78.3	3.3	YES	79.8	75.9	78.5	3.5	YES	80.0	74.5	77.8	2.8	0.0	79.3	76.4	78.8	3.8	YES	80.3	76.4	78.8	3.8	YES	80.3																												
5	37	37A	74.9	76.5	73.7	77.3	2.5	0.0	78.9	74.7	77.8	2.9	0.0	79.4	75.4	78.2	3.3	YES	79.7	75.9	78.4	3.5	YES	80.0	74.5	77.7	2.8	0.0	79.3	76.4	78.7	3.8	YES	80.3	76.4	78.7	3.8	YES	80.3																												
6	37	37A	74.7	76.3	73.8	77.3	2.6	0.0	78.8	74.8	77.8	3.1	YES	79.3	75.5	78.1	3.4	YES	79.7	75.9	78.3	3.7	YES	79.9	74.6	77.7	3.0	0.0	79.2	76.5	78.7	4.0	YES	80.3	76.5	78.7	4.0	YES	80.3																												
7	37	37A	74.6	76.2	73.8	77.2	2.6	0.0	78.8	74.8	77.7	3.1	YES	79.3	75.5	78.1	3.5	YES	79.6	75.9	78.3	3.7	YES	79.9	74.6	77.6	3.0	YES	79.2	76.4	78.6	4.0	YES	80.2	76.4	78.6	4.0	YES	80.2																												
8	37	37A	74.4	76.0	74.0	77.2	2.8	0.0	78.8	74.8	77.6	3.2	YES	79.2	75.4	77.9	3.5	YES	79.5	75.9	78.2	3.8	YES	79.8	74.6	77.5	3.1	YES	79.1	76.3	78.5	4.1	YES	80.0	76.3	78.5	4.1	YES	80.0																												
9	37	37A	74.1	75.7	74.2	77.2	3.1	YES	78.7	74.7	77.4	3.3	YES	79.0	75.4	77.8	3.7	YES	79.4	75.8	78.0	3.9	YES	79.6	74.5	77.3	3.2	YES	78.9	76.3	78.3	4.3	YES	79.9	76.3	78.3	4.3	YES	79.9																												
10	37	37A	73.9	75.5	74.1	77.0	3.1	YES	78.6	74.7	77.3	3.4	YES	78.9	75.4	77.7	3.8	YES	79.3	75.8	78.0	4.1	YES	79.5	74.5	77.2	3.3	YES	78.8	76.2	78.2	4.3	YES	79.8	76.2	78.2	4.3	YES	79.8																												
11	37	37A	73.7	75.3	74.1	76.9	3.2	YES	78.5	74.6	77.2	3.5	YES	78.7	75.3	77.6	3.9	YES	79.1	75.8	77.9	4.2	YES	79.4	74.4	77.1	3.4	YES	78.6	76.1	78.1	4.4	YES	79.6	76.1	78.1	4.4	YES	79.6																												
Top	37	37A	73.4	75.0	74.0	76.7	3.3	YES	78.3	74.6	77.0	3.7	YES	78.6	75.3	77.5	4.1	YES	79.0	75.7	77.7	4.3	YES	79.3	74.4	76.9	3.5	YES	78.5	76.0	77.9	4.5	YES	79.5	76.0	77.9	4.5	YES	79.5																												
1	37	37B	72.3	73.9	74.8	76.7	4.4	YES	78.3	75.6	77.3	5.0	YES	78.8	76.4	77.8	5.5	YES	79.4	76.8	78.1	5.8	YES	79.7	76.0	77.5	5.2	YES	79.1	76.7	78.0	5.8	YES	79.6	76.7	78.0	5.8	YES	79.6																												
2	37	37B	73.9	75.5	74.4	77.2	3.3	YES	78.7	75.1	77.5	3.7	YES	79.1	75.8	78.0	4.1	YES	79.5	76.2	78.2	4.3	YES	79.8	75.5	77.8	3.9	YES	79.3	76.6	78.5	4.6	YES	80.0	76.6	78.5	4.6	YES	80.0																												
3	37	37B	74.4	76.0	74.4	77.4	3.0	YES	79.0	75.1	77.8	3.4	YES	79.3	75.8	78.2	3.8	YES	79.7	76.1	78.3	3.9	YES	79.9	75.5	78.0	3.6	YES	79.6	76.6	78.6	4.3	YES	80.2	76.6	78.6	4.3	YES	80.2																												
4	37	37B	74.5	76.1	74.3	77.4	2.9	0.0	79.0	75.0	77.8	3.3	YES	79.3	75.7	78.1	3.7	YES	79.7	76.0	78.3	3.8	YES	79.9	75.4	78.0	3.5	YES	79.5	76.5	78.6	4.1	YES	80.2	76.5	78.6	4.1	YES	80.2																												
5	37	37B	74.4	76.0	74.3	77.4	3.0	0.0	78.9	75.0	77.7	3.3	YES	79.3	75.7	78.1	3.7	YES	79.7	76.0	78.3	3.9	YES	79.8	75.4	77.9	3.5	YES	79.5	76.5	78.6	4.2	YES	80.1	76.5	78.6	4.2	YES	80.1																												
6	37	37B	74.2	75.8	74.3	77.3	3.1	YES	78.8	75.0	77.6	3.4	YES	79.2	75.6	78.0	3.8	YES	79.5	76.0	78.2	4.0	YES	79.8	75.4	77.8	3.7	YES	79.4	76.5	78.5	4.3	YES	80.1	76.5	78.5	4.3	YES	80.1																												
7	37	37B	73.9	75.5	74.3	77.1	3.2	YES	78.7	74.9	77.4	3.5	YES	79.0	75.6	77.8	3.9	YES	79.4	75.9	78.0	4.1	YES	79.6	75.3	77.7	3.8	YES	79.2	76.4	78.3	4.4	YES	79.9	76.4	78.3	4.4	YES	79.9																												
8	37	37B	73.6	75.2	74.5	77.1	3.5	YES	78.6	74.9	77.3	3.7	YES	78.9	75.5	77.7	4.1	YES	79.2	75.9	77.9	4.3	YES	79.5	75.3	77.5	3.9	YES	79.1	76.3	78.2	4.6	YES	79.7	76.3	78.2	4.6	YES	79.7																												
9	37	37B	73.4	75.0	74.4	76.9	3.5	YES	78.5	74.8	77.2	3.8	YES	78.7	75.5	77.6	4.2	YES	79.1	75.8	77.8	4.4	YES	79.3	75.2	77.4	4.0	YES	79.0	76.2	78.0	4.6	YES	79.6	76.2	78.0	4.6	YES	79.6																												
10	37	37B	73.1	74.7	74.4	76.8	3.7	YES	78.4	74.7	77.0	3.9	YES	78.5	75.4	77.4	4.3	YES	79.0	75.8	77.7	4.6	YES	79.2	75.2	77.3	4.2	YES	78.8	76.2	77.9	4.8	YES	79.5	76.2	77.9	4.8	YES	79.5																												
11	37	37B	72.8	74.4	74.3	76.6	3.8	YES	78.2	74.6	76.8	4.0	YES	78.4	75.4	77.3	4.5	YES	78.9	75.7	77.5	4.7	YES	79.1	75.1	77.1	4.3	YES	78.7	76.1	77.8	5.0	YES	79.3	76.1	77.8	5.0	YES	79.3																												
Top	37	37B	72.5	74.1	74.2	76.4	3.9	YES	78.0	74.6	76.7	4.2	YES	78.2	75.3	77.1	4.6	YES	78.7	75.6	77.3	4.8	YES	78.9	75.0	76.9	4.4	YES	78.5	76.0	77.6	5.1	YES	79.2	76.0	77.6	5.1	YES	79.2																												
1	37	37C	63.1	64.7	72.2	72.7	9.6	YES	74.3	72.7	73.2	10.1	YES	74.7	73.6	74.0	10.9	YES	75.5	73.6	74.0	10.9	YES	75.5	73.5	73.9	10.8	YES	75.4	72.4	72.9	9.8	YES	74.4	72.4	72.9	9.8	YES	74.4																												
2	37	37C	64.1	65.7	71.3	72.1	8.0	YES	73.6	71.9	72.6	8.5	YES	74.1	72.6	73.2	9.1	YES	74.7	72.6	73.2	9.1	YES	74.7	72.5	73.1	9.0	YES	74.6	71.7	72.4	8.3	YES	74.0	71.7	72.4	8.3	YES	74.0																												
3	37	37C	65.0	66.6	71.3	72.2	7.2	YES	73.8	71.8	72.6	7.6	YES	74.2	72.6	73.3	8.3	YES	74.9	72.6	73.3	8.3	YES	74.9	72.5	73.2	8.2	YES	74.8	71.6	72.5	7.5	YES	74.0	71.6	72.5	7.5	YES	74.0																												
4	37	37C	65.9	67.5	71.2	72.3	6.4	YES	73.9	71.8	72.8	6.9	YES	74.4	72.6	73.4	7.5	YES	75.0	72.6	73.4	7.5	YES	75.0	72.5	73.4	7.5	YES	74.9	71.6	72.6	6.7	YES	74.2	71.6	72.6	6.7	YES	74.2																												
5	37	37C	66.5	68.1	71.2	72.5	6.0	YES	74.0																																																										

**ESCR
Construction Noise Analysis Daytime Results**

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2										2020 Q4										2021 Q1										2021 Q4										2022 Q2										2022 Q4										2023 Q1									
					Leq					L10	Leq					L10	Leq					L10	Leq					L10	Leq					L10	Leq					L10	Leq					L10																												
					Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total																									
8	38	38C	70.3	71.9	74.0	75.5	5.2	YES	77.1	76.6	77.5	7.2	YES	79.1	77.3	78.1	7.8	YES	79.6	77.3	78.1	7.8	YES	79.6	75.2	76.4	6.1	YES	78.0	74.7	76.0	5.8	YES	77.6	74.7	76.0	5.8	YES	77.6																																			
9	38	38C	70.3	71.9	74.0	75.5	5.2	YES	77.1	76.7	77.6	7.3	YES	79.2	77.4	78.2	7.9	YES	79.7	77.5	78.3	8.0	YES	79.8	75.4	76.6	6.3	YES	78.1	74.8	76.1	5.8	YES	77.7	74.8	76.1	5.8	YES	77.7																																			
10	38	38C	70.4	72.0	73.9	75.5	5.1	YES	77.1	76.6	77.5	7.1	YES	79.1	77.4	78.2	7.8	YES	79.7	77.4	78.2	7.8	YES	79.7	75.4	76.6	6.2	YES	78.2	74.7	76.1	5.7	YES	77.6	74.7	76.1	5.7	YES	77.6																																			
11	38	38C	70.3	71.9	73.9	75.5	5.2	YES	77.0	76.6	77.5	7.2	YES	79.0	77.3	78.1	7.8	YES	79.6	77.3	78.1	7.8	YES	79.6	75.3	76.5	6.2	YES	78.1	74.6	76.0	5.7	YES	77.5	74.6	76.0	5.7	YES	77.5																																			
Top	38	38C	70.1	71.7	73.8	75.3	5.2	YES	76.9	76.5	77.4	7.3	YES	79.0	77.2	78.0	7.9	YES	79.5	77.3	78.1	8.0	YES	79.6	75.2	76.4	6.3	YES	77.9	74.5	75.8	5.8	YES	77.4	74.5	75.8	5.8	YES	77.4																																			
1	38	38D	60.3	61.9	63.6	65.3	5.0	YES	66.8	63.5	65.2	4.9	YES	66.8	63.5	65.2	4.9	YES	66.8	63.9	65.5	5.2	YES	67.0	63.6	65.3	5.0	YES	66.8	63.3	65.1	7.8	YES	69.7	67.3	68.1	7.8	YES	69.7																																			
2	38	38D	60.3	61.9	63.6	65.3	5.0	YES	66.8	63.0	64.9	4.6	0.0	66.4	62.9	64.8	4.5	0.0	66.4	63.4	65.1	4.8	YES	66.7	63.0	64.9	4.6	0.0	66.4	66.3	67.3	7.0	YES	68.8	66.3	67.3	7.0	YES	68.8																																			
3	38	38D	60.3	61.9	63.4	65.1	4.8	YES	66.7	62.9	64.8	4.5	0.0	66.4	62.8	64.7	4.4	0.0	66.3	63.6	65.3	5.0	YES	66.8	63.3	65.1	4.8	YES	66.6	66.4	67.4	7.0	YES	68.9	66.4	67.4	7.0	YES	68.9																																			
4	38	38D	60.7	62.3	63.4	65.3	4.6	YES	66.8	62.9	64.9	4.3	0.0	66.5	62.7	64.8	4.1	0.0	66.4	63.2	65.1	4.4	YES	66.7	62.9	64.9	4.3	0.0	66.5	66.2	67.3	6.6	YES	68.8	66.2	67.3	6.6	YES	68.8																																			
5	38	38D	61.3	62.9	63.4	65.5	4.2	YES	67.0	63.2	65.4	4.1	YES	66.9	62.7	65.1	3.8	YES	66.6	63.2	65.4	4.1	YES	66.9	62.9	65.2	3.9	YES	66.7	66.2	67.4	6.1	YES	69.0	66.2	67.4	6.1	YES	69.0																																			
6	38	38D	61.8	63.4	63.9	66.0	4.2	YES	67.5	63.8	65.9	4.1	YES	67.5	62.7	65.3	3.5	YES	66.8	63.5	65.7	3.9	YES	67.3	63.2	65.6	3.8	YES	67.1	66.3	67.6	5.8	YES	69.2	66.3	67.6	5.8	YES	69.2																																			
7	38	38D	62.1	63.7	63.9	66.1	4.0	YES	67.7	63.7	66.0	3.9	YES	67.5	62.6	65.4	3.3	YES	66.9	63.6	65.9	3.8	YES	67.5	63.3	65.7	3.7	YES	67.3	66.4	67.8	5.7	YES	69.3	66.4	67.8	5.7	YES	69.3																																			
8	38	38D	62.2	63.8	64.0	66.2	4.0	YES	67.8	63.7	66.0	3.8	YES	67.6	62.6	65.4	3.2	YES	67.0	63.6	66.0	3.8	YES	67.5	63.3	65.8	3.6	YES	67.4	66.3	67.7	5.5	YES	69.3	66.3	67.7	5.5	YES	69.3																																			
9	38	38D	62.2	63.8	65.3	67.0	4.8	YES	68.6	63.7	66.0	3.8	YES	67.6	62.6	65.4	3.2	YES	67.0	63.7	66.0	3.8	YES	67.6	63.2	65.7	3.5	YES	67.3	66.3	67.7	5.5	YES	69.3	66.3	67.7	5.5	YES	69.3																																			
10	38	38D	62.1	63.7	65.3	67.0	4.9	YES	68.6	63.7	66.0	3.9	YES	67.5	62.6	65.4	3.3	YES	66.9	63.7	66.0	3.9	YES	67.5	63.2	65.7	3.6	YES	67.3	66.3	67.7	5.6	YES	69.3	66.3	67.7	5.6	YES	69.3																																			
11	38	38D	62.0	63.6	65.3	67.0	5.0	YES	68.5	63.6	65.9	3.9	YES	67.4	62.6	65.3	3.3	YES	66.9	63.8	66.0	4.0	YES	67.6	63.3	65.7	3.7	YES	67.3	66.3	67.7	5.7	YES	69.2	66.3	67.7	5.7	YES	69.2																																			
Top	38	38D	62.0	63.6	65.3	67.0	5.0	YES	68.5	63.6	65.9	3.9	YES	67.4	62.7	65.4	3.4	YES	66.9	63.9	66.1	4.1	YES	67.6	63.4	65.8	3.8	YES	67.3	66.3	67.7	5.7	YES	69.2	66.3	67.7	5.7	YES	69.2																																			
1	39	39A	71.1	72.7	76.5	77.6	6.5	YES	79.2	79.2	79.8	8.7	YES	81.4	79.7	80.3	9.2	YES	81.8	79.9	80.4	9.3	YES	82.0	77.6	78.5	7.4	YES	80.0	77.4	78.3	7.2	YES	79.9	77.4	78.3	7.2	YES	79.9																																			
2	39	39A	72.7	74.3	76.5	78.0	5.3	YES	79.6	79.3	80.2	7.5	YES	81.7	80.0	80.7	8.1	YES	82.3	80.2	80.9	8.2	YES	82.5	77.9	79.0	6.4	YES	80.6	77.5	78.7	6.0	YES	80.3	77.5	78.7	6.0	YES	80.3																																			
3	39	39A	73.4	75.0	76.5	78.2	4.8	YES	79.8	79.3	80.3	6.9	YES	81.9	80.0	80.9	7.5	YES	82.4	80.1	80.9	7.5	YES	82.5	77.9	79.2	5.8	YES	80.8	77.4	78.9	5.5	YES	80.4	77.4	78.9	5.5	YES	80.4																																			
4	39	39A	73.7	75.3	76.4	78.3	4.6	YES	79.8	79.2	80.3	6.6	YES	81.8	80.0	80.9	7.2	YES	82.5	80.1	81.0	7.3	YES	82.6	77.9	79.3	5.6	YES	80.9	77.4	78.9	5.2	YES	80.5	77.4	78.9	5.2	YES	80.5																																			
5	39	39A	73.7	75.3	76.4	78.3	4.6	YES	79.8	79.3	80.4	6.7	YES	81.9	80.0	80.9	7.2	YES	82.5	80.1	81.0	7.3	YES	82.6	77.9	79.3	5.6	YES	80.9	77.5	79.0	5.3	YES	80.6	77.5	79.0	5.3	YES	80.6																																			
Top	39	39A	73.7	75.3	76.4	78.3	4.6	YES	79.8	79.3	80.4	6.7	YES	81.9	79.9	80.8	7.1	YES	82.4	80.0	80.9	7.2	YES	82.5	77.9	79.3	5.6	YES	80.9	77.4	78.9	5.2	YES	80.5	77.4	78.9	5.2	YES	80.5																																			
1	39	39B	71.3	72.9	73.5	75.5	4.3	YES	77.1	79.5	80.1	8.8	YES	81.7	79.7	80.3	9.0	YES	81.8	79.7	80.3	9.0	YES	81.8	75.3	76.8	5.5	YES	78.3	75.1	76.6	5.3	YES	78.2	75.1	76.6	5.3	YES	78.2																																			
2	39	39B	72.9	74.5	75.7	77.5	4.6	YES	79.1	80.1	80.9	8.0	YES	82.4	80.9	81.5	8.6	YES	83.1	80.9	81.5	8.6	YES	83.1	77.8	79.0	6.1	YES	80.6	77.1	78.5	5.6	YES	80.1	77.1	78.5	5.6	YES	80.1																																			
3	39	39B	73.6	75.2	75.6	77.7	4.1	YES	79.3	80.1	81.0	7.4	YES	82.5	80.8	81.6	8.0	YES	83.1	80.9	81.6	8.1	YES	83.2	77.8	79.2	5.6	YES	80.8	77.1	78.7	5.1	YES	80.3	77.1	78.7	5.1	YES	80.3																																			
4	39	39B	73.8	75.4	75.6	77.8	4.0	YES	79.4	80.1	81.0	7.2	YES	82.6	80.8	81.6	7.8	YES	83.1	80.8	81.6	7.8	YES	83.1	77.8	79.3	5.5	YES	80.8	77.1	78.8	5.0	YES	80.3	77.1	78.8	5.0	YES	80.3																																			
5	39	39B	73.7	75.3	75.6	77.8	4.1	YES	79.3	80.1	81.0	7.3	YES	82.6	80.8	81.6	7.9	YES	83.1	80.8	81.6	7.9	YES	83.1	77.9	79.3	5.6	YES	80.9	77.2	78.8	5.1	YES	80.4	77.2	78.8	5.1	YES	80.4																																			
Top	39	39B	73.7	75.3	75.6	77.8	4.1	YES	79.3	80.1	81.0	7.3	YES	82.6	80.7	81.5	7.8	YES	83.0	80.8	81.6	7.9	YES	83.1	77.9	79.3	5.6	YES	80.9	77.1	78.7	5.0	YES	80.3	77.1	78.7	5.0	YES	80.3																																			
1	39	39C	68.0	69.6	71.8	73.3	5.3	YES	74.9	78.4	78.8	10.8	YES	80.3	78.8	79.1	11.2	YES	80.7	78.8	79.1	11.2	YES	80.7	73.5	74.6	6.6	YES	76.1	72.5	73.8	5.8	YES	75.4	72.5	73.8	5.8	YES	75.4																																			
2	39	39C	69.4	71.0	72.9	74.5	5.1	YES	76.1	78.9	79.4	10.0	YES	80.9	79.4	79.8	10.4	YES	81.4	79.4	79.8	10.4	YES	81.4	75.3	76.3	6.9	YES	77.9	73.7	75.1	5.7	YES	76.6	73.7	75.1	5.7	YES	76.6																																			
3	39	39C	70.3	71.9	72.8	74.7	4.4	YES	76.3	78.8	79.4	9.1	YES	80.9	79.4	79.9	9.6	YES	81.5	79.4	79.9	9.6	YES	81.5	75.3	76.5	6.2	YES	78.1	73.7	75.3	5.0	YES	76.9	73.7	75.3	5.0	YES	76.9																																			
4	39	39C	70.6	72.2	72.8	74.8	4.3	YES	76.4	78.8	79.4	8.8	YES	81.0	79.4	79.9	9.3	YES	81.5	79.3	79.8	9.3	YES	81.4	75.3	76.6	6.0	YES	78.1	73.7	75.4	4.8	YES	77.0	73.7	75.4	4.8	YES	77.0																																			
5	39	39C	70.7	72.3	72.8	74.9	4.2	YES	76.4	78.9	79.5	8.8	YES	81.1	79.4	79.9	9.3	YES	81.5	79.4	79.9	9.3	YES	81.5	75.5	76.7	6.0	YES	78.3	74.0	75.7	5.0	YES	77.2	74.0	75.7	5.0	YES	77.2																																			
Top	39	39C	70.6	72.2	72.7	74.8	4.2	YES	76.3																																																																	

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2										2020 Q4										2021 Q1										2021 Q4										2022 Q2										2022 Q4										2023 Q1									
					Leq					L10					Leq					L10					Leq					L10					Leq					L10					Leq					L10					Leq					L10														
					Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total																														
5	41	41B	73.1	74.7	75.7	77.6	4.5	YES	79.2	76.7	78.3	5.2	YES	79.8	79.1	80.1	7.0	YES	81.6	78.3	79.4	6.4	YES	81.0	77.3	78.7	5.6	YES	80.3	75.5	77.5	4.4	YES	79.0	75.5	77.5	4.4	YES	79.0																																			
6	41	41B	73.1	74.7	75.7	77.6	4.5	YES	79.2	76.7	78.3	5.2	YES	79.8	79.1	80.1	7.0	YES	81.6	78.3	79.4	6.4	YES	81.0	77.2	78.6	5.5	YES	80.2	75.5	77.5	4.4	YES	79.0	75.5	77.5	4.4	YES	79.0																																			
7	41	41B	72.9	74.5	75.6	77.5	4.6	YES	79.0	76.6	78.1	5.2	YES	79.7	79.0	80.0	7.1	YES	81.5	78.2	79.3	6.4	YES	80.9	77.2	78.6	5.7	YES	80.1	75.4	77.3	4.4	YES	78.9	75.4	77.3	4.4	YES	78.9																																			
8	41	41B	72.8	74.4	75.5	77.4	4.6	YES	78.9	76.6	78.1	5.3	YES	79.7	79.0	79.9	7.1	YES	81.5	78.1	79.2	6.4	YES	80.8	77.1	78.5	5.7	YES	80.0	75.3	77.2	4.4	YES	78.8	75.3	77.2	4.4	YES	78.8																																			
9	41	41B	72.6	74.2	75.4	77.2	4.6	YES	78.8	76.5	78.0	5.4	YES	79.5	78.9	79.8	7.2	YES	81.4	78.1	79.2	6.6	YES	80.7	77.0	78.3	5.8	YES	79.9	75.2	77.1	4.5	YES	78.7	75.2	77.1	4.5	YES	78.7																																			
10	41	41B	72.4	74.0	75.3	77.1	4.7	YES	78.7	76.4	77.9	5.5	YES	79.4	78.8	79.7	7.3	YES	81.3	78.0	79.1	6.7	YES	80.6	76.9	78.2	5.8	YES	79.8	75.2	77.0	4.6	YES	78.6	75.2	77.0	4.6	YES	78.6																																			
11	41	41B	72.2	73.8	75.0	76.8	4.6	YES	78.4	76.1	77.6	5.4	YES	79.1	78.4	79.3	7.1	YES	80.9	77.9	78.9	6.7	YES	80.5	76.8	78.1	5.9	YES	79.7	75.1	76.9	4.7	YES	78.5	75.1	76.9	4.7	YES	78.5																																			
Top	41	41B	72.0	73.6	74.9	76.7	4.7	YES	78.3	76.0	77.5	5.5	YES	79.0	78.3	79.2	7.2	YES	80.8	77.8	78.8	6.8	YES	80.4	76.7	78.0	6.0	YES	79.5	74.9	76.7	4.7	YES	78.3	74.9	76.7	4.7	YES	78.3																																			
1	41	41C	63.0	64.6	72.0	72.5	9.5	YES	74.1	69.8	70.6	7.6	YES	72.2	73.9	74.2	11.2	YES	75.8	70.0	70.8	7.8	YES	72.3	69.9	70.7	7.7	YES	72.3	69.6	70.5	7.5	YES	72.0	69.6	70.5	7.5	YES	72.0																																			
2	41	41C	64.0	65.6	71.4	72.1	8.1	YES	73.7	69.4	70.5	6.5	YES	72.1	73.0	73.5	9.5	YES	75.1	69.5	70.6	6.6	YES	72.1	69.4	70.5	6.5	YES	72.1	69.0	70.2	6.2	YES	71.8	69.0	70.2	6.2	YES	71.8																																			
3	41	41C	65.0	66.6	71.4	72.3	7.3	YES	73.9	69.5	70.8	5.8	YES	72.4	73.1	73.7	8.7	YES	75.3	69.6	70.9	5.9	YES	72.5	69.5	70.8	5.8	YES	72.4	69.1	70.5	5.5	YES	72.1	69.1	70.5	5.5	YES	72.1																																			
4	41	41C	65.9	67.5	71.4	72.5	6.6	YES	74.0	70.3	71.6	5.8	YES	73.2	73.3	74.0	8.1	YES	75.6	70.0	71.4	5.5	YES	73.0	69.9	71.4	5.5	YES	72.9	69.2	70.9	5.0	YES	72.4	69.2	70.9	5.0	YES	72.4																																			
5	41	41C	66.5	68.1	71.4	72.6	6.1	YES	74.2	72.1	73.2	6.7	YES	74.7	74.2	74.9	8.4	YES	76.4	71.7	72.8	6.4	YES	74.4	71.7	72.8	6.4	YES	74.4	71.3	72.5	6.0	YES	74.1	71.3	72.5	6.0	YES	74.1																																			
6	41	41C	66.7	68.3	71.3	72.6	5.9	YES	74.2	72.0	73.1	6.4	YES	74.7	74.1	74.8	8.1	YES	76.4	71.7	72.9	6.2	YES	74.5	71.7	72.9	6.2	YES	74.5	71.2	72.5	5.8	YES	74.1	71.2	72.5	5.8	YES	74.1																																			
7	41	41C	66.7	68.3	71.3	72.6	5.9	YES	74.2	72.0	73.1	6.4	YES	74.7	74.1	74.8	8.1	YES	76.4	71.7	72.9	6.2	YES	74.5	71.6	72.8	6.1	YES	74.4	71.2	72.5	5.8	YES	74.1	71.2	72.5	5.8	YES	74.1																																			
8	41	41C	66.6	68.2	71.2	72.5	5.9	YES	74.1	72.0	73.1	6.5	YES	74.7	74.1	74.8	8.2	YES	76.4	71.7	72.9	6.3	YES	74.4	71.6	72.8	6.2	YES	74.4	71.2	72.5	5.9	YES	74.1	71.2	72.5	5.9	YES	74.1																																			
9	41	41C	66.4	68.0	71.2	72.4	6.0	YES	74.0	71.9	73.0	6.6	YES	74.5	74.0	74.7	8.3	YES	76.3	71.6	72.7	6.4	YES	74.3	71.6	72.7	6.4	YES	74.3	71.1	72.4	6.0	YES	73.9	71.1	72.4	6.0	YES	73.9																																			
10	41	41C	66.3	67.9	71.1	72.3	6.0	YES	73.9	71.9	73.0	6.7	YES	74.5	74.0	74.7	8.4	YES	76.2	71.6	72.7	6.4	YES	74.3	71.5	72.6	6.4	YES	74.2	71.1	72.3	6.0	YES	73.9	71.1	72.3	6.0	YES	73.9																																			
11	41	41C	66.2	67.8	71.0	72.2	6.0	YES	73.8	71.8	72.9	6.7	YES	74.4	73.9	74.6	8.4	YES	76.1	71.5	72.6	6.4	YES	74.2	71.5	72.6	6.4	YES	74.2	71.0	72.2	6.0	YES	73.8	71.0	72.2	6.0	YES	73.8																																			
Top	41	41C	66.0	67.6	71.0	72.2	6.2	YES	73.8	71.8	72.8	6.8	YES	74.4	73.9	74.6	8.6	YES	76.1	71.5	72.6	6.6	YES	74.1	71.4	72.5	6.5	YES	74.1	71.0	72.2	6.2	YES	73.8	71.0	72.2	6.2	YES	73.8																																			
1	41	41D	62.2	63.8	70.0	70.7	8.5	YES	72.2	71.6	72.1	9.9	YES	73.6	73.4	73.7	11.5	YES	75.3	73.4	73.7	11.5	YES	75.3	73.2	73.5	11.3	YES	75.1	70.4	71.0	8.8	YES	72.6	70.4	71.0	8.8	YES	72.6																																			
2	41	41D	63.0	64.6	69.4	70.3	7.3	YES	71.9	71.2	71.8	8.8	YES	73.4	72.8	73.2	10.2	YES	74.8	72.8	73.2	10.2	YES	74.8	72.6	73.1	10.1	YES	74.6	69.8	70.6	7.6	YES	72.2	69.8	70.6	7.6	YES	72.2																																			
3	41	41D	63.9	65.5	69.4	70.5	6.6	YES	72.0	71.2	71.9	8.1	YES	73.5	72.8	73.3	9.4	YES	74.9	72.8	73.3	9.4	YES	74.9	72.6	73.1	9.3	YES	74.7	69.8	70.8	6.9	YES	72.4	69.8	70.8	6.9	YES	72.4																																			
4	41	41D	64.7	66.3	69.4	70.7	6.0	YES	72.2	71.2	72.1	7.4	YES	73.6	72.8	73.4	8.7	YES	75.0	72.8	73.4	8.7	YES	75.0	72.6	73.3	8.6	YES	74.8	69.8	71.0	6.3	YES	72.5	69.8	71.0	6.3	YES	72.5																																			
5	41	41D	65.5	67.1	69.4	70.9	5.4	YES	72.4	71.3	72.3	6.8	YES	73.9	72.8	73.5	8.1	YES	75.1	72.8	73.5	8.1	YES	75.1	72.6	73.4	7.9	YES	74.9	69.9	71.2	5.8	YES	72.8	69.9	71.2	5.8	YES	72.8																																			
6	41	41D	66.0	67.6	69.4	71.0	5.0	YES	72.6	72.1	73.1	7.1	YES	74.6	73.4	74.1	8.1	YES	75.7	73.4	74.1	8.1	YES	75.7	73.2	74.0	8.0	YES	75.5	70.9	72.1	6.1	YES	73.7	70.9	72.1	6.1	YES	73.7																																			
7	41	41D	66.2	67.8	69.7	71.3	5.1	YES	72.9	72.4	73.3	7.1	YES	74.9	73.6	74.3	8.1	YES	75.9	73.6	74.3	8.1	YES	75.9	73.3	74.1	7.9	YES	75.6	71.2	72.4	6.2	YES	74.0	71.2	72.4	6.2	YES	74.0																																			
8	41	41D	66.3	67.9	69.8	71.4	5.1	YES	73.0	71.8	72.9	6.6	YES	74.4	73.2	74.0	7.7	YES	75.6	73.2	74.0	7.7	YES	75.6	72.8	73.7	7.4	YES	75.2	70.4	71.8	5.5	YES	73.4	70.4	71.8	5.5	YES	73.4																																			
9	41	41D	66.5	68.1	68.6	70.7	4.2	YES	72.2	72.3	73.3	6.8	YES	74.9	73.2	74.0	7.5	YES	75.6	73.3	74.1	7.6	YES	75.7	72.7	73.6	7.1	YES	75.2	70.2	71.7	5.2	YES	73.3	70.2	71.7	5.2	YES	73.3																																			
10	41	41D	66.5	68.1	69.0	70.9	4.4	YES	72.5	72.8	73.7	7.2	YES	75.3	73.8	74.5	8.1	YES	76.1	73.9	74.6	8.1	YES	76.2	72.8	73.7	7.2	YES	75.3	70.5	72.0	5.5	YES	73.5	70.5	72.0	5.5	YES	73.5																																			
11	41	41D	66.4	68.0	69.1	71.0	4.6	YES	72.5	72.4	73.4	7.0	YES	74.9	73.4	74.2	7.8	YES	75.7	73.5	74.3	7.9	YES	75.8	72.9	73.8	7.4	YES	75.3	70.7	72.1	5.7	YES	73.6	70.7	72.1	5.7	YES	73.6																																			
Top	41	41D	66.9	68.5	69.3	71.3	4.4	YES	72.8	73.0	74.0	7.1	YES	75.5	74.0	74.8	7.9	YES	76.3	74.0	74.8	7.9	YES	76.3	72.9	73.9	7.0	YES	75.4	70.7	72.2	5.3	YES	73.8	70.7	72.2	5.3	YES	73.8																																			
1	42	42A	72.5	74.1	77.6	78.8	6.3	YES	80.3	78.1	79.2	6.7	YES	80.7	80.8	81.4	8.9	YES	83.0	80.1	80.8	8.3	YES	82.4	78.6	79.6	7.1	YES	81.1	77.3	78.5	6.0	YES	80.1	77.3	78.5	6.0	YES	80.1																																			
2	42	42A	74.2	75.8	77.3	79.0	4.8	YES	80.6	78.3	79.7	5.5	YES	81.3	80.6	81.5	7.3	YES	83.1	79.9	80.9	6.7	YES	82.5	78.3	79.7	5.5	YES	81.3	77.2	79.0	4.8	YES	80.5	77.2	79.0	4.8	YES	80.5																																			
3	42	42A	74.9	76.5	77.2	79.2	4.3	YES	80.8	78.4	80.0	5.1	YES	81.6	80.6	81.6	6.7	YES	83.2	79.9	81.1	6.2	YES	82.7	78.3	79.9	5.0	YES	81.5	77.1	79.1	4.3	YES	80.7	77.1	79.1	4.3	YES	80.7																																			
4	42	42A	75.0	76.6	77.2	79.2	4.3	YES	80.8																																																																	

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2								2020 Q4								2021 Q1								2021 Q4								2022 Q2								2022 Q4								2023 Q1							
					Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10	Leq				L10																					
					Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total																
2	43	43A	74.3	75.9	80.9	81.8	7.5	YES	83.3	81.1	81.9	7.6	YES	83.5	82.6	83.2	8.9	YES	84.8	80.8	81.7	7.4	YES	83.2	77.3	79.1	4.8	YES	80.6	73.8	77.1	2.8	0.0	78.6	73.8	77.1	2.8	0.0	78.6																					
3	43	43A	74.9	76.5	80.9	81.9	7.0	YES	83.4	81.5	82.4	7.5	YES	83.9	82.8	83.5	8.6	YES	85.0	81.2	82.1	7.2	YES	83.7	78.2	79.9	5.0	YES	81.4	75.6	78.3	3.4	YES	79.8	75.6	78.3	3.4	YES	79.8																					
4	43	43A	75.1	76.7	80.8	81.8	6.7	YES	83.4	81.6	82.5	7.4	YES	84.0	82.8	83.5	8.4	YES	85.0	81.2	82.2	7.1	YES	83.7	78.3	80.0	4.9	YES	81.6	75.7	78.4	3.3	YES	80.0	75.7	78.4	3.3	YES	80.0																					
5	43	43A	75.2	76.8	80.8	81.9	6.7	YES	83.4	81.6	82.5	7.3	YES	84.1	82.9	83.6	8.4	YES	85.1	81.3	82.3	7.1	YES	83.8	78.5	80.2	5.0	YES	81.7	76.1	78.7	3.5	YES	80.2	76.1	78.7	3.5	YES	80.2																					
Top	43	43A	75.1	76.7	80.7	81.8	6.7	YES	83.3	81.6	82.5	7.4	YES	84.0	82.8	83.5	8.4	YES	85.0	81.3	82.2	7.1	YES	83.8	78.5	80.1	5.0	YES	81.7	76.1	78.6	3.5	YES	80.2	76.1	78.6	3.5	YES	80.2																					
1	43	43B	69.8	71.4	84.1	84.3	14.5	YES	85.8	84.1	84.3	14.5	YES	85.8	81.3	81.6	11.8	YES	83.2	81.8	82.1	12.3	YES	83.6	74.3	75.6	5.8	YES	77.2	63.8	70.8	1.0	0.0	72.3	63.8	70.8	1.0	0.0	72.3																					
2	43	43B	71.3	72.9	83.9	84.1	12.8	YES	85.7	83.9	84.1	12.8	YES	85.7	81.1	81.5	10.2	YES	83.1	81.7	82.1	10.8	YES	83.6	74.3	76.1	4.8	YES	77.6	63.9	72.0	0.7	0.0	73.6	63.9	72.0	0.7	0.0	73.6																					
3	43	43B	72.4	74.0	83.9	84.2	11.8	YES	85.8	84.0	84.3	11.9	YES	85.8	81.2	81.7	9.3	YES	83.3	81.8	82.3	9.9	YES	83.8	75.1	77.0	4.6	YES	78.5	68.8	74.0	1.6	0.0	75.5	68.8	74.0	1.6	0.0	75.5																					
4	43	43B	72.9	74.5	83.7	84.0	11.2	YES	85.6	83.9	84.2	11.3	YES	85.8	81.2	81.8	8.9	YES	83.4	81.8	82.3	9.4	YES	83.9	75.1	77.1	4.3	YES	78.7	69.1	74.4	1.5	0.0	76.0	69.1	74.4	1.5	0.0	76.0																					
5	43	43B	73.1	74.7	83.6	84.0	10.9	YES	85.5	83.7	84.1	11.0	YES	85.6	81.2	81.8	8.7	YES	83.4	81.7	82.3	9.2	YES	83.8	75.1	77.2	4.1	YES	78.8	69.1	74.5	1.5	0.0	76.1	69.1	74.5	1.5	0.0	76.1																					
Top	43	43B	73.2	74.8	83.4	83.8	10.6	YES	85.4	83.5	83.9	10.7	YES	85.4	81.2	81.8	8.6	YES	83.4	81.7	82.3	9.1	YES	83.8	75.0	77.2	4.0	YES	78.8	69.2	74.6	1.5	0.0	76.2	69.2	74.6	1.5	0.0	76.2																					
1	43	43C	65.4	67.0	80.1	80.2	14.9	YES	81.8	80.1	80.2	14.9	YES	81.8	76.4	76.7	11.3	YES	78.3	78.9	79.1	13.7	YES	80.6	72.0	72.9	7.5	YES	74.4	52.1	65.6	0.2	0.0	67.1	52.1	65.6	0.2	0.0	67.1																					
2	43	43C	66.2	67.8	80.0	80.2	14.0	YES	81.7	80.0	80.2	14.0	YES	81.7	75.8	76.3	10.1	YES	77.8	78.5	78.7	12.6	YES	80.3	71.6	72.7	6.5	YES	74.3	51.1	66.3	0.1	0.0	67.9	51.0	66.3	0.1	0.0	67.9																					
3	43	43C	67.0	68.6	79.9	80.1	13.1	YES	81.7	79.9	80.1	13.1	YES	81.7	75.9	76.4	9.4	YES	78.0	78.5	78.8	11.8	YES	80.4	71.6	72.9	5.9	YES	74.5	51.0	67.1	0.1	0.0	68.7	51.0	67.1	0.1	0.0	68.7																					
4	43	43C	67.9	69.5	79.9	80.2	12.3	YES	81.7	79.9	80.2	12.3	YES	81.7	75.9	76.5	8.6	YES	78.1	78.4	78.8	10.9	YES	80.3	71.6	73.1	5.2	YES	74.7	51.2	68.0	0.1	0.0	69.5	51.2	68.0	0.1	0.0	69.5																					
5	43	43C	68.6	70.2	79.8	80.1	11.5	YES	81.7	79.8	80.1	11.5	YES	81.7	75.9	76.6	8.1	YES	78.2	78.4	78.8	10.2	YES	80.4	71.5	73.3	4.7	YES	74.9	51.8	68.7	0.1	0.0	70.2	51.8	68.7	0.1	0.0	70.2																					
Top	43	43C	68.9	70.5	79.7	80.0	11.2	YES	81.6	79.7	80.0	11.2	YES	81.6	75.9	76.7	7.8	YES	78.2	78.4	78.9	10.0	YES	80.4	71.5	73.4	4.5	YES	75.0	53.5	69.0	0.1	0.0	70.6	53.4	69.0	0.1	0.0	70.6																					
1	43	43D	60.3	61.9	65.2	66.4	6.1	YES	68.0	66.8	67.7	7.4	YES	69.2	67.4	68.2	7.9	YES	69.7	66.6	67.5	7.2	YES	69.1	66.5	67.4	7.1	YES	69.0	66.3	67.3	7.0	YES	68.8	66.3	67.3	7.0	YES	68.8																					
2	43	43D	60.3	61.9	64.4	65.8	5.5	YES	67.4	66.3	67.3	7.0	YES	68.8	66.9	67.8	7.5	YES	69.3	66.2	67.2	6.9	YES	68.8	66.0	67.0	6.7	YES	68.6	65.7	66.8	6.5	YES	68.4	65.7	66.8	6.5	YES	68.4																					
3	43	43D	60.8	62.4	64.4	66.0	5.2	YES	67.5	66.5	67.5	6.7	YES	69.1	67.0	67.9	7.1	YES	69.5	66.3	67.4	6.6	YES	68.9	66.2	67.3	6.5	YES	68.9	65.9	67.1	6.3	YES	68.6	65.9	67.1	6.3	YES	68.6																					
4	43	43D	61.5	63.1	64.4	66.2	4.7	YES	67.8	67.1	68.2	6.7	YES	69.7	67.2	68.2	6.7	YES	69.8	66.5	67.7	6.2	YES	69.3	66.4	67.6	6.1	YES	69.2	66.1	67.4	5.9	YES	69.0	66.1	67.4	5.9	YES	69.0																					
5	43	43D	62.2	63.8	64.4	66.4	4.3	YES	68.0	68.8	70.5	8.3	YES	72.1	69.9	70.6	8.4	YES	72.1	69.5	70.2	8.1	YES	71.8	69.4	70.2	8.0	YES	71.7	69.0	69.8	7.6	YES	71.4	69.0	69.8	7.6	YES	71.4																					
Top	43	43D	62.9	64.5	64.5	66.8	3.9	YES	68.3	68.8	70.6	7.7	YES	72.2	69.9	70.7	7.8	YES	72.2	69.5	70.4	7.5	YES	71.9	69.4	70.3	7.4	YES	71.8	69.0	70.0	7.1	YES	71.5	69.0	70.0	7.1	YES	71.5																					
1	44	44A	68.9	70.8	58.2	69.3	0.4	0.0	71.2	60.2	69.4	0.5	0.0	71.3	61.0	69.6	0.7	0.0	71.5	64.1	70.1	1.2	0.0	72.0	62.1	69.7	0.8	0.0	71.6	61.5	69.6	0.7	0.0	71.5	61.5	69.6	0.7	0.0	71.5																					
2	44	44A	69.4	71.3	59.1	69.8	0.4	0.0	71.7	61.0	70.0	0.6	0.0	71.9	61.8	70.1	0.7	0.0	72.0	65.9	71.0	1.6	0.0	72.9	64.4	70.6	1.2	0.0	72.5	64.0	70.5	1.1	0.0	72.4	64.0	70.5	1.1	0.0	72.4																					
3	44	44A	69.8	71.7	59.2	70.2	0.4	0.0	72.1	61.1	70.3	0.5	0.0	72.2	61.9	70.5	0.7	0.0	72.4	66.0	71.3	1.5	0.0	73.2	64.4	70.9	1.1	0.0	72.8	64.0	70.8	1.0	0.0	72.7	64.0	70.8	1.0	0.0	72.7																					
Top	44	44A	70.1	72.0	59.0	70.4	0.3	0.0	72.3	61.0	70.6	0.5	0.0	72.5	61.9	70.7	0.6	0.0	72.6	66.1	71.6	1.5	0.0	73.5	64.5	71.2	1.1	0.0	73.1	64.1	71.1	1.0	0.0	73.0	64.1	71.1	1.0	0.0	73.0																					
1	45	45A	67.5	69.4	56.6	67.8	0.3	0.0	69.7	58.8	68.0	0.5	0.0	69.9	59.6	68.2	0.7	0.0	70.1	62.8	68.8	1.3	0.0	70.7	60.9	68.4	0.9	0.0	70.3	60.6	68.3	0.8	0.0	70.2	60.6	68.3	0.8	0.0	70.2																					
2	45	45A	68.2	70.1	57.7	68.6	0.4	0.0	70.5	59.9	68.8	0.6	0.0	70.7	60.6	68.9	0.7	0.0	70.8	63.7	69.5	1.3	0.0	71.4	61.9	69.1	0.9	0.0	71.0	61.5	69.0	0.8	0.0	70.9	61.5	69.0	0.8	0.0	70.9																					
3	45	45A	68.5	70.4	57.8	68.9	0.4	0.0	70.8	59.9	69.1	0.6	0.0	71.0	60.7	69.2	0.7	0.0	71.1	64.0	69.8	1.3	0.0	71.7	62.2	69.4	0.9	0.0	71.3	61.8	69.3	0.8	0.0	71.2	61.8	69.3	0.8	0.0	71.2																					
4	45	45A	68.7	70.6	58.0	69.1	0.4	0.0	71.0	60.2	69.3	0.6	0.0	71.2	61.0	69.4	0.7	0.0	71.3	64.4	70.1	1.4	0.0	72.0	62.5	69.6	0.9	0.0	71.5	62.1	69.6	0.9	0.0	71.5	62.1	69.6	0.9	0.0	71.5																					
5	45	45A	68.6	70.5	57.8	68.9	0.3	0.0	70.8	60.0	69.2	0.6	0.0	71.1	61.1	69.3	0.7	0.0	71.2	64.5	70.0	1.4	0.0	71.9	62.6	69.6	1.0	0.0	71.5	62.2	69.5	0.9	0.0	71.4	62.2	69.5	0.9	0.0	71.4																					
6	45	45A	68.8	70.7	57.5	69.1	0.3	0.0	71.0	59.8	69.3	0.5	0.0	71.2	60.9	69.5	0.7	0.0	71.4	64.4	70.1	1.3	0.0	72.0	62.5	69.7	0.9	0.0	71.6	62.1	69.6	0.8	0.0	71.5	62.1	69.6	0.8	0.0	71.5																					
7	45	45A	68.9	70.8	57.2	69.2	0.3	0.0	71.1	59.6	69.4	0.5	0.0	71.3	60.8	69.5	0.6	0.0	71.4	66.4	70.8	1.9	0.0	72.7	62.6	69.8	0.9	0.0	71.7	62.2	69.7	0.8	0.0	71.6	62.2	69.7	0.8	0.0	71.6																					
8	45	45A	68.9	70.8	57.0	69.2	0.3	0.0	71.1	59.3	69.4	0.5	0.0	71.3	60.8	69.5	0.6	0.0	71.4	66.5	70.9	2																																						

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
13	51	51A	67.8	69.7	67.4	70.6	2.8	0.0	72.5	72.4	73.7	5.9	YES	75.6	72.4	73.7	5.9	YES	75.6	70.1	72.2	4.4	YES	74.1	68.6	71.2	3.4	YES	73.1	67.7	70.8	3.0	0.0	72.7	67.7	70.8	3.0	0.0	72.7
14	51	51A	68.0	69.9	67.3	70.7	2.7	0.0	72.6	72.4	73.7	5.7	YES	75.6	72.4	73.7	5.7	YES	75.6	70.1	72.2	4.2	YES	74.1	68.8	71.4	3.4	YES	73.3	67.7	70.9	2.9	0.0	72.8	67.6	70.8	2.8	0.0	72.7
15	51	51A	68.0	69.9	67.3	70.7	2.7	0.0	72.6	72.3	73.7	5.7	YES	75.6	72.4	73.7	5.7	YES	75.6	70.1	72.2	4.2	YES	74.1	68.9	71.5	3.5	YES	73.4	67.7	70.9	2.9	0.0	72.8	67.6	70.8	2.8	0.0	72.7
16	51	51A	68.1	70.0	67.2	70.7	2.6	0.0	72.6	72.3	73.7	5.6	YES	75.6	72.4	73.8	5.7	YES	75.7	70.1	72.2	4.1	YES	74.1	69.0	71.6	3.5	YES	73.5	67.7	70.9	2.8	0.0	72.8	67.6	70.9	2.8	0.0	72.8
17	51	51A	68.1	70.0	67.2	70.7	2.6	0.0	72.6	72.3	73.7	5.6	YES	75.6	72.4	73.8	5.7	YES	75.7	70.0	72.2	4.1	YES	74.1	69.0	71.6	3.5	YES	73.5	67.7	70.9	2.8	0.0	72.8	67.6	70.9	2.8	0.0	72.8
18	51	51A	68.1	70.0	67.1	70.6	2.5	0.0	72.5	72.3	73.7	5.6	YES	75.6	72.4	73.8	5.7	YES	75.7	70.0	72.2	4.1	YES	74.1	69.1	71.6	3.5	YES	73.5	67.8	71.0	2.9	0.0	72.9	67.7	70.9	2.8	0.0	72.8
Top	51	51A	68.1	70.0	67.1	70.6	2.5	0.0	72.5	72.3	73.7	5.6	YES	75.6	72.4	73.8	5.7	YES	75.7	70.0	72.2	4.1	YES	74.1	69.1	71.6	3.5	YES	73.5	67.9	71.0	2.9	0.0	72.9	67.8	71.0	2.9	0.0	72.9
1	52	52A	60.7	62.6	54.4	61.6	0.9	0.0	63.5	55.3	61.8	1.1	0.0	63.7	59.9	63.3	2.6	0.0	65.2	60.3	63.5	2.8	0.0	65.4	55.7	61.9	1.2	0.0	63.8	55.6	61.9	1.2	0.0	63.8	54.2	61.6	0.9	0.0	63.5
2	52	52A	61.1	63.0	55.0	62.1	1.0	0.0	64.0	57.9	62.8	1.7	0.0	64.7	61.2	64.2	3.1	0.0	66.1	60.9	64.0	2.9	0.0	65.9	56.1	62.3	1.2	0.0	64.2	55.9	62.2	1.1	0.0	64.1	54.5	62.0	0.9	0.0	63.9
3	52	52A	61.5	63.4	56.7	62.7	1.2	0.0	64.6	57.3	62.9	1.4	0.0	64.8	62.3	64.9	3.4	0.0	66.8	61.3	64.4	2.9	0.0	66.3	56.7	62.7	1.2	0.0	64.6	56.0	62.6	1.1	0.0	64.5	54.6	62.3	0.8	0.0	64.2
4	52	52A	61.9	63.8	57.2	63.2	1.3	0.0	65.1	57.4	63.2	1.3	0.0	65.1	62.4	65.2	3.3	YES	67.1	61.6	64.8	2.9	0.0	66.7	56.9	63.1	1.2	0.0	65.0	56.2	62.9	1.0	0.0	64.8	54.7	62.7	0.8	0.0	64.6
5	52	52A	62.2	64.1	57.8	63.5	1.3	0.0	65.4	57.8	63.5	1.3	0.0	65.4	61.8	65.0	2.8	0.0	66.9	62.6	65.4	3.2	YES	67.3	58.5	63.7	1.5	0.0	65.6	57.0	63.3	1.1	0.0	65.2	55.6	63.1	0.9	0.0	65.0
6	52	52A	62.5	64.4	57.9	63.8	1.3	0.0	65.7	57.9	63.8	1.3	0.0	65.7	61.8	65.2	2.7	0.0	67.1	62.9	65.7	3.2	YES	67.6	59.0	64.1	1.6	0.0	66.0	57.3	63.6	1.1	0.0	65.5	55.7	63.3	0.8	0.0	65.2
7	52	52A	62.7	64.6	57.9	63.9	1.2	0.0	65.8	58.0	64.0	1.3	0.0	65.9	61.9	65.3	2.6	0.0	67.2	63.0	65.9	3.2	YES	67.8	59.7	64.5	1.8	0.0	66.4	58.0	64.0	1.3	0.0	65.9	55.9	63.5	0.8	0.0	65.4
8	52	52A	63.0	64.9	57.9	64.2	1.2	0.0	66.1	58.0	64.2	1.2	0.0	66.1	61.9	65.5	2.5	0.0	67.4	63.1	66.1	3.1	YES	68.0	60.0	64.8	1.8	0.0	66.7	58.5	64.3	1.3	0.0	66.2	56.1	63.8	0.8	0.0	65.7
9	52	52A	63.2	65.1	58.0	64.3	1.1	0.0	66.2	58.1	64.4	1.2	0.0	66.3	61.9	65.6	2.4	0.0	67.5	63.2	66.2	3.0	YES	68.1	60.1	64.9	1.7	0.0	66.8	58.9	64.6	1.4	0.0	66.5	56.4	64.0	0.8	0.0	65.9
10	52	52A	63.4	65.3	58.0	64.5	1.1	0.0	66.4	58.2	64.5	1.1	0.0	66.4	62.1	65.8	2.4	0.0	67.7	63.3	66.4	3.0	0.0	68.3	60.2	65.1	1.7	0.0	67.0	59.2	64.8	1.4	0.0	66.7	56.9	64.3	0.9	0.0	66.2
11	52	52A	63.6	65.5	58.0	64.7	1.1	0.0	66.6	58.2	64.7	1.1	0.0	66.6	62.1	65.9	2.3	0.0	67.8	63.5	66.6	3.0	0.0	68.5	60.3	65.3	1.7	0.0	67.2	59.7	65.1	1.5	0.0	67.0	57.8	64.6	1.0	0.0	66.5
12	52	52A	63.8	65.7	58.0	64.8	1.0	0.0	66.7	58.4	64.9	1.1	0.0	66.8	62.1	66.0	2.2	0.0	67.9	63.7	66.8	3.0	0.0	68.7	60.7	65.5	1.7	0.0	67.4	59.9	65.3	1.5	0.0	67.2	58.1	64.8	1.0	0.0	66.7
13	52	52A	64.0	65.9	58.1	65.0	1.0	0.0	66.9	58.5	65.1	1.1	0.0	67.0	62.2	66.2	2.2	0.0	68.1	64.0	67.0	3.0	YES	68.9	60.8	65.7	1.7	0.0	67.6	60.1	65.5	1.5	0.0	67.4	58.3	65.0	1.0	0.0	66.9
14	52	52A	64.2	66.1	58.1	65.2	1.0	0.0	67.1	58.6	65.3	1.1	0.0	67.2	62.2	66.3	2.1	0.0	68.2	64.2	67.2	3.0	YES	69.1	61.2	66.0	1.8	0.0	67.9	60.1	65.6	1.4	0.0	67.5	58.4	65.2	1.0	0.0	67.1
15	52	52A	64.3	66.2	58.1	65.2	0.9	0.0	67.1	58.6	65.3	1.0	0.0	67.2	62.3	66.4	2.1	0.0	68.3	64.4	67.4	3.1	YES	69.3	61.3	66.1	1.8	0.0	68.0	60.2	65.7	1.4	0.0	67.6	58.5	65.3	1.0	0.0	67.2
16	52	52A	64.3	66.2	58.1	65.2	0.9	0.0	67.1	58.6	65.3	1.0	0.0	67.2	62.3	66.4	2.1	0.0	68.3	64.4	67.4	3.1	YES	69.3	61.4	66.1	1.8	0.0	68.0	60.3	65.8	1.5	0.0	67.7	58.5	65.3	1.0	0.0	67.2
17	52	52A	64.3	66.2	58.1	65.2	0.9	0.0	67.1	58.6	65.3	1.0	0.0	67.2	62.3	66.4	2.1	0.0	68.3	64.5	67.4	3.1	YES	69.3	61.6	66.2	1.9	0.0	68.1	60.4	65.8	1.5	0.0	67.7	58.8	65.4	1.1	0.0	67.3
18	52	52A	64.4	66.3	58.0	65.3	0.9	0.0	67.2	58.6	65.4	1.0	0.0	67.3	62.3	66.5	2.1	0.0	68.4	64.6	67.5	3.1	YES	69.4	61.7	66.3	1.9	0.0	68.2	60.6	65.9	1.5	0.0	67.8	59.0	65.5	1.1	0.0	67.4
Top	52	52A	64.5	66.4	58.0	65.4	0.9	0.0	67.3	58.7	65.5	1.0	0.0	67.4	62.3	66.5	2.0	0.0	68.4	64.6	67.6	3.1	YES	69.5	61.8	66.4	1.9	0.0	68.3	60.7	66.0	1.5	0.0	67.9	59.1	65.6	1.1	0.0	67.5
1	53	53A	60.9	64.0	62.5	64.8	3.9	0.0	67.9	48.8	61.2	0.3	0.0	64.3	66.2	67.3	6.4	YES	70.4	66.0	67.2	6.3	YES	70.3	66.3	67.4	6.5	YES	70.5	59.5	63.3	2.4	0.0	66.4	57.1	62.4	1.5	0.0	65.5
2	53	53A	61.2	64.3	61.2	64.2	3.0	0.0	67.3	49.1	61.5	0.3	0.0	64.6	66.7	67.8	6.6	YES	70.9	67.3	68.3	7.1	YES	71.4	68.4	69.2	8.0	YES	72.3	63.1	65.3	4.1	YES	68.4	57.3	62.7	1.5	0.0	65.8
3	53	53A	61.6	64.7	60.8	64.2	2.6	0.0	67.3	49.3	61.8	0.2	0.0	64.9	67.1	68.2	6.6	YES	71.3	67.7	68.7	7.1	YES	71.8	68.7	69.5	7.9	YES	72.6	63.1	65.4	3.8	YES	68.5	57.3	63.0	1.4	0.0	66.1
4	53	53A	62.0	65.1	60.8	64.5	2.5	0.0	67.6	49.4	62.2	0.2	0.0	65.3	67.4	68.5	6.5	YES	71.6	67.8	68.8	6.8	YES	71.9	68.7	69.5	7.5	YES	72.6	63.2	65.7	3.7	YES	68.8	57.5	63.3	1.3	0.0	66.4
5	53	53A	62.3	65.4	60.8	64.6	2.3	0.0	67.7	49.6	62.5	0.2	0.0	65.6	68.3	69.3	7.0	YES	72.4	67.8	68.9	6.6	YES	72.0	68.8	69.7	7.4	YES	72.8	63.4	65.9	3.6	YES	69.0	57.9	63.6	1.3	0.0	66.7
6	53	53A	62.6	65.7	60.8	64.8	2.2	0.0	67.9	50.8	62.9	0.3	0.0	66.0	68.3	69.3	6.7	YES	72.4	68.1	69.2	6.6	YES	72.3	68.9	69.8	7.2	YES	72.9	63.8	66.3	3.7	YES	69.4	58.7	64.1	1.5	0.0	67.2
7	53	53A	62.8	65.9	60.8	64.9	2.1	0.0	68.0	52.3	63.2	0.4	0.0	66.3	68.4	69.5	6.7	YES	72.6	68.2	69.3	6.5	YES	72.4	69.0	69.9	7.1	YES	73.0	64.0	66.5	3.7	YES	69.6	59.4	64.4	1.6	0.0	67.5
8	53	53A	63.1	66.2	60.8	65.1	2.0	0.0	68.2	52.5	63.5	0.4	0.0	66.6	68.4	69.5	6.4	YES	72.6	68.2	69.4	6.3	YES	72.5	69.1	70.1	7.0	YES	73.2	64.3	66.8	3.7	YES	69.9	60.2	64.9	1.8	0.0	68.0
9	53	53A	63.3	66.4	60.8	65.2	1.9	0.0	68.3	52.6	63.7	0.4																											

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			L10	Leq			L10	Leq			L10	Leq			L10	Leq			L10	Leq			L10	Leq			L10							
					Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total
2	58	58A	60.3	63.4	58.9	62.7	2.4	0.0	65.8	64.7	66.0	5.7	YES	69.1	61.1	63.7	3.4	0.0	66.8	69.3	69.8	9.5	YES	72.9	62.0	64.2	3.9	0.0	67.3	62.9	64.8	4.5	0.0	67.9	62.9	64.8	4.5	0.0	67.9
3	58	58A	60.3	63.4	58.3	62.4	2.1	0.0	65.5	64.5	65.9	5.6	YES	69.0	60.5	63.4	3.1	0.0	66.5	69.1	69.6	9.3	YES	72.7	61.6	64.0	3.7	0.0	67.1	62.5	64.6	4.2	0.0	67.7	62.5	64.6	4.2	0.0	67.7
4	58	58A	60.3	63.4	57.8	62.2	1.9	0.0	65.3	64.3	65.8	5.5	YES	68.9	60.2	63.3	3.0	0.0	66.4	69.1	69.6	9.3	YES	72.7	61.7	64.1	3.8	0.0	67.2	62.6	64.6	4.3	0.0	67.7	62.6	64.6	4.3	0.0	67.7
5	58	58A	60.3	63.4	57.4	62.1	1.8	0.0	65.2	64.3	65.8	5.5	YES	68.9	59.9	63.1	2.8	0.0	66.2	69.1	69.6	9.3	YES	72.7	61.5	64.0	3.6	0.0	67.1	62.5	64.6	4.2	0.0	67.7	62.5	64.6	4.2	0.0	67.7
6	58	58A	60.3	63.4	57.3	62.1	1.8	0.0	65.2	64.6	66.0	5.7	YES	69.1	59.8	63.1	2.8	0.0	66.2	69.1	69.6	9.3	YES	72.7	61.5	64.0	3.6	0.0	67.1	62.4	64.5	4.2	0.0	67.6	62.4	64.5	4.2	0.0	67.6
7	58	58A	60.3	63.4	57.4	62.1	1.8	0.0	65.2	64.6	66.0	5.7	YES	69.1	59.8	63.1	2.8	0.0	66.2	69.2	69.7	9.4	YES	72.8	61.5	64.0	3.6	0.0	67.1	62.4	64.5	4.2	0.0	67.6	62.4	64.5	4.2	0.0	67.6
8	58	58A	60.3	63.4	57.5	62.1	1.8	0.0	65.2	64.8	66.1	5.8	YES	69.2	59.9	63.1	2.8	0.0	66.2	69.2	69.7	9.4	YES	72.8	61.7	64.1	3.8	0.0	67.2	62.6	64.6	4.3	0.0	67.7	62.6	64.6	4.3	0.0	67.7
9	58	58A	60.3	63.4	57.8	62.2	1.9	0.0	65.3	65.0	66.3	6.0	YES	69.4	60.2	63.3	3.0	0.0	66.4	69.7	70.2	9.9	YES	73.3	63.7	65.3	5.0	YES	68.4	64.3	65.8	5.5	YES	68.9	64.3	65.8	5.5	YES	68.9
10	58	58A	60.3	63.4	58.6	62.5	2.2	0.0	65.6	65.1	66.3	6.0	YES	69.4	60.4	63.4	3.1	0.0	66.5	69.7	70.2	9.9	YES	73.3	63.8	65.4	5.1	YES	68.5	64.3	65.8	5.5	YES	68.9	64.3	65.8	5.5	YES	68.9
11	58	58A	60.3	63.4	59.8	63.1	2.8	0.0	66.2	65.4	66.6	6.3	YES	69.7	60.8	63.6	3.3	0.0	66.7	69.7	70.2	9.9	YES	73.3	64.0	65.5	5.2	YES	68.6	64.5	65.9	5.6	YES	69.0	64.5	65.9	5.6	YES	69.0
12	58	58A	60.3	63.4	60.6	63.5	3.2	0.0	66.6	65.4	66.6	6.3	YES	69.7	61.1	63.7	3.4	0.0	66.8	69.7	70.2	9.9	YES	73.3	64.1	65.6	5.3	YES	68.7	64.7	66.0	5.7	YES	69.1	64.6	66.0	5.7	YES	69.1
Top	58	58A	60.3	63.4	61.6	64.0	3.7	0.0	67.1	65.6	66.7	6.4	YES	69.8	61.7	64.1	3.8	0.0	67.2	69.8	70.3	10.0	YES	73.4	64.4	65.8	5.5	YES	68.9	64.9	66.2	5.9	YES	69.3	64.9	66.2	5.9	YES	69.3
1	59	59A	60.3	63.4	58.6	62.5	2.2	0.0	65.6	51.0	60.8	0.5	0.0	63.9	63.1	64.9	4.6	0.0	68.0	63.5	65.2	4.9	YES	68.3	63.3	65.1	4.8	YES	68.2	63.6	65.3	5.0	YES	68.4	63.6	65.3	5.0	YES	68.4
2	59	59A	60.3	63.4	59.5	62.9	2.6	0.0	66.0	50.6	60.7	0.4	0.0	63.8	61.8	64.1	3.8	0.0	67.2	62.3	64.4	4.1	0.0	67.5	62.1	64.3	4.0	0.0	67.4	64.1	65.6	5.3	YES	68.7	64.1	65.6	5.3	YES	68.7
3	59	59A	60.3	63.4	58.9	62.7	2.4	0.0	65.8	50.2	60.7	0.4	0.0	63.8	61.2	63.8	3.5	0.0	66.9	61.8	64.1	3.8	0.0	67.2	61.6	64.0	3.7	0.0	67.1	63.6	65.3	5.0	YES	68.4	63.6	65.3	5.0	YES	68.4
4	59	59A	60.3	63.4	59.0	62.7	2.4	0.0	65.8	49.9	60.7	0.4	0.0	63.8	61.3	63.8	3.5	0.0	66.9	61.8	64.1	3.8	0.0	67.2	61.6	64.0	3.7	0.0	67.1	63.6	65.3	5.0	YES	68.4	63.6	65.3	5.0	YES	68.4
5	59	59A	60.3	63.4	59.2	62.8	2.5	0.0	65.9	49.9	60.7	0.4	0.0	63.8	61.3	63.8	3.5	0.0	66.9	61.7	64.1	3.8	0.0	67.2	61.6	64.0	3.7	0.0	67.1	63.6	65.3	5.0	YES	68.4	63.6	65.3	5.0	YES	68.4
Top	59	59A	60.3	63.4	60.3	63.3	3.0	0.0	66.4	50.3	60.7	0.4	0.0	63.8	61.3	63.8	3.5	0.0	66.9	61.8	64.1	3.8	0.0	67.2	61.5	64.0	3.6	0.0	67.1	63.6	65.3	5.0	YES	68.4	63.6	65.3	5.0	YES	68.4
1	60	60A	60.3	63.4	66.1	67.1	6.8	YES	70.2	67.6	68.3	8.0	YES	71.4	67.6	68.3	8.0	YES	71.4	67.6	68.3	8.0	YES	71.4	67.3	68.1	7.8	YES	71.2	66.0	67.0	6.7	YES	70.1	66.0	67.0	6.7	YES	70.1
2	60	60A	60.3	63.4	65.8	66.9	6.6	YES	70.0	67.0	67.8	7.5	YES	70.9	69.9	67.8	7.5	YES	70.9	67.0	67.8	7.5	YES	70.9	66.7	67.6	7.3	YES	70.7	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6
3	60	60A	60.3	63.4	65.4	66.6	6.3	YES	69.7	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6	66.4	67.4	7.0	YES	70.5	66.2	67.2	6.9	YES	70.3	66.2	67.2	6.9	YES	70.3
4	60	60A	60.3	63.4	65.4	66.6	6.3	YES	69.7	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6	66.3	67.3	7.0	YES	70.4	66.2	67.2	6.9	YES	70.3	66.2	67.2	6.9	YES	70.3
5	60	60A	60.3	63.4	65.4	66.6	6.3	YES	69.7	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.7	66.3	67.3	7.0	YES	70.4	66.2	67.2	6.9	YES	70.3	66.2	67.2	6.9	YES	70.3
6	60	60A	60.3	63.4	65.4	66.6	6.3	YES	69.7	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6	66.7	67.6	7.3	YES	70.7	66.4	67.4	7.0	YES	70.5	66.2	67.2	6.9	YES	70.3	66.2	67.2	6.9	YES	70.3
7	60	60A	60.3	63.4	65.5	66.6	6.3	YES	69.7	66.7	67.6	7.3	YES	70.7	66.7	67.6	7.3	YES	70.7	67.0	67.8	7.5	YES	70.9	66.5	67.4	7.1	YES	70.5	66.3	67.3	7.0	YES	70.4	66.3	67.3	7.0	YES	70.4
8	60	60A	60.3	63.4	65.5	66.6	6.3	YES	69.7	66.8	67.7	7.4	YES	70.8	66.8	67.7	7.4	YES	70.8	67.1	67.9	7.6	YES	71.0	66.6	67.5	7.2	YES	70.6	66.4	67.4	7.0	YES	70.5	66.4	67.4	7.0	YES	70.5
9	60	60A	60.3	63.4	65.5	66.6	6.3	YES	69.7	66.9	67.8	7.5	YES	70.9	66.9	67.8	7.5	YES	70.9	67.1	67.9	7.6	YES	71.0	66.6	67.5	7.2	YES	70.6	66.4	67.4	7.0	YES	70.5	66.4	67.4	7.0	YES	70.5
10	60	60A	60.3	63.4	65.5	66.6	6.3	YES	69.7	67.0	67.8	7.5	YES	70.9	66.9	67.8	7.5	YES	70.9	67.2	68.0	7.7	YES	71.1	66.7	67.6	7.3	YES	70.7	66.5	67.4	7.1	YES	70.5	66.5	67.4	7.1	YES	70.5
11	60	60A	60.3	63.4	65.5	66.6	6.3	YES	69.7	67.0	67.8	7.5	YES	70.9	67.0	67.8	7.5	YES	70.9	67.2	68.0	7.7	YES	71.1	66.7	67.6	7.3	YES	70.7	66.5	67.4	7.1	YES	70.5	66.5	67.4	7.1	YES	70.5
Top	60	60A	60.3	63.4	66.2	67.2	6.9	YES	70.3	67.1	67.9	7.6	YES	71.0	67.1	67.9	7.6	YES	71.0	67.4	68.2	7.9	YES	71.3	66.8	67.7	7.4	YES	70.8	66.6	67.5	7.2	YES	70.6	66.6	67.5	7.2	YES	70.6
1	61	61A	60.3	63.4	69.3	69.8	9.5	YES	72.9	68.7	69.3	9.0	YES	72.4	68.8	69.4	9.1	YES	72.5	68.8	69.4	9.1	YES	72.5	68.6	69.2	8.9	YES	72.3	68.4	69.0	8.7	YES	72.1	68.4	69.0	8.7	YES	72.1
2	61	61A	60.3	63.4	68.1	68.8	8.5	YES	71.9	67.6	68.3	8.0	YES	71.4	67.7	68.4	8.1	YES	71.5	67.7	68.4	8.1	YES	71.5	67.6	68.3	8.0	YES	71.4	67.3	68.1	7.8	YES	71.2	67.3	68.1	7.8	YES	71.2
3	61	61A	60.3	63.4	68.0	68.7	8.4	YES	71.8	67.8	68.5	8.2	YES	71.6	67.8	68.5	8.2	YES	71.6	67.8	68.5	8.2	YES	71.6	67.7	68.4	8.1	YES	71.5	67.5	68.3	8.0	YES	71.4	67.5	68.3	8.0	YES	71.4
4	61	61A	60.3	63.4	68.0	68.7	8.4	YES	71.8	67.8	68.5	8.2	YES	71.6	67.8	68.5	8.2	YES	71.6	67.8	68.5	8.2	YES	71.6	67.7	68.4	8.1	YES	71.5	67.5	68.3	8.0	YES	71.4	67.5	68.3	8.0	YES	71.4
5	61	61A	60.3	63.4	68.1	68.8	8.5	YES	71.9	67.9	68.6	8.3	YES	71.7	67.9	68.6	8.3	YES	71.7	67.9	68.6	8.3	YES	71.7	67.8	68.5	8.2	YES	71.6	67.6	68.3	8.0	YES	71.4	67.6	68.3	8.0	YES	

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq				L10				Leq				L10				Leq				L10				Leq				L10						
					Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total	Const	Total	Change	Exceed?	Total
6	65	65A	60.3	62.1	42.3	60.4	0.1	0.0	62.2	61.1	63.7	3.4	0.0	65.5	61.1	63.7	3.4	0.0	65.5	67.6	68.3	8.0	YES	70.2	67.3	68.1	7.8	YES	69.9	61.6	64.0	3.7	0.0	65.8	41.1	60.4	0.1	0.0	62.2
7	65	65A	60.3	62.1	42.6	60.4	0.1	0.0	62.2	61.4	63.9	3.6	0.0	65.7	61.4	63.9	3.6	0.0	65.7	67.7	68.4	8.1	YES	70.2	67.3	68.1	7.8	YES	69.9	61.6	64.0	3.7	0.0	65.8	41.6	60.4	0.1	0.0	62.2
8	65	65A	60.3	62.1	42.8	60.4	0.1	0.0	62.2	61.5	64.0	3.6	0.0	65.8	61.5	64.0	3.6	0.0	65.8	67.7	68.4	8.1	YES	70.2	67.3	68.1	7.8	YES	69.9	61.6	64.0	3.7	0.0	65.8	41.9	60.4	0.1	0.0	62.2
9	65	65A	60.3	62.1	43.2	60.4	0.1	0.0	62.2	61.6	64.0	3.7	0.0	65.8	61.6	64.0	3.7	0.0	65.8	67.7	68.4	8.1	YES	70.2	67.3	68.1	7.8	YES	69.9	61.6	64.0	3.7	0.0	65.8	42.6	60.4	0.1	0.0	62.2
10	65	65A	60.3	62.1	43.6	60.4	0.1	0.0	62.2	61.7	64.1	3.8	0.0	65.9	61.7	64.1	3.8	0.0	65.9	67.7	68.4	8.1	YES	70.2	67.3	68.1	7.8	YES	69.9	61.6	64.0	3.7	0.0	65.8	43.1	60.4	0.1	0.0	62.2
Top	65	65A	60.3	62.1	45.2	60.4	0.1	0.0	62.2	62.0	64.2	3.9	0.0	66.1	62.0	64.2	3.9	0.0	66.1	67.8	68.5	8.2	YES	70.3	67.3	68.1	7.8	YES	69.9	61.6	64.0	3.7	0.0	65.8	45.9	60.5	0.2	0.0	62.3
1	66	66A	60.3	62.1	52.1	60.9	0.6	0.0	62.7	62.3	64.4	4.1	0.0	66.2	62.4	64.5	4.2	0.0	66.3	62.4	64.5	4.2	0.0	66.3	62.4	64.5	6.1	0.0	63.1	53.5	61.1	0.8	0.0	62.9	53.5	61.1	0.8	0.0	62.9
2	66	66A	60.3	62.1	54.0	61.2	0.9	0.0	63.0	64.5	65.9	5.6	YES	67.7	64.5	65.9	5.6	YES	67.7	64.5	65.9	5.6	YES	67.7	66.0	61.7	1.4	0.0	63.5	55.2	61.5	1.2	0.0	63.3	55.2	61.5	1.2	0.0	63.3
3	66	66A	60.3	62.1	54.4	61.3	1.0	0.0	63.1	64.8	66.1	5.8	YES	67.9	64.9	66.2	5.9	YES	68.0	64.9	66.2	5.9	YES	68.0	66.3	61.8	1.5	0.0	63.6	55.6	61.6	1.3	0.0	63.4	55.6	61.6	1.3	0.0	63.4
4	66	66A	60.3	62.1	54.8	61.4	1.1	0.0	63.2	65.0	66.3	6.0	YES	68.1	65.0	66.3	6.0	YES	68.1	65.0	66.3	6.0	YES	68.1	66.6	61.8	1.5	0.0	63.7	55.9	61.7	1.3	0.0	63.5	55.9	61.7	1.3	0.0	63.5
5	66	66A	60.3	62.1	55.1	61.5	1.1	0.0	63.3	65.1	66.3	6.0	YES	68.2	65.1	66.3	6.0	YES	68.2	65.1	66.3	6.0	YES	68.2	66.9	61.9	1.6	0.0	63.7	56.2	61.7	1.4	0.0	63.5	56.2	61.7	1.4	0.0	63.5
6	66	66A	60.3	62.1	55.4	61.5	1.2	0.0	63.3	65.4	66.6	6.3	YES	68.4	65.4	66.6	6.3	YES	68.4	65.4	66.6	6.3	YES	68.4	67.2	62.0	1.7	0.0	63.8	56.5	61.8	1.5	0.0	63.6	56.5	61.8	1.5	0.0	63.6
7	66	66A	60.3	62.1	55.6	61.6	1.3	0.0	63.4	65.8	66.9	6.6	YES	68.7	65.9	67.0	6.7	YES	68.8	65.9	67.0	6.7	YES	68.8	67.5	62.1	1.8	0.0	63.9	56.8	61.9	1.6	0.0	63.7	56.8	61.9	1.6	0.0	63.7
8	66	66A	60.3	62.1	55.7	61.6	1.3	0.0	63.4	66.6	67.5	7.2	YES	69.3	66.6	67.5	7.2	YES	69.3	66.6	67.5	7.2	YES	69.3	67.7	62.2	1.9	0.0	64.0	57.0	62.0	1.7	0.0	63.8	57.0	62.0	1.7	0.0	63.8
9	66	66A	60.3	62.1	55.8	61.6	1.3	0.0	63.4	67.9	68.6	8.3	YES	70.4	67.9	68.6	8.3	YES	70.4	67.9	68.6	8.3	YES	70.4	67.9	62.3	2.0	0.0	64.1	57.1	62.0	1.7	0.0	63.8	57.1	62.0	1.7	0.0	63.8
10	66	66A	60.3	62.1	56.0	61.7	1.4	0.0	63.5	68.7	69.3	9.0	YES	71.1	68.7	69.3	9.0	YES	71.1	68.7	69.3	9.0	YES	71.1	68.2	62.4	2.1	0.0	64.2	57.2	62.0	1.7	0.0	63.8	57.2	62.0	1.7	0.0	63.8
Top	66	66A	60.3	62.1	56.7	61.9	1.6	0.0	63.7	69.0	69.6	9.2	YES	71.4	69.1	69.6	9.3	YES	71.4	69.1	69.6	9.3	YES	71.4	68.9	62.7	2.4	0.0	64.5	57.7	62.2	1.9	0.0	64.0	57.7	62.2	1.9	0.0	64.0
1	67	67A	60.3	62.1	40.7	60.4	0.0	0.0	62.2	44.5	60.4	0.1	0.0	62.2	59.7	63.0	2.7	0.0	64.8	59.7	63.0	2.7	0.0	64.8	62.0	64.2	3.9	0.0	66.1	40.6	60.4	0.0	0.0	62.2	40.3	60.3	0.0	0.0	62.2
2	67	67A	60.3	62.1	40.2	60.3	0.0	0.0	62.2	45.9	60.5	0.2	0.0	62.3	60.2	63.3	3.0	0.0	65.1	60.3	63.3	3.0	0.0	65.1	62.5	64.6	4.2	0.0	66.4	40.4	60.4	0.0	0.0	62.2	39.8	60.3	0.0	0.0	62.2
3	67	67A	60.3	62.1	39.9	60.3	0.0	0.0	62.2	46.3	60.5	0.2	0.0	62.3	60.5	63.4	3.1	0.0	65.2	60.6	63.5	3.2	0.0	65.3	62.8	64.7	4.4	0.0	66.6	40.1	60.3	0.0	0.0	62.2	39.5	60.3	0.0	0.0	62.2
4	67	67A	60.3	62.1	40.1	60.3	0.0	0.0	62.2	46.9	60.5	0.2	0.0	62.3	60.7	63.5	3.2	0.0	65.3	60.8	63.6	3.3	0.0	65.4	63.0	64.9	4.6	0.0	66.7	40.4	60.4	0.0	0.0	62.2	39.8	60.3	0.0	0.0	62.2
5	67	67A	60.3	62.1	40.2	60.3	0.0	0.0	62.2	47.1	60.5	0.2	0.0	62.3	61.5	64.0	3.6	0.0	65.8	61.6	64.0	3.7	0.0	65.8	63.8	65.4	5.1	YES	67.2	40.4	60.4	0.0	0.0	62.2	39.9	60.3	0.0	0.0	62.2
6	67	67A	60.3	62.1	40.2	60.3	0.0	0.0	62.2	52.6	61.0	0.7	0.0	62.8	62.8	64.7	4.4	0.0	66.6	62.9	64.8	4.5	0.0	66.6	64.5	65.9	5.6	YES	67.7	40.5	60.4	0.0	0.0	62.2	40.0	60.3	0.0	0.0	62.2
7	67	67A	60.3	62.1	40.4	60.4	0.0	0.0	62.2	53.2	61.1	0.8	0.0	62.9	64.0	65.5	5.2	YES	67.4	64.0	65.5	5.2	YES	67.4	65.6	66.7	6.4	YES	68.5	40.6	60.4	0.0	0.0	62.2	40.0	60.3	0.0	0.0	62.2
8	67	67A	60.3	62.1	40.6	60.4	0.0	0.0	62.2	53.2	61.1	0.8	0.0	62.9	64.6	66.0	5.7	YES	67.8	64.6	66.0	5.7	YES	67.8	66.4	67.4	7.0	YES	69.2	41.0	60.4	0.0	0.0	62.2	40.3	60.3	0.0	0.0	62.2
9	67	67A	60.3	62.1	40.8	60.4	0.0	0.0	62.2	53.4	61.1	0.8	0.0	62.9	65.5	66.6	6.3	YES	68.5	65.5	66.6	6.3	YES	68.5	67.2	68.0	7.7	YES	69.8	41.3	60.4	0.1	0.0	62.2	40.5	60.4	0.0	0.0	62.2
10	67	67A	60.3	62.1	40.8	60.4	0.0	0.0	62.2	53.4	61.1	0.8	0.0	62.9	65.7	66.8	6.5	YES	68.6	65.7	66.8	6.5	YES	68.6	67.7	68.4	8.1	YES	70.2	41.7	60.4	0.1	0.0	62.2	40.9	60.4	0.0	0.0	62.2
11	67	67A	60.3	62.1	40.9	60.4	0.0	0.0	62.2	53.5	61.1	0.8	0.0	62.9	65.8	66.9	6.6	YES	68.7	65.8	66.9	6.6	YES	68.7	67.7	68.4	8.1	YES	70.2	42.1	60.4	0.1	0.0	62.2	40.9	60.4	0.1	0.0	62.2
12	67	67A	60.3	62.1	41.1	60.4	0.1	0.0	62.2	53.7	61.2	0.9	0.0	63.0	65.7	66.8	6.5	YES	68.6	65.7	66.8	6.5	YES	68.6	67.7	68.4	8.1	YES	70.2	42.6	60.4	0.1	0.0	62.2	41.5	60.4	0.1	0.0	62.2
13	67	67A	60.3	62.1	41.2	60.4	0.1	0.0	62.2	54.0	61.2	0.9	0.0	63.0	65.7	66.8	6.5	YES	68.6	65.7	66.8	6.5	YES	68.6	67.7	68.4	8.1	YES	70.2	43.3	60.4	0.1	0.0	62.2	41.9	60.4	0.1	0.0	62.2
14	67	67A	60.3	62.1	41.4	60.4	0.1	0.0	62.2	54.4	61.3	1.0	0.0	63.1	65.7	66.8	6.5	YES	68.6	65.7	66.8	6.5	YES	68.6	67.7	68.4	8.1	YES	70.2	44.2	60.4	0.1	0.0	62.2	42.3	60.4	0.1	0.0	62.2
Top	67	67A	60.5	62.3	47.4	60.7	0.2	0.0	62.5	57.5	62.2	1.8	0.0	64.0	66.1	67.1	6.7	YES	69.0	66.2	67.2	6.8	YES	69.0	67.9	68.6	8.2	YES	70.4	49.9	60.8	0.4	0.0	62.6	48.7	60.7	0.3	0.0	62.5
1	68	68A	60.3	62.1	43.9	60.4	0.1	0.0	62.2	52.8	61.0	0.7	0.0	62.8	55.1	61.5	1.1	0.0	63.3	55.9	61.7	1.3	0.0	63.5	57.0	62.0	1.7	0.0	63.8	47.9	60.5	0.2	0.0	62.4	47.3	60.5	0.2	0.0	62.3
2	68	68A	60.3	62.1	44.5	60.4	0.1	0.0	62.2	53.7	61.2	0.9	0.0	63.0	55.7	61.6	1.3	0.0	63.4	56.7	61.9	1.6	0.0	63.7	57.7	62.2	1.9	0.0	64.0	49.3	60.6	0.3	0.0	62.4	48.5	60.6	0.3	0.0	62.4
3	68	68A	61.0	62.8	45.2	61.1	0.1	0.0	62.9	53.9	61.7	0.8	0.0	63.5	56.0	62.2	1.2	0.0	64.0																				

ESCR
Construction Noise Analysis Daytime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1										
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change		
18	70	70A	64.6	66.4	52.9	64.8	0.3	0.0	66.6	56.3	65.2	0.6	0.0	67.0	57.6	65.3	0.8	0.0	67.2	66.7	68.8	4.2	YES	70.6	67.1	69.0	4.5	YES	70.8	58.7	65.6	1.0	0.0	67.4	58.7	65.6	1.0	0.0	67.4
19	70	70A	64.5	66.3	52.9	64.7	0.3	0.0	66.6	56.4	65.1	0.6	0.0	66.9	57.7	65.3	0.8	0.0	67.1	65.8	68.2	3.7	YES	70.0	66.3	68.5	4.0	YES	70.3	58.7	65.5	1.0	0.0	67.3	58.7	65.5	1.0	0.0	67.3
20	70	70A	64.4	66.2	52.9	64.7	0.3	0.0	66.5	56.4	65.0	0.6	0.0	66.8	57.8	65.2	0.9	0.0	67.0	63.9	67.1	2.8	0.0	69.0	64.8	67.6	3.2	YES	69.4	57.8	65.2	0.9	0.0	67.0	57.7	65.2	0.9	0.0	67.0
21	70	70A	64.2	66.0	52.9	64.5	0.3	0.0	66.3	56.4	64.8	0.7	0.0	66.6	57.8	65.1	0.9	0.0	66.9	63.9	67.0	2.9	0.0	68.8	64.8	67.5	3.3	YES	69.3	57.8	65.1	0.9	0.0	66.9	57.7	65.0	0.9	0.0	66.8
22	70	70A	64.1	65.9	53.0	64.4	0.3	0.0	66.2	56.5	64.8	0.7	0.0	66.6	57.8	65.0	0.9	0.0	66.8	63.9	67.0	2.9	0.0	68.8	64.9	67.5	3.5	YES	69.3	57.8	65.0	0.9	0.0	66.8	57.7	65.0	0.9	0.0	66.8
23	70	70A	63.9	65.7	50.6	64.1	0.2	0.0	65.9	55.7	64.5	0.6	0.0	66.3	57.3	64.7	0.9	0.0	66.5	63.8	66.8	3.0	0.0	68.6	64.9	67.4	3.6	YES	69.2	57.1	64.7	0.8	0.0	66.5	57.1	64.7	0.8	0.0	66.5
24	70	70A	63.7	65.5	50.6	63.9	0.2	0.0	65.7	55.8	64.3	0.7	0.0	66.1	57.4	64.6	0.9	0.0	66.4	63.8	66.7	3.1	YES	68.5	65.0	67.4	3.7	YES	69.2	57.1	64.5	0.9	0.0	66.3	57.1	64.5	0.9	0.0	66.3
25	70	70A	63.5	65.3	50.6	63.7	0.2	0.0	65.5	56.0	64.2	0.7	0.0	66.0	57.5	64.4	1.0	0.0	66.2	63.8	66.6	3.2	YES	68.4	65.0	67.3	3.9	YES	69.1	57.1	64.4	0.9	0.0	66.2	57.1	64.4	0.9	0.0	66.2
Top	70	70A	63.3	65.1	50.6	63.5	0.2	0.0	65.3	56.2	64.0	0.8	0.0	65.8	57.6	64.3	1.0	0.0	66.1	63.8	66.5	3.3	YES	68.4	65.0	67.2	4.0	YES	69.0	57.1	64.2	0.9	0.0	66.0	57.1	64.2	0.9	0.0	66.0

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1						
					Const	Leq	Total	Change	Exceed?	L10	Const	Leq	Total	Change	Exceed?	L10	Const	Leq	Total	Change	Exceed?	L10	Const	Leq	Total	Change	Exceed?	L10	Const	Leq	Total	Change	Exceed?	L10	
																																			Const
1	M1a	M1a	66.5	69.4	37.2	66.5	0.0	0.0	69.4	61.4	67.7	1.2	0.0	70.6	57.6	67.0	0.5	0.0	69.9	67.1	69.8	3.3	YES	72.7	61.0	67.6	1.1	0.0	70.5	46.3	66.5	0.0	0.0	69.4	
1	M2a	M2a	63.2	65.1	30.5	63.2	0.0	0.0	65.1	43.7	63.2	0.0	0.0	65.1	44.0	63.3	0.1	0.0	65.2	63.9	66.6	3.4	YES	68.5	63.7	66.5	3.3	YES	68.4	62.5	65.9	2.7	0.0	67.8	
1	M3	M3																																	
1	M4	M4																																	
1	M5	M5	60.3	58.2	17.2	60.3	0.0	0.0	58.2	49.1	60.6	0.3	0.0	58.5	48.8	60.6	0.3	0.0	58.5	51.2	60.8	0.5	0.0	58.7	50.6	60.7	0.4	0.0	58.6	60.9	63.6	3.3	0.0	61.5	
1	M5a	M5a	60.3	60.0	16.6	60.3	0.0	0.0	60.0	48.7	60.6	0.3	0.0	60.3	48.7	60.6	0.3	0.0	60.3	51.6	60.9	0.5	0.0	60.6	52.1	60.9	0.6	0.0	60.6	60.6	63.5	3.2	0.0	63.2	
1	M6	M6	60.3	58.8	21.3	60.3	0.0	0.0	58.8	48.5	60.6	0.3	0.0	59.1	48.5	60.6	0.3	0.0	59.1	51.1	60.8	0.5	0.0	59.3	49.0	60.6	0.3	0.0	59.1	59.6	63.0	2.7	0.0	61.5	
1	M7	M7	70.3	70.0	-80.2	70.3	0.0	0.0	70.0	46.4	70.3	0.0	0.0	70.0	46.3	70.3	0.0	0.0	70.0	49.3	70.3	0.0	0.0	70.0	46.6	70.3	0.0	0.0	70.0	57.8	70.5	0.2	0.0	70.2	
1	M8	M8	60.3	64.8	30.5	60.3	0.0	0.0	64.8	37.9	60.3	0.0	0.0	64.8	37.1	60.3	0.0	0.0	64.8	38.4	60.3	0.0	0.0	64.8	34.7	60.3	0.0	0.0	64.8	38.1	60.3	0.0	0.0	64.8	
1	M9	M9	60.3	64.8	22.0	60.3	0.0	0.0	64.8	27.4	60.3	0.0	0.0	64.8	27.1	60.3	0.0	0.0	64.8	37.7	60.3	0.0	0.0	64.8	33.2	60.3	0.0	0.0	64.8	28.3	60.3	0.0	0.0	64.8	
1	M10	M10	60.3	62.0	34.0	60.3	0.0	0.0	62.0	66.5	67.4	7.1	YES	69.1	67.4	68.2	7.9	YES	69.9	59.1	62.8	2.4	0.0	64.5	59.0	62.7	2.4	0.0	64.4	34.7	60.3	0.0	0.0	62.0	
1	M11	M11	60.3	62.3	51.6	60.9	0.5	0.0	62.9	51.7	60.9	0.6	0.0	62.9	51.7	60.9	0.6	0.0	62.9	66.5	67.4	7.1	YES	69.4	60.0	63.2	2.9	0.0	65.2	57.9	62.3	2.0	0.0	64.3	
1	1	1	68.7	71.6	36.7	68.7	0.0	0.0	71.6	70.6	72.8	4.1	YES	75.7	59.8	69.2	0.5	0.0	72.1	47.2	68.7	0.0	0.0	71.6	54.5	68.9	0.2	0.0	71.8	55.4	68.9	0.2	0.0	71.8	
1	2	2																																	
1	3	3																																	
1	4	4																																	
1	5	5																																	
1	6	6	62.9	64.8	31.6	62.9	0.0	0.0	64.8	51.8	63.2	0.3	0.0	65.1	52.3	63.3	0.4	0.0	65.2	57.1	63.9	1.0	0.0	65.8	56.6	63.8	0.9	0.0	65.7	57.1	63.9	1.0	0.0	65.8	
1	7	7																																	
1	8	8G	60.4	63.3	33.3	60.4	0.0	0.0	63.3	41.9	60.5	0.1	0.0	63.4	39.2	60.4	0.0	0.0	63.3	72.0	72.3	11.9	YES	75.2	60.2	63.3	2.9	0.0	66.2	41.9	60.5	0.1	0.0	63.4	
2	8	8G	61.1	64.0	34.6	61.1	0.0	0.0	64.0	41.9	61.2	0.1	0.0	64.1	40.4	61.1	0.0	0.0	64.0	71.1	71.5	10.4	YES	74.4	59.7	63.5	2.4	0.0	66.4	42.5	61.2	0.1	0.0	64.1	
3	8	8G	61.9	64.8	35.9	61.9	0.0	0.0	64.8	42.1	61.9	0.0	0.0	64.8	41.1	61.9	0.0	0.0	64.8	71.1	71.6	9.7	YES	74.5	59.9	64.0	2.1	0.0	66.9	43.1	62.0	0.1	0.0	64.9	
4	8	8G	62.6	65.5	37.1	62.6	0.0	0.0	65.5	42.6	62.6	0.0	0.0	65.5	41.8	62.6	0.0	0.0	65.5	71.1	71.7	9.1	YES	74.6	61.4	65.1	2.5	0.0	68.0	43.7	62.7	0.1	0.0	65.6	
5	8	8G	63.2	66.1	38.2	63.2	0.0	0.0	66.1	43.1	63.2	0.0	0.0	66.1	43.1	63.2	0.0	0.0	66.1	71.1	71.8	8.6	YES	74.7	62.7	66.0	2.8	0.0	68.9	44.1	63.3	0.1	0.0	66.2	
6	8	8G	63.4	66.3	39.0	63.4	0.0	0.0	66.3	43.6	63.4	0.0	0.0	66.3	43.7	63.4	0.0	0.0	66.3	71.1	71.8	8.4	YES	74.7	62.9	66.2	2.8	0.0	69.1	44.7	63.5	0.1	0.0	66.4	
7	8	8G	63.5	66.4	39.5	63.5	0.0	0.0	66.4	44.1	63.5	0.0	0.0	66.4	44.2	63.6	0.1	0.0	66.5	71.0	71.7	8.2	YES	74.6	63.3	66.4	2.9	0.0	69.3	45.5	63.6	0.1	0.0	66.5	
8	8	8G	63.5	66.4	39.8	63.5	0.0	0.0	66.4	44.6	63.6	0.1	0.0	66.5	44.7	63.6	0.1	0.0	66.5	71.0	71.7	8.2	YES	74.6	63.4	66.5	3.0	0.0	69.4	46.3	63.6	0.1	0.0	66.5	
9	8	8G	63.5	66.4	40.0	63.5	0.0	0.0	66.4	44.9	63.6	0.1	0.0	66.5	45.1	63.6	0.1	0.0	66.5	70.9	71.6	8.1	YES	74.5	63.5	66.5	3.0	YES	69.4	47.2	63.6	0.1	0.0	66.5	
10	8	8G	63.4	66.3	40.0	63.4	0.0	0.0	66.3	45.2	63.5	0.1	0.0	66.4	45.3	63.5	0.1	0.0	66.4	70.9	71.6	8.2	YES	74.5	63.6	66.5	3.1	YES	69.4	48.2	63.5	0.1	0.0	66.4	
11	8	8G	63.4	66.3	40.0	63.4	0.0	0.0	66.3	45.7	63.5	0.1	0.0	66.4	45.8	63.5	0.1	0.0	66.4	70.8	71.5	8.1	YES	74.4	63.7	66.6	3.2	YES	69.5	50.4	63.6	0.2	0.0	66.5	
12	8	8G	63.3	66.2	40.0	63.3	0.0	0.0	66.2	46.0	63.4	0.1	0.0	66.3	46.0	63.4	0.1	0.0	66.3	70.7	71.4	8.1	YES	74.3	63.8	66.6	3.3	YES	69.5	51.0	63.5	0.2	0.0	66.4	
13	8	8G	63.2	66.1	40.0	63.2	0.0	0.0	66.1	46.2	63.3	0.1	0.0	66.2	46.0	63.3	0.1	0.0	66.2	70.7	71.4	8.2	YES	74.3	63.9	66.6	3.4	YES	69.5	51.0	63.5	0.3	0.0	66.4	
14	8	8G	63.1	66.0	40.0	63.1	0.0	0.0	66.0	46.2	63.2	0.1	0.0	66.1	46.0	63.2	0.1	0.0	66.1	70.6	71.3	8.2	YES	74.2	64.0	66.6	3.5	YES	69.5	51.0	63.4	0.3	0.0	66.3	
15	8	8G	63.0	65.9	40.0	63.0	0.0	0.0	65.9	46.2	63.1	0.1	0.0	66.0	46.0	63.1	0.1	0.0	66.0	70.5	71.2	8.2	YES	74.1	64.2	66.7	3.7	YES	69.6	50.9	63.3	0.3	0.0	66.2	
16	8	8G	62.9	65.8	40.0	62.9	0.0	0.0	65.8	46.2	63.0	0.1	0.0	65.9	46.0	63.0	0.1	0.0	65.9	70.4	71.1	8.2	YES	74.0	64.3	66.7	3.8	YES	69.6	50.8	63.2	0.3	0.0	66.1	
17	8	8G	62.7	65.6	40.0	62.7	0.0	0.0	65.6	46.1	62.8	0.1	0.0	65.7	46.0	62.8	0.1	0.0	65.7	70.3	71.0	8.3	YES	73.9	64.4	66.6	3.9	YES	69.5	50.7	63.0	0.3	0.0	65.9	
18	8	8G	62.6	65.5	40.2	62.6	0.0	0.0	65.5	46.2	62.7	0.1	0.0	65.6	46.0	62.7	0.1	0.0	65.6	70.2	70.9	8.3	YES	73.8	64.6	66.7	4.1	YES	69.6	50.6	62.9	0.3	0.0	65.8	
19	8	8G	62.5	65.4	40.8	62.5	0.0	0.0	65.4	46.5	62.6	0.1	0.0	65.5	46.3	62.6	0.1	0.0	65.5	70.1	70.8	8.3	YES	73.7	64.7	66.7	4.2	YES	69.6	50.5	62.8	0.3	0.0	65.7	
Top	8	8G	62.4	65.3	41.9	62.4	0.0	0.0	65.3	47.3	62.5	0.1	0.0	65.4	47.9	62.6	0.2	0.0	65.5	70.0	70.7	8.3	YES	73.6	64.9	66.8	4.4	YES	69.7	50.5	62.7	0.3	0.0	65.6	
1	8	8A	60.3	63.2	31.8	60.3	0.0	0.0	63.2	44.2	60.4	0.1	0.0	63.3	38.2	60.3	0.0	0.0	63.2	65.3	66.5	6.2	YES	69.4	56.3	61.8	1.5	0.0	64.7	42.0	60.4	0.1	0.0	63.3	
2	8	8A	60.4	63.3	33.1	60.4	0.0	0.0	63.3	44.1	60.5	0.1	0.0	63.4	39.4	60.4	0.0	0.0	63.3	64.6	66.0	5.6	YES	68.9	59.4	62.9	2.5	0.0	65.8	42.6	60.5	0.1	0.0	63.4	
3	8	8A	61.1	64.0	34.4	61.1	0.0	0.0	64.0	44.0	61.2	0.1	0.0	64.1	40.0	61.1	0.0	0.0	64.0	65.7	67.0	5.9	YES	69.9	63.0	65.2	4.1	YES	68.1	43.1	61.2	0.1	0.0	64.1	
4	8	8A	61.6	64.5																															

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change		
1	8	8C	60.3	63.2	19.6	60.3	0.0	0.0	63.2	39.5	60.3	0.0	0.0	63.2	37.2	60.3	0.0	0.0	63.2	73.6	73.8	13.5	YES	76.7	59.7	63.0	2.7	0.0	65.9	41.3	60.4	0.1	0.0	63.3
2	8	8C	60.3	63.2	19.6	60.3	0.0	0.0	63.2	39.3	60.3	0.0	0.0	63.2	38.0	60.3	0.0	0.0	63.2	72.4	72.7	12.4	YES	75.6	59.2	62.8	2.5	0.0	65.7	41.7	60.4	0.1	0.0	63.3
3	8	8C	60.4	63.3	19.6	60.4	0.0	0.0	63.3	39.2	60.4	0.0	0.0	63.3	38.0	60.4	0.0	0.0	63.3	72.4	72.7	12.3	YES	75.6	61.1	63.8	3.4	0.0	66.7	42.2	60.5	0.1	0.0	63.4
4	8	8C	61.0	63.9	19.6	61.0	0.0	0.0	63.9	39.2	61.0	0.0	0.0	63.9	39.6	61.0	0.0	0.0	63.9	72.3	72.6	11.6	YES	75.5	61.3	64.2	3.2	0.0	67.1	42.8	61.1	0.1	0.0	64.0
5	8	8C	61.6	64.5	19.6	61.6	0.0	0.0	64.5	39.3	61.6	0.0	0.0	64.5	39.7	61.6	0.0	0.0	64.5	72.3	72.7	11.1	YES	75.6	62.5	65.1	3.5	YES	68.0	43.4	61.7	0.1	0.0	64.6
6	8	8C	61.9	64.8	19.6	61.9	0.0	0.0	64.8	39.5	61.9	0.0	0.0	64.8	39.8	61.9	0.0	0.0	64.8	72.3	72.7	10.8	YES	75.6	62.9	65.4	3.5	YES	68.3	44.0	62.0	0.1	0.0	64.9
7	8	8C	62.1	65.0	19.6	62.1	0.0	0.0	65.0	39.6	62.1	0.0	0.0	65.0	40.0	62.1	0.0	0.0	65.0	72.3	72.7	10.6	YES	75.6	63.2	65.7	3.6	YES	68.6	44.6	62.2	0.1	0.0	65.1
8	8	8C	62.1	65.0	19.6	62.1	0.0	0.0	65.0	40.0	62.1	0.0	0.0	65.0	40.1	62.1	0.0	0.0	65.0	72.2	72.6	10.5	YES	75.5	63.3	65.8	3.7	YES	68.7	45.3	62.2	0.1	0.0	65.1
9	8	8C	62.2	65.1	19.6	62.2	0.0	0.0	65.1	40.2	62.2	0.0	0.0	65.1	40.4	62.2	0.0	0.0	65.1	72.2	72.6	10.4	YES	75.5	63.4	65.9	3.7	YES	68.8	46.2	62.3	0.1	0.0	65.2
10	8	8C	62.2	65.1	19.6	62.2	0.0	0.0	65.1	40.4	62.2	0.0	0.0	65.1	40.6	62.2	0.0	0.0	65.1	72.2	72.6	10.4	YES	75.5	63.5	65.9	3.7	YES	68.8	46.9	62.3	0.1	0.0	65.2
11	8	8C	62.2	65.1	19.6	62.2	0.0	0.0	65.1	41.1	62.2	0.0	0.0	65.1	41.2	62.2	0.0	0.0	65.1	72.1	72.5	10.3	YES	75.4	63.6	66.0	3.8	YES	68.9	48.8	62.4	0.2	0.0	65.3
12	8	8C	62.1	65.0	19.6	62.1	0.0	0.0	65.0	41.3	62.1	0.0	0.0	65.0	41.4	62.1	0.0	0.0	65.0	72.1	72.5	10.4	YES	75.4	63.7	66.0	3.9	YES	68.9	49.1	62.3	0.2	0.0	65.2
13	8	8C	62.1	65.0	19.6	62.1	0.0	0.0	65.0	41.5	62.1	0.0	0.0	65.0	41.7	62.1	0.0	0.0	65.0	72.0	72.4	10.3	YES	75.3	63.8	66.0	3.9	YES	68.9	49.8	62.3	0.2	0.0	65.2
14	8	8C	62.0	64.9	19.6	62.0	0.0	0.0	64.9	41.5	62.0	0.0	0.0	64.9	41.6	62.0	0.0	0.0	64.9	72.0	72.4	10.4	YES	75.3	63.9	66.1	4.1	YES	69.0	49.7	62.2	0.2	0.0	65.1
15	8	8C	61.9	64.8	19.6	61.9	0.0	0.0	64.8	41.5	61.9	0.0	0.0	64.8	41.6	61.9	0.0	0.0	64.8	71.9	72.3	10.4	YES	75.2	64.0	66.1	4.2	YES	69.0	49.7	62.2	0.3	0.0	65.1
16	8	8C	61.8	64.7	21.2	61.8	0.0	0.0	64.7	41.5	61.8	0.0	0.0	64.7	41.6	61.8	0.0	0.0	64.7	71.8	72.2	10.4	YES	75.1	64.1	66.1	4.3	YES	69.0	49.6	62.1	0.3	0.0	65.0
17	8	8C	61.7	64.6	23.7	61.7	0.0	0.0	64.6	41.5	61.7	0.0	0.0	64.6	41.6	61.7	0.0	0.0	64.6	71.8	72.2	10.5	YES	75.1	64.2	66.1	4.4	YES	69.0	49.6	62.0	0.3	0.0	64.9
18	8	8C	61.6	64.5	27.8	61.6	0.0	0.0	64.5	41.7	61.6	0.0	0.0	64.5	41.7	61.6	0.0	0.0	64.5	71.7	72.1	10.5	YES	75.0	64.4	66.2	4.6	YES	69.1	49.5	61.9	0.3	0.0	64.8
19	8	8C	61.5	64.4	35.3	61.5	0.0	0.0	64.4	42.7	61.6	0.1	0.0	64.5	42.8	61.6	0.1	0.0	64.5	71.6	72.0	10.5	YES	74.9	64.5	66.3	4.8	YES	69.2	49.5	61.8	0.3	0.0	64.7
Top	8	8C	61.5	64.4	39.8	61.5	0.0	0.0	64.4	47.3	61.7	0.2	0.0	64.6	50.4	61.8	0.3	0.0	64.7	71.6	72.0	10.5	YES	74.9	64.6	66.3	4.8	YES	69.2	49.5	61.8	0.3	0.0	64.7
1	8	8D	62.9	65.8	33.5	62.9	0.0	0.0	65.8	51.5	63.2	0.3	0.0	66.1	41.2	62.9	0.0	0.0	65.8	71.1	71.7	8.8	YES	74.6	64.6	66.8	3.9	YES	69.7	43.2	62.9	0.0	0.0	65.8
2	8	8D	64.2	67.1	34.8	64.2	0.0	0.0	67.1	50.6	64.4	0.2	0.0	67.3	42.3	64.2	0.0	0.0	67.1	70.0	71.0	6.8	YES	73.9	63.6	66.9	2.7	0.0	69.8	44.1	64.2	0.0	0.0	67.1
3	8	8D	65.2	68.1	36.1	65.2	0.0	0.0	68.1	49.9	65.3	0.1	0.0	68.2	43.0	65.2	0.0	0.0	68.1	70.0	71.2	6.0	YES	74.1	63.6	67.5	2.3	0.0	70.4	45.1	65.2	0.0	0.0	68.1
4	8	8D	65.5	68.4	37.3	65.5	0.0	0.0	68.4	50.0	65.6	0.1	0.0	68.5	44.3	65.5	0.0	0.0	68.4	70.0	71.3	5.8	YES	74.2	64.0	67.8	2.3	0.0	70.7	45.7	65.5	0.0	0.0	68.4
5	8	8D	65.5	68.4	38.3	65.5	0.0	0.0	68.4	50.2	65.6	0.1	0.0	68.5	45.0	65.5	0.0	0.0	68.4	70.0	71.3	5.8	YES	74.2	64.2	67.9	2.4	0.0	70.8	46.4	65.6	0.1	0.0	68.5
6	8	8D	65.4	68.3	39.0	65.4	0.0	0.0	68.3	50.4	65.5	0.1	0.0	68.4	45.6	65.4	0.0	0.0	68.3	69.9	71.2	5.8	YES	74.1	64.5	68.0	2.6	0.0	70.9	47.6	65.5	0.1	0.0	68.4
7	8	8D	65.3	68.2	39.5	65.3	0.0	0.0	68.2	50.5	65.4	0.1	0.0	68.3	46.3	65.4	0.1	0.0	68.3	69.9	71.2	5.9	YES	74.1	64.7	68.0	2.7	0.0	70.9	48.7	65.4	0.1	0.0	68.3
8	8	8D	65.2	68.1	39.7	65.2	0.0	0.0	68.1	50.8	65.4	0.2	0.0	68.3	47.3	65.3	0.1	0.0	68.2	69.9	71.2	6.0	YES	74.1	64.9	68.1	2.9	0.0	71.0	51.7	65.4	0.2	0.0	68.3
9	8	8D	65.0	67.9	39.8	65.0	0.0	0.0	67.9	51.0	65.2	0.2	0.0	68.0	47.8	65.1	0.1	0.0	68.0	69.8	71.0	6.0	YES	73.9	65.1	68.1	3.1	YES	71.0	52.8	65.3	0.3	0.0	68.2
10	8	8D	64.8	67.7	39.8	64.8	0.0	0.0	67.7	51.0	65.0	0.2	0.0	67.9	47.9	64.9	0.1	0.0	67.8	69.8	71.0	6.2	YES	73.9	65.2	68.0	3.2	YES	70.9	52.8	65.1	0.3	0.0	68.0
11	8	8D	64.7	67.6	39.8	64.7	0.0	0.0	67.6	51.0	64.9	0.2	0.0	67.8	48.1	64.8	0.1	0.0	67.7	69.8	71.0	6.3	YES	73.9	65.4	68.1	3.4	YES	71.0	52.7	65.0	0.3	0.0	67.9
12	8	8D	64.5	67.4	39.8	64.5	0.0	0.0	67.4	51.4	64.7	0.2	0.0	67.6	48.2	64.6	0.1	0.0	67.5	69.7	70.8	6.3	YES	73.7	65.6	68.1	3.6	YES	71.0	52.5	64.8	0.3	0.0	67.7
13	8	8D	64.3	67.2	39.8	64.3	0.0	0.0	67.2	51.4	64.5	0.2	0.0	67.4	48.3	64.4	0.1	0.0	67.3	69.6	70.7	6.4	YES	73.6	65.8	68.1	3.8	YES	71.0	52.4	64.6	0.3	0.0	67.5
14	8	8D	64.1	67.0	39.8	64.1	0.0	0.0	67.0	51.4	64.3	0.2	0.0	67.2	48.3	64.2	0.1	0.0	67.1	69.6	70.7	6.6	YES	73.6	66.0	68.2	4.1	YES	71.1	52.3	64.4	0.3	0.0	67.3
15	8	8D	63.9	66.8	39.8	63.9	0.0	0.0	66.8	51.4	64.1	0.2	0.0	67.0	48.4	64.0	0.1	0.0	66.9	69.5	70.6	6.7	YES	73.5	66.1	68.1	4.2	YES	71.0	52.1	64.2	0.3	0.0	67.1
16	8	8D	63.7	66.6	39.8	63.7	0.0	0.0	66.6	51.4	63.9	0.2	0.0	66.8	48.4	63.8	0.1	0.0	66.7	69.4	70.4	6.7	YES	73.3	66.3	68.2	4.5	YES	71.1	52.0	64.0	0.3	0.0	66.9
17	8	8D	63.5	66.4	39.8	63.5	0.0	0.0	66.4	51.3	63.8	0.3	0.0	66.7	48.4	63.6	0.1	0.0	66.5	69.4	70.4	6.9	YES	73.3	66.4	68.2	4.7	YES	71.1	51.8	63.8	0.3	0.0	66.7
18	8	8D	63.3	66.2	39.9	63.3	0.0	0.0	66.2	51.3	63.6	0.3	0.0	66.5	50.7	63.5	0.2	0.0	66.4	69.3	70.3	7.0	YES	73.2	66.5	68.2	4.9	YES	71.1	51.7	63.6	0.3	0.0	66.5
19	8	8D	63.1	66.0	40.4	63.1	0.0	0.0	66.0	51.5	63.4	0.3	0.0	66.3	50.9	63.4	0.3	0.0	66.3	69.2	70.2	7.1	YES	73.1	66.6	68.2	5.1	YES	71.1	51.5	63.4	0.3	0.0	66.3
Top	8	8D	63.0	65.9	41.4																													

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?		L10 Total				
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change				Const	Total	Change	Const
1	9	9A	60.3	63.2	19.1	60.3	0.0	0.0	63.2	48.0	60.6	0.2	0.0	63.5	40.3	60.3	0.0	0.0	63.2	48.9	60.6	0.3	0.0	63.5	47.2	60.5	0.2	0.0	63.4	42.6	60.4	0.1	0.0	63.3
2	9	9A	60.9	63.8	19.1	60.9	0.0	0.0	63.8	46.9	61.1	0.2	0.0	64.0	41.0	60.9	0.0	0.0	63.8	47.8	61.1	0.2	0.0	64.0	48.0	61.1	0.2	0.0	64.0	43.8	61.0	0.1	0.0	63.9
3	9	9A	61.7	64.6	19.1	61.7	0.0	0.0	64.6	47.1	61.8	0.1	0.0	64.7	43.3	61.8	0.1	0.0	64.7	47.6	61.9	0.2	0.0	64.8	48.9	61.9	0.2	0.0	64.8	45.0	61.8	0.1	0.0	64.7
4	9	9A	62.3	65.2	19.1	62.3	0.0	0.0	65.2	47.4	62.4	0.1	0.0	65.3	43.8	62.4	0.1	0.0	65.3	47.7	62.4	0.1	0.0	65.3	49.8	62.5	0.2	0.0	65.4	45.7	62.4	0.1	0.0	65.3
5	9	9A	62.9	65.8	19.1	62.9	0.0	0.0	65.8	47.1	63.0	0.1	0.0	65.9	44.2	63.0	0.1	0.0	65.9	47.8	63.0	0.1	0.0	65.9	48.8	63.1	0.2	0.0	66.0	45.4	63.0	0.1	0.0	65.9
6	9	9A	63.2	66.1	19.1	63.2	0.0	0.0	66.1	47.3	63.3	0.1	0.0	66.2	44.9	63.3	0.1	0.0	66.2	47.8	63.3	0.1	0.0	66.2	49.5	63.4	0.2	0.0	66.3	45.3	63.3	0.1	0.0	66.2
7	9	9A	63.3	66.2	19.1	63.3	0.0	0.0	66.2	47.5	63.4	0.1	0.0	66.3	45.6	63.4	0.1	0.0	66.3	47.6	63.4	0.1	0.0	66.3	50.6	63.5	0.2	0.0	66.4	45.2	63.4	0.1	0.0	66.3
8	9	9A	63.3	66.2	19.1	63.3	0.0	0.0	66.2	47.8	63.4	0.1	0.0	66.3	46.0	63.4	0.1	0.0	66.3	47.7	63.4	0.1	0.0	66.3	52.0	63.6	0.3	0.0	66.5	45.6	63.4	0.1	0.0	66.3
9	9	9A	63.3	66.2	19.1	63.3	0.0	0.0	66.2	48.3	63.4	0.1	0.0	66.3	46.5	63.4	0.1	0.0	66.3	47.8	63.4	0.1	0.0	66.3	52.2	63.6	0.3	0.0	66.5	46.6	63.4	0.1	0.0	66.3
10	9	9A	63.2	66.1	19.1	63.2	0.0	0.0	66.1	48.6	63.3	0.1	0.0	66.2	46.9	63.3	0.1	0.0	66.2	48.0	63.3	0.1	0.0	66.2	52.5	63.6	0.4	0.0	66.5	47.8	63.3	0.1	0.0	66.2
11	9	9A	63.1	66.0	19.4	63.1	0.0	0.0	66.0	48.8	63.3	0.2	0.0	66.2	47.4	63.2	0.1	0.0	66.1	48.3	63.2	0.1	0.0	66.1	52.7	63.5	0.4	0.0	66.4	49.7	63.3	0.2	0.0	66.2
12	9	9A	63.0	65.9	20.7	63.0	0.0	0.0	65.9	48.9	63.2	0.2	0.0	66.1	47.7	63.1	0.1	0.0	66.0	48.5	63.2	0.2	0.0	66.1	52.9	63.4	0.4	0.0	66.3	50.6	63.2	0.2	0.0	66.1
13	9	9A	62.9	65.8	22.2	62.9	0.0	0.0	65.8	48.9	63.1	0.2	0.0	66.0	47.8	63.0	0.1	0.0	65.9	48.5	63.1	0.2	0.0	66.0	53.0	63.3	0.4	0.0	66.2	50.6	63.1	0.2	0.0	66.0
14	9	9A	62.7	65.6	23.9	62.7	0.0	0.0	65.6	48.9	62.9	0.2	0.0	65.8	47.9	62.8	0.1	0.0	65.7	48.5	62.9	0.2	0.0	65.8	53.2	63.2	0.5	0.0	66.1	50.7	63.0	0.3	0.0	65.9
15	9	9A	62.6	65.5	26.1	62.6	0.0	0.0	65.5	48.9	62.8	0.2	0.0	65.7	48.0	62.7	0.1	0.0	65.6	48.6	62.8	0.2	0.0	65.7	53.3	63.1	0.5	0.0	66.0	50.7	62.9	0.3	0.0	65.8
16	9	9A	62.4	65.3	28.9	62.4	0.0	0.0	65.3	48.9	62.6	0.2	0.0	65.5	48.3	62.6	0.2	0.0	65.5	48.6	62.6	0.2	0.0	65.5	53.5	62.9	0.5	0.0	65.8	50.7	62.7	0.3	0.0	65.6
17	9	9A	62.3	65.2	32.5	62.3	0.0	0.0	65.2	49.0	62.5	0.2	0.0	65.4	48.4	62.5	0.2	0.0	65.4	48.7	62.5	0.2	0.0	65.4	53.6	62.8	0.5	0.0	65.7	50.7	62.6	0.3	0.0	65.5
18	9	9A	62.1	65.0	36.5	62.1	0.0	0.0	65.0	49.2	62.3	0.2	0.0	65.2	48.7	62.3	0.2	0.0	65.2	48.9	62.3	0.2	0.0	65.2	53.7	62.7	0.6	0.0	65.6	50.6	62.4	0.3	0.0	65.3
19	9	9A	62.0	64.9	39.0	62.0	0.0	0.0	64.9	49.4	62.2	0.2	0.0	65.1	49.0	62.2	0.2	0.0	65.1	49.1	62.2	0.2	0.0	65.1	53.8	62.6	0.6	0.0	65.5	50.5	62.3	0.3	0.0	65.2
Top	9	9A	61.9	64.8	39.3	61.9	0.0	0.0	64.8	49.5	62.1	0.2	0.0	65.0	49.1	62.1	0.2	0.0	65.0	49.9	62.2	0.3	0.0	65.1	54.0	62.6	0.7	0.0	65.5	50.4	62.2	0.3	0.0	65.1
1	9	9B	60.3	63.2	18.9	60.3	0.0	0.0	63.2	43.9	60.4	0.1	0.0	63.3	40.4	60.4	0.0	0.0	63.3	45.9	60.5	0.2	0.0	63.4	50.7	60.8	0.5	0.0	63.7	40.7	60.4	0.0	0.0	63.3
2	9	9B	60.3	63.2	18.9	60.3	0.0	0.0	63.2	43.4	60.4	0.1	0.0	63.3	41.0	60.4	0.1	0.0	63.3	45.2	60.4	0.1	0.0	63.3	51.0	60.8	0.5	0.0	63.7	41.6	60.4	0.1	0.0	63.3
3	9	9B	60.3	63.2	18.9	60.3	0.0	0.0	63.2	43.5	60.4	0.1	0.0	63.3	43.2	60.4	0.1	0.0	63.3	44.9	60.4	0.1	0.0	63.3	51.3	60.8	0.5	0.0	63.7	42.5	60.4	0.1	0.0	63.3
4	9	9B	60.3	63.2	18.9	60.3	0.0	0.0	63.2	43.6	60.4	0.1	0.0	63.3	43.3	60.4	0.1	0.0	63.3	45.0	60.4	0.1	0.0	63.3	51.7	60.9	0.6	0.0	63.8	43.2	60.4	0.1	0.0	63.3
5	9	9B	60.8	63.7	18.9	60.8	0.0	0.0	63.7	43.6	60.9	0.1	0.0	63.8	43.4	60.9	0.1	0.0	63.8	45.0	60.9	0.1	0.0	63.8	51.9	61.3	0.5	0.0	64.2	42.5	60.9	0.1	0.0	63.8
6	9	9B	61.3	64.2	18.9	61.3	0.0	0.0	64.2	43.6	61.4	0.1	0.0	64.3	43.5	61.4	0.1	0.0	64.3	45.0	61.4	0.1	0.0	64.3	52.1	61.8	0.5	0.0	64.7	42.2	61.4	0.1	0.0	64.3
7	9	9B	61.5	64.4	18.9	61.5	0.0	0.0	64.4	43.9	61.6	0.1	0.0	64.5	43.6	61.6	0.1	0.0	64.5	45.1	61.6	0.1	0.0	64.5	52.3	62.0	0.5	0.0	64.9	43.1	61.6	0.1	0.0	64.5
8	9	9B	61.6	64.5	18.9	61.6	0.0	0.0	64.5	43.9	61.7	0.1	0.0	64.6	43.6	61.7	0.1	0.0	64.6	45.2	61.7	0.1	0.0	64.6	52.5	62.1	0.5	0.0	65.0	44.0	61.7	0.1	0.0	64.6
9	9	9B	61.5	64.4	18.9	61.5	0.0	0.0	64.4	44.0	61.6	0.1	0.0	64.5	43.7	61.6	0.1	0.0	64.5	45.3	61.6	0.1	0.0	64.5	52.7	62.0	0.5	0.0	64.9	44.7	61.6	0.1	0.0	64.5
10	9	9B	61.5	64.4	18.9	61.5	0.0	0.0	64.4	44.0	61.6	0.1	0.0	64.5	43.8	61.6	0.1	0.0	64.5	45.4	61.6	0.1	0.0	64.5	52.9	62.1	0.6	0.0	65.0	45.6	61.6	0.1	0.0	64.5
11	9	9B	61.4	64.3	18.9	61.4	0.0	0.0	64.3	44.2	61.5	0.1	0.0	64.4	44.0	61.5	0.1	0.0	64.4	45.7	61.5	0.1	0.0	64.4	53.1	62.0	0.6	0.0	64.9	47.1	61.6	0.2	0.0	64.5
12	9	9B	61.3	64.2	18.9	61.3	0.0	0.0	64.2	44.5	61.4	0.1	0.0	64.3	44.3	61.4	0.1	0.0	64.3	46.1	61.4	0.1	0.0	64.3	53.3	61.9	0.6	0.0	64.8	48.9	61.5	0.2	0.0	64.4
13	9	9B	61.3	64.2	18.9	61.3	0.0	0.0	64.2	44.6	61.4	0.1	0.0	64.3	44.4	61.4	0.1	0.0	64.3	46.3	61.4	0.1	0.0	64.3	53.5	62.0	0.7	0.0	64.9	49.6	61.6	0.3	0.0	64.5
14	9	9B	61.2	64.1	18.9	61.2	0.0	0.0	64.1	44.6	61.3	0.1	0.0	64.2	44.4	61.3	0.1	0.0	64.2	46.3	61.3	0.1	0.0	64.2	53.7	61.9	0.7	0.0	64.8	49.6	61.5	0.3	0.0	64.4
15	9	9B	61.1	64.0	18.9	61.1	0.0	0.0	64.0	44.5	61.2	0.1	0.0	64.1	44.4	61.2	0.1	0.0	64.1	46.3	61.2	0.1	0.0	64.1	53.9	61.9	0.8	0.0	64.8	49.5	61.4	0.3	0.0	64.3
16	9	9B	60.9	63.8	18.9	60.9	0.0	0.0	63.8	44.5	61.0	0.1	0.0	63.9	44.3	61.0	0.1	0.0	63.9	46.3	61.0	0.1	0.0	63.9	54.0	61.7	0.8	0.0	64.6	49.5	61.2	0.3	0.0	64.1
17	9	9B	60.8	63.7	20.9	60.8	0.0	0.0	63.7	44.5	60.9	0.1	0.0	63.8	44.3	60.9	0.1	0.0	63.8	46.3	61.0	0.2	0.0	63.9	54.2	61.7	0.9	0.0	64.6	49.4	61.1	0.3	0.0	64.0
18	9	9B	60.7	63.6	24.5	60.7	0.0	0.0	63.6	44.5	60.8	0.1	0.0	63.7	44.3	60.8	0.1	0.0	63.7	46.3	60.9	0.2	0.0	63.8	54.3	61.6	0.9	0.0	64.5	49.3	61.0	0.3	0.0	63.9
19	9	9B	60.6	63.5	31.3	60.6	0.0	0.0	63.5	44.9	60.7	0.1	0.0	63.6	44.7	60.7	0.1	0.0	63.6	46.4	60.8	0.2	0.0	63.7	54.5	61.6	1.0	0.0	64.5	49.2	60.9	0.3	0.0	63.8
Top																																		

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1				
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
1	9	9E	63.4	66.3	18.7	63.4	0.0	0.0	66.3	61.2	65.4	2.0	0.0	68.3	48.2	63.5	0.1	0.0	66.4	65.7	67.7	4.3	YES	70.6	59.6	64.9	1.5	0.0	67.8	45.4	63.5	0.1	0.0	66.4					
2	9	9E	64.8	67.7	19.3	64.8	0.0	0.0	67.7	60.2	66.1	1.3	0.0	69.0	48.3	64.9	0.1	0.0	67.8	64.6	67.7	2.9	0.0	70.6	58.8	65.8	1.0	0.0	68.7	47.2	64.9	0.1	0.0	67.8					
3	9	9E	65.6	68.5	20.1	65.6	0.0	0.0	68.5	60.3	66.7	1.1	0.0	69.6	49.7	65.7	0.1	0.0	68.6	63.7	67.8	2.2	0.0	70.7	58.4	66.4	0.8	0.0	69.3	48.8	65.7	0.1	0.0	68.6					
4	9	9E	65.9	68.8	20.8	65.9	0.0	0.0	68.8	60.3	67.0	1.1	0.0	69.9	50.5	66.0	0.1	0.0	68.9	63.7	67.9	2.0	0.0	70.8	58.7	66.7	0.8	0.0	69.6	48.9	66.0	0.1	0.0	68.9					
5	9	9E	65.9	68.8	21.7	65.9	0.0	0.0	68.8	60.3	67.0	1.1	0.0	69.9	51.8	66.1	0.2	0.0	69.0	63.7	67.9	2.0	0.0	70.8	59.0	66.7	0.8	0.0	69.6	48.8	66.0	0.1	0.0	68.9					
6	9	9E	65.8	68.7	22.7	65.8	0.0	0.0	68.7	60.6	66.9	1.1	0.0	69.8	53.0	66.0	0.2	0.0	68.9	63.7	67.9	2.1	0.0	70.8	59.3	66.7	0.9	0.0	69.6	48.1	65.9	0.1	0.0	68.8					
7	9	9E	65.6	68.5	23.7	65.6	0.0	0.0	68.5	61.6	67.1	1.5	0.0	70.0	54.3	65.9	0.3	0.0	68.8	63.7	67.8	2.2	0.0	70.7	59.7	66.6	1.0	0.0	69.5	50.4	65.7	0.1	0.0	68.6					
8	9	9E	65.4	68.3	24.8	65.4	0.0	0.0	68.3	61.6	66.9	1.5	0.0	69.8	55.6	65.8	0.4	0.0	68.7	63.7	67.6	2.2	0.0	70.5	59.9	66.5	1.1	0.0	69.4	51.8	65.6	0.2	0.0	68.5					
9	9	9E	65.3	68.2	26.1	65.3	0.0	0.0	68.2	61.6	66.8	1.5	0.0	69.7	56.7	65.9	0.6	0.0	68.8	63.7	67.6	2.3	0.0	70.5	60.1	66.4	1.1	0.0	69.3	52.2	65.5	0.2	0.0	68.4					
10	9	9E	65.1	68.0	27.6	65.1	0.0	0.0	68.0	61.5	66.7	1.6	0.0	69.6	57.4	65.8	0.7	0.0	68.7	63.7	67.5	2.4	0.0	70.4	60.4	66.4	1.3	0.0	69.3	52.4	65.3	0.2	0.0	68.2					
11	9	9E	64.8	67.7	29.2	64.8	0.0	0.0	67.7	61.5	66.5	1.7	0.0	69.4	60.7	66.2	1.4	0.0	69.1	63.7	67.3	2.5	0.0	70.2	60.6	66.2	1.4	0.0	69.1	52.5	65.0	0.2	0.0	67.9					
12	9	9E	64.6	67.5	31.0	64.6	0.0	0.0	67.5	61.5	66.3	1.7	0.0	69.2	60.7	66.1	1.5	0.0	69.0	63.7	67.2	2.6	0.0	70.1	60.7	66.1	1.5	0.0	69.0	52.5	64.9	0.3	0.0	67.8					
13	9	9E	64.4	67.3	32.9	64.4	0.0	0.0	67.3	61.4	66.2	1.8	0.0	69.1	60.7	65.9	1.5	0.0	68.8	63.6	67.0	2.6	0.0	69.9	60.9	66.0	1.6	0.0	68.9	52.5	64.7	0.3	0.0	67.6					
14	9	9E	64.2	67.1	34.9	64.2	0.0	0.0	67.1	61.4	66.0	1.8	0.0	68.9	60.6	65.8	1.6	0.0	68.7	63.6	66.9	2.7	0.0	69.8	61.1	65.9	1.7	0.0	68.8	52.4	64.5	0.3	0.0	67.4					
15	9	9E	64.0	66.9	36.8	64.0	0.0	0.0	66.9	61.3	65.9	1.9	0.0	68.8	60.6	65.6	1.6	0.0	68.5	63.6	66.8	2.8	0.0	69.7	61.2	65.8	1.8	0.0	68.7	52.3	64.3	0.3	0.0	67.2					
16	9	9E	63.8	66.7	38.1	63.8	0.0	0.0	66.7	61.3	65.7	1.9	0.0	68.6	60.5	65.5	1.7	0.0	68.4	63.6	66.7	2.9	0.0	69.6	61.3	65.7	1.9	0.0	68.6	52.2	64.1	0.3	0.0	67.0					
17	9	9E	63.6	66.5	38.7	63.6	0.0	0.0	66.5	61.2	65.6	2.0	0.0	68.5	60.5	65.3	1.7	0.0	68.2	63.6	66.6	3.0	YES	69.5	61.4	65.6	2.0	0.0	68.5	52.1	63.9	0.3	0.0	66.8					
18	9	9E	63.4	66.3	38.8	63.4	0.0	0.0	66.3	61.2	65.4	2.0	0.0	68.3	60.5	65.2	1.8	0.0	68.1	63.6	66.5	3.1	YES	69.4	61.5	65.6	2.2	0.0	68.5	52.0	63.7	0.3	0.0	66.6					
19	9	9E	63.2	66.1	38.8	63.2	0.0	0.0	66.1	61.1	65.3	2.1	0.0	68.2	60.4	65.0	1.8	0.0	67.9	63.5	66.4	3.2	YES	69.3	61.5	65.4	2.2	0.0	68.3	51.8	63.5	0.3	0.0	66.4					
Top	9	9E	63.0	65.9	38.8	63.0	0.0	0.0	65.9	61.3	65.2	2.2	0.0	68.1	60.5	64.9	1.9	0.0	67.8	63.5	66.3	3.3	YES	69.2	61.6	65.4	2.4	0.0	68.3	51.7	63.3	0.3	0.0	66.2					
1	9	9F	60.7	63.6	18.4	60.7	0.0	0.0	63.6	73.3	73.5	12.8	YES	76.4	61.0	63.9	3.2	0.0	66.8	49.8	61.0	0.3	0.0	63.9	40.5	60.7	0.0	0.0	63.6	44.4	60.8	0.1	0.0	63.7					
2	9	9F	61.7	64.6	18.4	61.7	0.0	0.0	64.6	73.1	73.4	11.7	YES	76.3	65.5	67.0	5.3	YES	69.9	55.9	62.7	1.0	0.0	65.6	41.9	61.7	0.0	0.0	64.6	45.7	61.8	0.1	0.0	64.7					
3	9	9F	62.7	65.6	18.4	62.7	0.0	0.0	65.6	73.1	73.5	10.8	YES	76.4	65.8	67.5	4.8	YES	70.4	55.9	63.5	0.8	0.0	66.4	42.0	62.7	0.0	0.0	65.6	46.8	62.8	0.1	0.0	65.7					
4	9	9F	63.3	66.2	18.4	63.3	0.0	0.0	66.2	73.1	73.5	10.2	YES	76.4	66.4	68.1	4.8	YES	71.0	55.8	64.0	0.7	0.0	66.9	42.0	63.3	0.0	0.0	66.2	47.2	63.4	0.1	0.0	66.3					
5	9	9F	63.5	66.4	18.4	63.5	0.0	0.0	66.4	73.1	73.6	10.1	YES	76.5	66.9	68.5	5.0	YES	71.4	55.8	64.2	0.7	0.0	67.1	42.1	63.5	0.0	0.0	66.4	47.5	63.6	0.1	0.0	66.5					
6	9	9F	63.5	66.4	18.4	63.5	0.0	0.0	66.4	73.1	73.6	10.1	YES	76.5	67.3	68.8	5.3	YES	71.7	55.7	64.2	0.7	0.0	67.1	41.7	63.5	0.0	0.0	66.4	45.8	63.6	0.1	0.0	66.5					
7	9	9F	63.4	66.3	18.4	63.4	0.0	0.0	66.3	73.1	73.5	10.1	YES	76.4	67.7	69.1	5.7	YES	72.0	55.7	64.1	0.7	0.0	67.0	41.8	63.4	0.0	0.0	66.3	46.2	63.5	0.1	0.0	66.4					
8	9	9F	63.3	66.2	18.4	63.3	0.0	0.0	66.2	73.0	73.4	10.1	YES	76.3	68.1	69.3	6.0	YES	72.2	55.7	64.0	0.7	0.0	66.9	42.0	63.3	0.0	0.0	66.2	47.2	63.4	0.1	0.0	66.3					
9	9	9F	63.2	66.1	18.4	63.2	0.0	0.0	66.1	73.0	73.4	10.2	YES	76.3	68.7	69.8	6.6	YES	72.7	55.6	63.9	0.7	0.0	66.8	42.2	63.2	0.0	0.0	66.1	47.9	63.3	0.1	0.0	66.2					
10	9	9F	63.1	66.0	18.4	63.1	0.0	0.0	66.0	72.9	73.3	10.2	YES	76.2	69.4	70.3	7.2	YES	73.2	55.5	63.8	0.7	0.0	66.7	42.4	63.1	0.0	0.0	66.0	48.8	63.3	0.2	0.0	66.2					
11	9	9F	62.9	65.8	18.4	62.9	0.0	0.0	65.8	73.0	73.4	10.5	YES	76.3	69.7	70.5	7.6	YES	73.4	55.4	63.6	0.7	0.0	66.5	43.1	62.9	0.0	0.0	65.8	49.4	63.1	0.2	0.0	66.0					
12	9	9F	62.8	65.7	18.4	62.8	0.0	0.0	65.7	72.9	73.3	10.5	YES	76.2	67.2	68.5	5.7	YES	71.4	55.3	63.5	0.7	0.0	66.4	43.2	62.8	0.0	0.0	65.7	49.6	63.0	0.2	0.0	65.9					
13	9	9F	62.6	65.5	18.4	62.6	0.0	0.0	65.5	72.9	73.3	10.7	YES	76.2	67.2	68.5	5.9	YES	71.4	55.2	63.3	0.7	0.0	66.2	43.2	62.6	0.0	0.0	65.5	49.7	62.8	0.2	0.0	65.7					
14	9	9F	62.4	65.3	18.4	62.4	0.0	0.0	65.3	72.8	73.2	10.8	YES	76.1	67.3	68.5	6.1	YES	71.4	55.1	63.1	0.7	0.0	66.0	43.2	62.5	0.1	0.0	65.4	49.6	62.6	0.2	0.0	65.5					
15	9	9F	62.3	65.2	18.4	62.3	0.0	0.0	65.2	72.7	73.1	10.8	YES	76.0	67.5	68.6	6.3	YES	71.5	55.0	63.0	0.7	0.0	65.9	43.2	62.4	0.1	0.0	65.3	49.6	62.5	0.2	0.0	65.4					
16	9	9F	62.1	65.0	18.4	62.1	0.0	0.0	65.0	72.5	72.9	10.8	YES	75.8	67.9	68.9	6.8	YES	71.8	54.9	62.9	0.8	0.0	65.8	43.2	62.2	0.1	0.0	65.1	49.6	62.3	0.2	0.0	65.2					
17	9	9F	61.9	64.8	18.4	61.9	0.0	0.0	64.8	72.4	72.8	10.9	YES	75.7	68.5	69.4	7.5	YES	72.3	54.7	62.7	0.8	0.0	65.6	43.1	62.0	0.1	0.0	64.9	49.5	62.1	0.2	0.0	65.0					
18	9	9F	61.7	64.6	18.8	61.7	0.0	0.0	64.6	72.3	72.7	11.0	YES	75.6	69.6	70.3	8.6	YES	73.2	54.6	62.5	0.8	0.0	65.4	43.7	61.8	0.1	0.0	64.7	49.7	62.0	0.3	0.0	64.9					
19	9	9F	61.6	64.5	22.3	61.6	0.0	0.0	64.5	72.2	72.6	11.0	YES	75.5	69.7	70.3	8.7	YES	73.2	54.4	62.4	0.8	0.0	65.3	43.7	61.7	0.1	0.0	64.6	49.6	61.9	0.3	0.0	64.8					
Top																																							

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4									
					Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total
Top	10	10C	60.8	63.7	34.8	60.8	0.0	0.0	63.7	48.0	61.0	0.2	0.0	63.9	48.5	61.0	0.2	0.0	63.9	39.7	60.8	0.0	0.0	63.7	47.2	61.0	0.2	0.0	63.9	48.5	61.0	0.2	0.0	63.9
1	10	10D	63.2	66.1	16.9	63.2	0.0	0.0	66.1	44.6	63.3	0.1	0.0	66.2	45.0	63.2	0.0	0.0	66.1	41.6	63.2	0.0	0.0	66.1	67.7	69.0	5.8	YES	71.9	65.2	67.3	4.1	0.0	70.2
2	10	10D	64.6	67.5	16.9	64.6	0.0	0.0	67.5	44.7	64.6	0.0	0.0	67.5	43.6	64.6	0.0	0.0	67.5	42.5	64.6	0.0	0.0	67.5	68.4	69.9	5.3	YES	72.8	68.5	70.0	5.4	YES	72.9
3	10	10D	65.6	68.5	16.9	65.6	0.0	0.0	68.5	45.0	65.6	0.0	0.0	68.5	44.1	65.6	0.0	0.0	68.5	43.5	65.6	0.0	0.0	68.5	67.5	69.7	4.1	YES	72.6	67.7	69.8	4.2	YES	72.7
4	10	10D	65.9	68.8	16.9	65.9	0.0	0.0	68.8	45.7	65.9	0.0	0.0	68.8	44.7	65.9	0.0	0.0	68.8	44.2	65.9	0.0	0.0	68.8	67.3	69.7	3.8	YES	72.6	67.5	69.8	3.9	YES	72.7
5	10	10D	65.9	68.8	16.9	65.9	0.0	0.0	68.8	46.3	65.9	0.0	0.0	68.8	45.1	65.9	0.0	0.0	68.8	44.2	65.9	0.0	0.0	68.8	67.3	69.7	3.8	YES	72.6	67.5	69.8	3.9	YES	72.7
6	10	10D	65.9	68.8	16.9	65.9	0.0	0.0	68.8	47.1	66.0	0.1	0.0	68.9	45.7	65.9	0.0	0.0	68.8	43.9	65.9	0.0	0.0	68.8	67.3	69.7	3.8	YES	72.6	67.6	69.8	3.9	YES	72.7
Top	10	10D	65.7	68.6	16.9	65.7	0.0	0.0	68.6	48.7	65.8	0.1	0.0	68.7	46.8	65.8	0.1	0.0	68.7	44.0	65.7	0.0	0.0	68.6	67.3	69.6	3.9	YES	72.5	67.6	69.8	4.1	YES	72.7
1	11	11A	64.9	67.8	21.4	64.9	0.0	0.0	67.8	46.0	65.0	0.1	0.0	67.9	42.6	64.9	0.0	0.0	67.8	43.0	64.9	0.0	0.0	67.8	68.5	70.1	5.2	YES	73.0	64.2	67.6	2.7	0.0	70.5
2	11	11A	66.6	69.5	22.2	66.6	0.0	0.0	69.5	45.9	66.6	0.0	0.0	69.5	43.7	66.6	0.0	0.0	69.5	44.1	66.6	0.0	0.0	69.5	69.2	71.1	4.5	YES	74.0	69.3	71.2	4.6	YES	74.1
3	11	11A	67.1	70.0	22.9	67.1	0.0	0.0	70.0	46.2	67.1	0.0	0.0	70.0	44.7	67.1	0.0	0.0	70.0	45.3	67.1	0.0	0.0	70.0	68.4	70.8	3.7	YES	73.7	68.6	70.9	3.8	YES	73.8
4	11	11A	67.3	70.2	32.9	67.3	0.0	0.0	70.2	46.9	67.3	0.0	0.0	70.2	45.5	67.3	0.0	0.0	70.2	46.1	67.3	0.0	0.0	70.2	68.3	70.8	3.5	YES	73.7	68.5	71.0	3.7	YES	73.9
5	11	11A	67.2	70.1	33.7	67.2	0.0	0.0	70.1	47.3	67.2	0.0	0.0	70.1	45.8	67.2	0.0	0.0	70.1	45.7	67.2	0.0	0.0	70.1	68.3	70.8	3.6	YES	73.7	68.5	70.9	3.7	YES	73.8
6	11	11A	67.1	70.0	34.3	67.1	0.0	0.0	70.0	48.1	67.2	0.1	0.0	70.1	46.4	67.1	0.0	0.0	70.0	45.6	67.1	0.0	0.0	70.0	68.3	70.8	3.7	YES	73.7	68.5	70.9	3.8	YES	73.8
7	11	11A	66.8	69.7	34.9	66.8	0.0	0.0	69.7	49.4	66.9	0.1	0.0	69.8	47.4	66.8	0.0	0.0	69.7	45.5	66.8	0.0	0.0	69.7	68.3	70.6	3.8	YES	73.5	68.5	70.7	3.9	YES	73.6
8	11	11A	66.6	69.5	35.4	66.6	0.0	0.0	69.5	51.7	66.7	0.1	0.0	69.6	49.1	66.7	0.1	0.0	69.6	45.6	66.6	0.0	0.0	69.5	68.2	70.5	3.9	YES	73.4	68.5	70.7	4.1	YES	73.6
9	11	11A	66.3	69.2	35.8	66.3	0.0	0.0	69.2	55.8	66.7	0.4	0.0	69.6	51.0	66.4	0.1	0.0	69.3	46.0	66.3	0.0	0.0	69.2	67.9	70.2	3.9	YES	73.1	68.2	70.4	4.1	YES	73.3
10	11	11A	66.0	68.9	36.1	66.0	0.0	0.0	68.9	57.2	66.5	0.5	0.0	69.4	53.6	66.2	0.2	0.0	69.1	46.2	66.0	0.0	0.0	68.9	66.0	69.0	3.0	YES	71.9	66.3	69.2	3.2	YES	72.1
11	11	11A	65.8	68.7	36.4	65.8	0.0	0.0	68.7	59.5	66.7	0.9	0.0	69.6	56.7	66.3	0.5	0.0	69.2	46.5	65.9	0.1	0.0	68.8	65.9	68.9	3.1	YES	71.8	66.3	69.1	3.3	YES	72.0
12	11	11A	65.6	68.5	36.5	65.6	0.0	0.0	68.5	61.5	67.0	1.4	0.0	69.9	57.4	66.2	0.6	0.0	69.1	47.2	65.7	0.1	0.0	68.6	65.9	68.8	3.2	YES	71.7	66.3	69.0	3.4	YES	71.9
13	11	11A	65.4	68.3	36.6	65.4	0.0	0.0	68.3	61.1	66.8	1.4	0.0	69.7	57.7	66.1	0.7	0.0	69.0	47.2	65.5	0.1	0.0	68.4	65.9	68.7	3.3	YES	71.6	66.2	68.8	3.4	YES	71.7
14	11	11A	65.2	68.1	36.6	65.2	0.0	0.0	68.1	61.1	66.6	1.4	0.0	69.5	58.0	66.0	0.8	0.0	68.9	47.2	65.3	0.1	0.0	68.2	65.9	68.6	3.4	YES	71.5	66.2	68.7	3.5	YES	71.6
15	11	11A	65.0	67.9	36.6	65.0	0.0	0.0	67.9	61.1	66.5	1.5	0.0	69.4	58.4	65.9	0.9	0.0	68.8	47.1	65.1	0.1	0.0	68.0	65.9	68.5	3.5	YES	71.4	66.2	68.7	3.7	YES	71.6
16	11	11A	64.8	67.7	36.7	64.8	0.0	0.0	67.7	61.1	66.3	1.5	0.0	69.2	58.8	65.8	1.0	0.0	68.7	47.1	64.9	0.1	0.0	67.8	65.8	68.3	3.5	YES	71.2	66.2	68.6	3.8	YES	71.5
17	11	11A	64.6	67.5	36.7	64.6	0.0	0.0	67.5	61.1	66.2	1.6	0.0	69.1	59.2	65.7	1.1	0.0	68.6	47.0	64.7	0.1	0.0	67.6	65.8	68.3	3.7	YES	71.2	66.1	68.4	3.8	YES	71.3
Top	11	11A	64.3	67.2	36.7	64.3	0.0	0.0	67.2	61.1	66.0	1.7	0.0	68.9	59.6	65.6	1.3	0.0	68.5	47.0	64.4	0.1	0.0	67.3	65.8	68.1	3.8	YES	71.0	66.1	68.3	4.0	YES	71.2
1	11	11B	60.3	63.2	20.9	60.3	0.0	0.0	63.2	48.7	60.6	0.3	0.0	63.5	43.5	60.4	0.1	0.0	63.3	36.0	60.3	0.0	0.0	63.2	53.7	61.2	0.9	0.0	64.1	52.8	61.0	0.7	0.0	63.9
2	11	11B	60.3	63.2	21.7	60.3	0.0	0.0	63.2	47.8	60.5	0.2	0.0	63.4	44.3	60.4	0.1	0.0	63.3	36.4	60.3	0.0	0.0	63.2	53.9	61.2	0.9	0.0	64.1	53.1	61.1	0.8	0.0	64.0
3	11	11B	60.3	63.2	31.7	60.3	0.0	0.0	63.2	47.0	60.5	0.2	0.0	63.4	44.8	60.4	0.1	0.0	63.3	36.9	60.3	0.0	0.0	63.2	54.1	61.2	0.9	0.0	64.1	53.4	61.1	0.8	0.0	64.0
4	11	11B	60.3	63.2	32.5	60.3	0.0	0.0	63.2	47.3	60.5	0.2	0.0	63.4	44.2	60.4	0.1	0.0	63.3	37.9	60.3	0.0	0.0	63.2	54.3	61.3	1.0	0.0	64.2	53.8	61.2	0.9	0.0	64.1
5	11	11B	60.3	63.2	33.3	60.3	0.0	0.0	63.2	47.6	60.5	0.2	0.0	63.4	45.1	60.4	0.1	0.0	63.3	38.4	60.3	0.0	0.0	63.2	54.6	61.3	1.0	0.0	64.2	54.1	61.2	0.9	0.0	64.1
6	11	11B	60.3	63.2	34.1	60.3	0.0	0.0	63.2	48.2	60.6	0.3	0.0	63.5	46.2	60.5	0.2	0.0	63.4	38.6	60.3	0.0	0.0	63.2	54.2	61.3	1.0	0.0	64.2	54.3	61.3	1.0	0.0	64.2
7	11	11B	60.3	63.2	34.8	60.3	0.0	0.0	63.2	49.3	60.6	0.3	0.0	63.5	48.0	60.6	0.2	0.0	63.5	37.7	60.3	0.0	0.0	63.2	54.3	61.3	1.0	0.0	64.2	54.4	61.3	1.0	0.0	64.2
8	11	11B	60.3	63.2	35.3	60.3	0.0	0.0	63.2	51.7	60.9	0.6	0.0	63.8	50.8	60.8	0.5	0.0	63.7	38.4	60.3	0.0	0.0	63.2	55.2	61.5	1.2	0.0	64.4	55.1	61.5	1.1	0.0	64.4
9	11	11B	60.3	63.2	35.8	60.3	0.0	0.0	63.2	56.5	61.8	1.5	0.0	64.7	54.8	61.4	1.1	0.0	64.3	40.9	60.4	0.0	0.0	63.3	41.3	60.4	0.1	0.0	63.3	44.8	60.4	0.1	0.0	63.3
10	11	11B	60.3	63.2	36.2	60.3	0.0	0.0	63.2	57.0	62.0	1.7	0.0	64.9	58.3	62.4	2.1	0.0	65.3	41.0	60.4	0.1	0.0	63.3	41.4	60.4	0.1	0.0	63.3	45.1	60.4	0.1	0.0	63.3
11	11	11B	60.3	63.2	36.4	60.3	0.0	0.0	63.2	61.3	63.8	3.5	0.0	66.7	58.7	62.6	2.3	0.0	65.5	44.1	60.4	0.1	0.0	63.3	41.5	60.4	0.1	0.0	63.3	45.8	60.5	0.2	0.0	63.4
12	11	11B	60.3	63.2	36.6	60.3	0.0	0.0	63.2	61.4	63.9	3.6	0.0	66.8	59.1	62.8	2.4	0.0	65.7	44.0	60.4	0.1	0.0	63.3	41.4	60.4	0.1	0.0	63.3	45.3	60.4	0.1	0.0	63.3
13	11	11B	60.3	63.2	36.7	60.3	0.0	0.0	63.2	61.5	64.0	3.6	0.0	66.9	59.4	62.9	2.6	0.0	65.8	44.1	60.4	0.1	0.0	63.3	41									

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1						
					Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?		L10 Total	Const	Total	Change	Exceed?	L10 Total
1	12	12A	63.0	65.9	24.5	63.0	0.0	0.0	65.9	44.7	63.1	0.1	0.0	66.0	41.7	63.0	0.0	0.0	65.9	43.1	63.0	0.0	0.0	65.9	64.1	66.6	3.6	YES	69.5	64.6	66.9	3.9	YES	69.8	
2	12	12A	64.7	67.6	25.8	64.7	0.0	0.0	67.6	44.8	64.7	0.0	0.0	67.6	42.7	64.7	0.0	0.0	67.6	44.3	64.7	0.0	0.0	67.6	62.7	66.8	2.1	0.0	69.7	63.3	67.1	2.4	0.0	70.0	
3	12	12A	65.2	68.1	27.0	65.2	0.0	0.0	68.1	45.1	65.2	0.0	0.0	68.1	43.7	65.2	0.0	0.0	68.1	45.4	65.2	0.0	0.0	68.1	62.7	67.1	1.9	0.0	70.0	63.4	67.4	2.2	0.0	70.3	
4	12	12A	65.2	68.1	27.8	65.2	0.0	0.0	68.1	45.4	65.2	0.0	0.0	68.1	44.3	65.2	0.0	0.0	68.1	46.2	65.3	0.1	0.0	68.2	62.7	67.1	1.9	0.0	70.0	63.5	67.4	2.2	0.0	70.3	
5	12	12A	65.1	68.0	35.7	65.1	0.0	0.0	68.0	46.2	65.2	0.1	0.0	68.1	45.3	65.1	0.0	0.0	68.0	46.5	65.2	0.1	0.0	68.1	62.7	67.1	2.0	0.0	70.0	63.5	67.4	2.3	0.0	70.3	
6	12	12A	65.0	67.9	35.8	65.0	0.0	0.0	67.9	46.2	65.1	0.1	0.0	68.0	45.3	65.0	0.0	0.0	67.9	46.4	65.1	0.1	0.0	68.0	62.6	67.0	2.0	0.0	69.9	63.4	67.3	2.3	0.0	70.2	
7	12	12A	64.8	67.7	35.8	64.8	0.0	0.0	67.7	46.1	64.9	0.1	0.0	67.8	45.3	64.8	0.0	0.0	67.7	46.2	64.9	0.1	0.0	67.8	62.6	66.8	2.0	0.0	69.7	63.4	67.2	2.4	0.0	70.1	
8	12	12A	64.3	67.2	35.8	64.3	0.0	0.0	67.2	46.0	64.4	0.1	0.0	67.3	45.3	64.4	0.1	0.0	67.3	46.1	64.4	0.1	0.0	67.3	62.6	66.5	2.2	0.0	69.4	63.3	66.8	2.5	0.0	69.7	
9	12	12A	64.0	66.9	35.9	64.0	0.0	0.0	66.9	46.0	64.1	0.1	0.0	67.0	45.2	64.1	0.1	0.0	67.0	45.9	64.1	0.1	0.0	67.0	62.6	66.4	2.4	0.0	69.3	63.3	66.7	2.7	0.0	69.6	
10	12	12A	63.7	66.6	35.9	63.7	0.0	0.0	66.6	45.9	63.8	0.1	0.0	66.7	45.2	63.8	0.1	0.0	66.7	45.7	63.8	0.1	0.0	66.7	62.5	66.2	2.5	0.0	69.1	63.2	66.5	2.8	0.0	69.4	
11	12	12A	63.4	66.3	35.9	63.4	0.0	0.0	66.3	45.8	63.5	0.1	0.0	66.4	45.1	63.5	0.1	0.0	66.4	45.5	63.5	0.1	0.0	66.4	62.5	66.0	2.6	0.0	68.9	63.2	66.3	2.9	0.0	69.2	
12	12	12A	63.2	66.1	36.0	63.2	0.0	0.0	66.1	45.8	63.3	0.1	0.0	66.2	45.1	63.3	0.1	0.0	66.2	45.4	63.3	0.1	0.0	66.2	62.5	65.9	2.7	0.0	68.8	63.1	66.2	3.0	0.0	69.1	
13	12	12A	62.9	65.8	36.0	62.9	0.0	0.0	65.8	48.2	63.0	0.1	0.0	65.9	45.9	63.0	0.1	0.0	65.9	45.3	63.0	0.1	0.0	65.9	62.4	65.7	2.8	0.0	68.6	63.1	66.0	3.1	YES	68.9	
14	12	12A	62.6	65.5	36.3	62.6	0.0	0.0	65.5	48.2	62.8	0.2	0.0	65.7	46.2	62.7	0.1	0.0	65.6	45.2	62.7	0.1	0.0	65.6	62.4	65.5	2.9	0.0	68.4	63.0	65.8	3.2	YES	68.7	
15	12	12A	62.4	65.3	36.3	62.4	0.0	0.0	65.3	48.3	62.6	0.2	0.0	65.5	46.4	62.5	0.1	0.0	65.4	45.0	62.5	0.1	0.0	65.4	62.3	65.4	3.0	0.0	68.3	63.0	65.7	3.3	YES	68.6	
16	12	12A	62.1	65.0	36.3	62.1	0.0	0.0	65.0	48.3	62.3	0.2	0.0	65.2	46.6	62.2	0.1	0.0	65.1	44.9	62.2	0.1	0.0	65.1	62.3	65.2	3.1	YES	68.1	62.9	65.5	3.4	YES	68.4	
17	12	12A	61.9	64.8	36.3	61.9	0.0	0.0	64.8	48.4	62.1	0.2	0.0	65.0	46.9	62.0	0.1	0.0	64.9	44.5	62.0	0.1	0.0	64.9	62.2	65.1	3.2	YES	68.0	62.8	65.4	3.5	YES	68.3	
18	12	12A	61.7	64.6	36.3	61.7	0.0	0.0	64.6	48.7	61.9	0.2	0.0	64.8	47.2	61.9	0.2	0.0	64.8	44.3	61.8	0.1	0.0	64.7	62.2	65.0	3.3	0.0	67.9	62.7	65.2	3.5	YES	68.1	
Top	12	12A	61.4	64.3	36.3	61.4	0.0	0.0	64.3	50.7	61.8	0.4	0.0	64.7	47.8	61.6	0.2	0.0	64.5	44.2	61.5	0.1	0.0	64.4	62.1	64.8	3.4	0.0	67.7	62.7	65.1	3.7	YES	68.0	
1	12	12B	60.3	63.2	22.0	60.3	0.0	0.0	63.2	52.6	61.0	0.7	0.0	63.9	44.6	60.4	0.1	0.0	63.3	38.1	60.3	0.0	0.0	63.2	66.4	67.4	7.0	YES	70.3	66.7	67.6	7.3	YES	70.5	
2	12	12B	60.3	63.2	23.1	60.3	0.0	0.0	63.2	52.2	60.9	0.6	0.0	63.8	45.5	60.4	0.1	0.0	63.3	39.5	60.3	0.0	0.0	63.2	65.4	66.6	6.3	YES	69.5	65.6	66.7	6.4	YES	69.6	
3	12	12B	60.3	63.2	24.0	60.3	0.0	0.0	63.2	51.9	60.9	0.6	0.0	63.8	46.2	60.5	0.2	0.0	63.4	39.3	60.3	0.0	0.0	63.2	64.5	65.9	5.6	YES	68.8	64.8	66.1	5.8	YES	69.0	
4	12	12B	60.3	63.2	32.9	60.3	0.0	0.0	63.2	52.6	61.0	0.7	0.0	63.9	47.6	60.5	0.2	0.0	63.4	40.2	60.3	0.0	0.0	63.2	64.5	65.9	5.6	YES	68.8	64.8	66.1	5.8	YES	69.0	
5	12	12B	60.3	63.2	33.5	60.3	0.0	0.0	63.2	51.2	60.8	0.5	0.0	63.7	45.7	60.5	0.1	0.0	63.4	40.5	60.4	0.0	0.0	63.3	64.5	65.9	5.6	YES	68.8	64.8	66.1	5.8	YES	69.0	
6	12	12B	60.3	63.2	34.0	60.3	0.0	0.0	63.2	51.4	60.8	0.5	0.0	63.7	45.9	60.5	0.2	0.0	63.4	40.5	60.4	0.0	0.0	63.3	64.5	65.9	5.6	YES	68.8	64.8	66.1	5.8	YES	69.0	
7	12	12B	60.3	63.2	34.5	60.3	0.0	0.0	63.2	52.1	60.9	0.6	0.0	63.8	47.5	60.5	0.2	0.0	63.4	40.5	60.4	0.0	0.0	63.3	64.2	65.7	5.4	YES	68.6	64.6	66.0	5.7	YES	68.9	
8	12	12B	60.3	63.2	34.8	60.3	0.0	0.0	63.2	53.9	61.2	0.9	0.0	64.1	48.3	60.6	0.3	0.0	63.5	41.1	60.4	0.1	0.0	63.3	64.2	65.7	5.4	YES	68.6	64.6	66.0	5.7	YES	68.9	
9	12	12B	60.3	63.2	35.1	60.3	0.0	0.0	63.2	54.8	61.4	1.1	0.0	64.3	49.1	60.6	0.3	0.0	63.5	41.5	60.4	0.1	0.0	63.3	64.2	65.7	5.4	YES	68.6	64.5	65.9	5.6	YES	68.8	
10	12	12B	60.3	63.2	35.3	60.3	0.0	0.0	63.2	55.5	61.5	1.2	0.0	64.4	50.1	60.7	0.4	0.0	63.6	41.9	60.4	0.1	0.0	63.3	64.2	65.7	5.4	YES	68.6	64.5	65.9	5.6	YES	68.8	
11	12	12B	60.3	63.2	35.4	60.3	0.0	0.0	63.2	55.9	61.7	1.3	0.0	64.6	51.3	60.8	0.5	0.0	63.7	42.1	60.4	0.1	0.0	63.3	64.2	65.7	5.4	YES	68.6	64.5	65.9	5.6	YES	68.8	
12	12	12B	60.3	63.2	35.6	60.3	0.0	0.0	63.2	55.0	61.4	1.1	0.0	64.3	52.2	60.9	0.6	0.0	63.8	42.3	60.4	0.1	0.0	63.3	64.2	65.7	5.4	YES	68.6	64.5	65.9	5.6	YES	68.8	
13	12	12B	60.3	63.2	36.0	60.3	0.0	0.0	63.2	55.1	61.5	1.1	0.0	64.4	53.2	61.1	0.8	0.0	64.0	41.6	60.4	0.1	0.0	63.3	64.1	65.6	5.3	YES	68.5	64.5	65.9	5.6	YES	68.8	
14	12	12B	60.3	63.2	36.1	60.3	0.0	0.0	63.2	57.9	62.3	2.0	0.0	65.2	53.7	61.2	0.9	0.0	64.1	42.3	60.4	0.1	0.0	63.3	64.1	65.6	5.3	YES	68.5	64.5	65.9	5.6	YES	68.8	
15	12	12B	60.3	63.2	36.1	60.3	0.0	0.0	63.2	59.2	62.8	2.5	0.0	65.7	54.0	61.2	0.9	0.0	64.1	43.3	60.4	0.1	0.0	63.3	64.1	65.6	5.3	YES	68.5	64.5	65.9	5.6	YES	68.8	
16	12	12B	60.3	63.2	36.1	60.3	0.0	0.0	63.2	59.2	62.8	2.5	0.0	65.7	54.1	61.2	0.9	0.0	64.1	43.3	60.4	0.1	0.0	63.3	64.1	65.6	5.3	YES	68.5	64.4	65.8	5.5	YES	68.7	
17	12	12B	60.3	63.2	36.1	60.3	0.0	0.0	63.2	59.3	62.8	2.5	0.0	65.7	54.2	61.3	1.0	0.0	64.2	43.3	60.4	0.1	0.0	63.3	64.1	65.6	5.3	YES	68.5	64.4	65.8	5.5	YES	68.7	
18	12	12B	60.3	63.2	36.1	60.3	0.0	0.0	63.2	58.9	62.7	2.4	0.0	65.6	54.3	61.3	1.0	0.0	64.2	43.4	60.4	0.1	0.0	63.3	64.0	65.5	5.2	YES	68.4	64.4	65.8	5.5	YES	68.7	
Top	12	12B	60.3	63.2	36.1	60.3	0.0	0.0	63.2	58.9	62.7	2.4	0.0	65.6	54.8	61.4	1.1	0.0	64.3	43.4	60.4	0.1	0.0	63.3	64.0	65.5	5.2	YES	68.4	64.4	65.8	5.5	YES	68.7	
1	12	12C	60.3	63.2	19.2	60.3	0.0	0.0	63.2	53.4	61.1																								

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?		L10 Total				
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change				Const	Total	Change	Const
5	13	13A	68.3	71.2	31.2	68.3	0.0	0.0	71.2	47.3	68.3	0.0	0.0	71.2	46.9	68.3	0.0	0.0	71.2	49.1	68.4	0.1	0.0	71.3	73.1	74.3	6.0	YES	77.2	73.6	74.7	6.4	YES	77.6
6	13	13A	68.1	71.0	31.8	68.1	0.0	0.0	71.0	47.4	68.1	0.0	0.0	71.0	47.0	68.1	0.0	0.0	71.0	49.1	68.2	0.1	0.0	71.1	73.1	74.3	6.2	YES	77.2	73.6	74.7	6.6	YES	77.6
7	13	13A	67.8	70.7	32.3	67.8	0.0	0.0	70.7	47.4	67.8	0.0	0.0	70.7	47.0	67.8	0.0	0.0	70.7	49.0	67.9	0.1	0.0	70.8	73.1	74.2	6.4	YES	77.1	73.6	74.6	6.8	YES	77.5
8	13	13A	67.4	70.3	32.7	67.4	0.0	0.0	70.3	47.3	67.4	0.0	0.0	70.3	46.9	67.4	0.0	0.0	70.3	48.9	67.5	0.1	0.0	70.4	73.0	74.1	6.7	YES	77.0	73.3	74.3	6.9	YES	77.2
9	13	13A	67.1	70.0	33.0	67.1	0.0	0.0	70.0	47.2	67.1	0.0	0.0	70.0	46.8	67.1	0.0	0.0	70.0	48.7	67.2	0.1	0.0	70.1	72.7	73.8	6.7	YES	76.7	73.1	74.1	7.0	YES	77.0
10	13	13A	66.8	69.7	33.3	66.8	0.0	0.0	69.7	47.0	66.8	0.0	0.0	69.7	46.7	66.8	0.0	0.0	69.7	48.4	66.9	0.1	0.0	69.8	72.7	73.7	6.9	YES	76.6	73.0	73.9	7.1	YES	76.8
11	13	13A	66.5	69.4	33.6	66.5	0.0	0.0	69.4	46.8	66.5	0.0	0.0	69.4	46.5	66.5	0.0	0.0	69.4	48.1	66.6	0.1	0.0	69.5	72.6	73.6	7.1	YES	76.5	72.9	73.8	7.3	YES	76.7
Top	13	13A	66.2	69.1	33.8	66.2	0.0	0.0	69.1	46.6	66.2	0.0	0.0	69.1	46.3	66.2	0.0	0.0	69.1	47.7	66.3	0.1	0.0	69.2	72.5	73.4	7.2	YES	76.3	72.8	73.7	7.5	YES	76.6
1	13	13B	60.3	63.2	21.7	60.3	0.0	0.0	63.2	46.8	60.5	0.2	0.0	63.4	44.2	60.4	0.1	0.0	63.3	41.1	60.4	0.1	0.0	63.3	51.2	60.8	0.5	0.0	63.7	69.8	70.3	10.0	YES	73.2
2	13	13B	60.6	63.5	22.5	60.6	0.0	0.0	63.5	46.6	60.8	0.2	0.0	63.7	44.3	60.7	0.1	0.0	63.6	41.8	60.7	0.1	0.0	63.6	51.7	61.1	0.5	0.0	64.0	68.3	69.0	8.4	YES	71.9
3	13	13B	61.5	64.4	29.8	61.5	0.0	0.0	64.4	46.8	61.6	0.1	0.0	64.5	44.5	61.6	0.1	0.0	64.5	42.8	61.6	0.1	0.0	64.5	51.7	61.9	0.4	0.0	64.8	68.3	69.1	7.6	YES	72.0
4	13	13B	61.9	64.8	30.5	61.9	0.0	0.0	64.8	47.1	62.0	0.1	0.0	64.9	45.2	62.0	0.1	0.0	64.9	43.5	62.0	0.1	0.0	64.9	51.9	62.3	0.4	0.0	65.2	68.4	69.3	7.4	YES	72.2
5	13	13B	62.1	65.0	31.1	62.1	0.0	0.0	65.0	47.3	62.2	0.1	0.0	65.1	45.5	62.2	0.1	0.0	65.1	44.2	62.2	0.1	0.0	65.1	52.5	62.6	0.5	0.0	65.5	68.4	69.3	7.2	YES	72.2
6	13	13B	62.1	65.0	31.6	62.1	0.0	0.0	65.0	47.6	62.3	0.2	0.0	65.2	45.7	62.2	0.1	0.0	65.1	44.5	62.2	0.1	0.0	65.1	51.1	62.4	0.3	0.0	65.3	68.3	69.2	7.1	YES	72.1
7	13	13B	62.1	65.0	32.1	62.1	0.0	0.0	65.0	47.9	62.3	0.2	0.0	65.2	45.8	62.2	0.1	0.0	65.1	44.7	62.2	0.1	0.0	65.1	51.1	62.4	0.3	0.0	65.3	68.3	69.2	7.1	YES	72.1
8	13	13B	61.8	64.7	32.6	61.8	0.0	0.0	64.7	48.6	62.0	0.2	0.0	64.9	46.4	61.9	0.1	0.0	64.8	45.4	61.9	0.1	0.0	64.8	51.2	62.2	0.4	0.0	65.1	68.3	69.2	7.4	YES	72.1
9	13	13B	61.5	64.4	33.0	61.5	0.0	0.0	64.4	47.2	61.7	0.2	0.0	64.6	46.4	61.6	0.1	0.0	64.5	45.4	61.6	0.1	0.0	64.5	51.3	61.9	0.4	0.0	64.8	68.2	69.0	7.5	YES	71.9
10	13	13B	61.2	64.1	33.3	61.2	0.0	0.0	64.1	46.7	61.4	0.2	0.0	64.3	45.8	61.3	0.1	0.0	64.2	45.4	61.3	0.1	0.0	64.2	51.5	61.6	0.4	0.0	64.5	68.2	69.0	7.8	YES	71.9
11	13	13B	61.0	63.9	33.5	61.0	0.0	0.0	63.9	45.6	61.1	0.1	0.0	64.0	44.4	61.1	0.1	0.0	64.0	44.5	61.1	0.1	0.0	64.0	51.7	61.5	0.5	0.0	64.4	68.2	69.0	8.0	YES	71.9
Top	13	13B	60.9	63.8	33.7	60.9	0.0	0.0	63.8	45.6	61.0	0.1	0.0	63.9	44.4	61.0	0.1	0.0	63.9	44.5	61.0	0.1	0.0	63.9	54.2	61.7	0.8	0.0	64.6	68.2	68.9	8.0	YES	71.8
1	13	13C	60.4	63.3	17.9	60.4	0.0	0.0	63.3	45.4	60.5	0.1	0.0	63.4	48.9	60.7	0.3	0.0	63.6	40.5	60.4	0.0	0.0	63.3	66.6	67.5	7.1	YES	70.4	67.3	68.1	7.7	YES	71.0
2	13	13C	61.6	64.5	18.3	61.6	0.0	0.0	64.5	46.3	61.7	0.1	0.0	64.6	51.4	62.0	0.4	0.0	64.9	41.6	61.6	0.0	0.0	64.5	68.7	69.5	7.9	YES	72.4	69.1	69.8	8.2	YES	72.7
3	13	13C	62.0	64.9	18.6	62.0	0.0	0.0	64.9	47.1	62.1	0.1	0.0	65.0	51.5	62.4	0.4	0.0	65.3	42.3	62.0	0.0	0.0	64.9	72.4	72.8	10.8	YES	75.7	72.5	72.9	10.9	YES	75.8
4	13	13C	62.2	65.1	22.1	62.2	0.0	0.0	65.1	48.9	62.4	0.2	0.0	65.3	51.7	62.6	0.4	0.0	65.5	43.2	62.3	0.1	0.0	65.2	72.4	72.8	10.6	YES	75.7	72.5	72.9	10.7	YES	75.8
5	13	13C	62.1	65.0	22.4	62.1	0.0	0.0	65.0	45.5	62.2	0.1	0.0	65.1	51.8	62.5	0.4	0.0	65.4	43.7	62.2	0.1	0.0	65.1	72.4	72.8	10.7	YES	75.7	72.4	72.8	10.7	YES	75.7
6	13	13C	62.1	65.0	22.7	62.1	0.0	0.0	65.0	45.5	62.2	0.1	0.0	65.1	44.2	62.2	0.1	0.0	65.1	44.0	62.2	0.1	0.0	65.1	72.3	72.7	10.6	YES	75.6	72.3	72.7	10.6	YES	75.6
7	13	13C	61.8	64.7	22.9	61.8	0.0	0.0	64.7	45.6	61.9	0.1	0.0	64.8	44.3	61.9	0.1	0.0	64.8	44.0	61.9	0.1	0.0	64.8	72.2	72.6	10.8	YES	75.5	72.3	72.7	10.9	YES	75.6
8	13	13C	61.7	64.6	26.2	61.7	0.0	0.0	64.6	45.7	61.8	0.1	0.0	64.7	44.4	61.8	0.1	0.0	64.7	44.0	61.8	0.1	0.0	64.7	72.1	72.5	10.8	YES	75.4	72.2	72.6	10.9	YES	75.5
9	13	13C	61.6	64.5	26.4	61.6	0.0	0.0	64.5	45.9	61.7	0.1	0.0	64.6	44.6	61.7	0.1	0.0	64.6	44.1	61.7	0.1	0.0	64.6	72.0	72.4	10.8	YES	75.3	72.2	72.6	11.0	YES	75.5
10	13	13C	61.7	64.6	26.6	61.7	0.0	0.0	64.6	46.0	61.8	0.1	0.0	64.7	44.8	61.8	0.1	0.0	64.7	43.9	61.8	0.1	0.0	64.7	71.5	71.9	10.2	YES	74.8	71.6	72.0	10.3	YES	74.9
11	13	13C	61.7	64.6	26.8	61.7	0.0	0.0	64.6	46.0	61.8	0.1	0.0	64.7	44.8	61.8	0.1	0.0	64.7	43.7	61.8	0.1	0.0	64.7	71.5	71.9	10.2	YES	74.8	71.6	72.0	10.3	YES	74.9
Top	13	13C	61.9	64.8	26.9	61.9	0.0	0.0	64.8	46.2	62.0	0.1	0.0	64.9	44.9	62.0	0.1	0.0	64.9	44.0	62.0	0.1	0.0	64.9	71.4	71.9	10.0	YES	74.8	71.7	72.1	10.2	YES	75.0
1	13	13D	68.0	70.9	16.2	68.0	0.0	0.0	70.9	44.2	68.0	0.0	0.0	70.9	43.0	68.0	0.0	0.0	70.9	45.7	68.0	0.0	0.0	70.9	76.5	77.1	9.1	YES	80.0	76.8	77.3	9.3	YES	80.2
2	13	13D	68.5	71.4	16.2	68.5	0.0	0.0	71.4	45.2	68.5	0.0	0.0	71.4	44.4	68.5	0.0	0.0	71.4	47.1	68.5	0.0	0.0	71.4	76.6	77.2	8.7	YES	80.1	77.0	77.6	9.1	YES	80.5
3	13	13D	68.6	71.5	16.2	68.6	0.0	0.0	71.5	46.0	68.6	0.0	0.0	71.5	45.5	68.6	0.0	0.0	71.5	48.2	68.6	0.0	0.0	71.5	76.6	77.2	8.6	YES	80.1	77.0	77.6	9.0	YES	80.5
4	13	13D	68.6	71.5	16.2	68.6	0.0	0.0	71.5	46.5	68.6	0.0	0.0	71.5	46.1	68.6	0.0	0.0	71.5	48.9	68.6	0.0	0.0	71.5	76.6	77.2	8.6	YES	80.1	76.9	77.5	8.9	YES	80.4
5	13	13D	68.4	71.3	16.2	68.4	0.0	0.0	71.3	46.5	68.4	0.0	0.0	71.3	46.2	68.4	0.0	0.0	71.3	49.0	68.4	0.0	0.0	71.3	76.5	77.1	8.7	YES	80.0	76.9	77.5	9.1	YES	80.4
6	13	13D	68.2	71.1	16.2	68.2	0.0	0.0	71.1	46.6	68.2	0.0	0.0	71.1	46.3	68.2	0.0	0.0	71.1	49.0	68.3	0.1	0.0	71.2	76.4	77.0	8.8	YES	79.9	76.7	77.3	9.1	YES	80.2
7	13	13D	67.9	70.8	16.2	67.9	0.0	0.0	70.8	46.5	67.9	0.0	0.0	70.8	46.2	67.9	0.0	0.0	70.8	48.9	68.0	0.1	0.0	70.9	76.3	76.9	9.0	YES	79.8	76.6	77.1	9.2	YES	80.0
8	13	13D	67.6	70.5																														

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq			L10 Total	Const	Leq				L10 Total				
						Total	Change	Exceed?			Total	Change	Exceed?			Total	Change	Exceed?			Total	Change	Exceed?			Total	Change	Exceed?			Total	Change	Exceed?	
9	15	15A	64.9	67.8	22.1	64.9	0.0	0.0	67.8	44.3	64.9	0.0	0.0	67.8	44.3	64.9	0.0	0.0	67.8	45.7	65.0	0.1	0.0	67.9	75.2	75.6	10.7	YES	78.5	74.9	75.3	10.4	YES	78.2
10	15	15A	64.6	67.5	22.2	64.6	0.0	0.0	67.5	45.8	64.7	0.1	0.0	67.6	45.4	64.7	0.1	0.0	67.6	45.4	64.7	0.1	0.0	67.6	75.0	75.4	10.8	YES	78.3	74.7	75.1	10.5	YES	78.0
11	15	15A	64.4	67.3	22.4	64.4	0.0	0.0	67.3	45.8	64.5	0.1	0.0	67.4	45.1	64.5	0.1	0.0	67.4	45.1	64.5	0.1	0.0	67.4	74.8	75.2	10.8	YES	78.1	74.5	74.9	10.5	YES	77.8
12	15	15A	64.1	67.0	27.4	64.1	0.0	0.0	67.0	45.7	64.2	0.1	0.0	67.1	44.6	64.1	0.0	0.0	67.0	44.6	64.1	0.0	0.0	67.0	74.5	74.9	10.8	YES	77.8	74.3	74.7	10.6	YES	77.6
13	15	15A	63.8	66.7	27.9	63.8	0.0	0.0	66.7	45.6	63.9	0.1	0.0	66.8	44.9	63.9	0.1	0.0	66.8	44.4	63.8	0.0	0.0	66.7	74.3	74.7	10.9	YES	77.6	74.1	74.5	10.7	YES	77.4
14	15	15A	63.6	66.5	32.2	63.6	0.0	0.0	66.5	45.5	63.7	0.1	0.0	66.6	44.8	63.7	0.1	0.0	66.6	44.2	63.6	0.0	0.0	66.5	74.0	74.4	10.8	YES	77.3	73.9	74.3	10.7	YES	77.2
15	15	15A	63.3	66.2	32.3	63.3	0.0	0.0	66.2	45.2	63.4	0.1	0.0	66.3	44.4	63.4	0.1	0.0	66.3	43.9	63.3	0.0	0.0	66.2	73.7	74.1	10.8	YES	77.0	73.7	74.1	10.8	YES	77.0
16	15	15A	63.0	65.9	32.3	63.0	0.0	0.0	65.9	45.1	63.1	0.1	0.0	66.0	44.3	63.1	0.1	0.0	66.0	43.6	63.0	0.0	0.0	65.9	73.5	73.9	10.9	YES	76.8	73.4	73.8	10.8	YES	76.7
17	15	15A	62.8	65.7	32.4	62.8	0.0	0.0	65.7	45.1	62.9	0.1	0.0	65.8	44.3	62.9	0.1	0.0	65.8	43.4	62.8	0.0	0.0	65.7	73.2	73.6	10.8	YES	76.5	73.2	73.6	10.8	YES	76.5
Top	15	15A	62.5	65.4	32.5	62.5	0.0	0.0	65.4	45.2	62.6	0.1	0.0	65.5	44.2	62.6	0.1	0.0	65.5	43.2	62.6	0.1	0.0	65.5	73.0	73.4	10.9	YES	76.3	73.0	73.4	10.9	YES	76.3
1	15	15B	60.3	63.2	16.2	60.3	0.0	0.0	63.2	43.6	60.4	0.1	0.0	63.3	39.0	60.3	0.0	0.0	63.2	39.9	60.3	0.0	0.0	63.2	66.2	67.2	6.9	YES	70.1	66.1	67.1	6.8	YES	70.0
2	15	15B	60.5	63.4	16.2	60.5	0.0	0.0	63.4	43.8	60.6	0.1	0.0	63.5	40.5	60.5	0.0	0.0	63.4	42.0	60.6	0.1	0.0	63.5	68.3	69.0	8.5	YES	71.9	67.6	68.4	7.9	YES	71.3
3	15	15B	61.1	64.0	17.8	61.1	0.0	0.0	64.0	44.2	61.2	0.1	0.0	64.1	42.1	61.2	0.1	0.0	64.1	42.9	61.2	0.1	0.0	64.1	72.4	72.7	11.6	YES	75.6	72.0	72.3	11.2	YES	75.2
4	15	15B	61.5	64.4	18.5	61.5	0.0	0.0	64.4	44.4	61.6	0.1	0.0	64.5	42.7	61.6	0.1	0.0	64.5	43.8	61.6	0.1	0.0	64.5	72.4	72.7	11.2	YES	75.6	71.9	72.3	10.8	YES	75.2
5	15	15B	61.6	64.5	18.6	61.6	0.0	0.0	64.5	44.7	61.7	0.1	0.0	64.6	43.3	61.7	0.1	0.0	64.6	44.4	61.7	0.1	0.0	64.6	72.3	72.7	11.1	YES	75.6	71.9	72.3	10.7	YES	75.2
6	15	15B	61.7	64.6	18.7	61.7	0.0	0.0	64.6	45.0	61.8	0.1	0.0	64.7	43.7	61.8	0.1	0.0	64.7	44.9	61.8	0.1	0.0	64.7	72.3	72.7	11.0	YES	75.6	71.8	72.2	10.5	YES	75.1
7	15	15B	61.7	64.6	18.8	61.7	0.0	0.0	64.6	45.5	61.8	0.1	0.0	64.7	44.2	61.8	0.1	0.0	64.7	45.2	61.8	0.1	0.0	64.7	72.2	72.6	10.9	YES	75.5	71.8	72.2	10.5	YES	75.1
8	15	15B	61.6	64.5	19.0	61.6	0.0	0.0	64.5	46.2	61.7	0.1	0.0	64.6	44.9	61.7	0.1	0.0	64.6	45.7	61.7	0.1	0.0	64.6	72.1	72.5	10.9	YES	75.4	71.7	72.1	10.5	YES	75.0
9	15	15B	61.6	64.5	19.1	61.6	0.0	0.0	64.5	49.8	61.9	0.3	0.0	64.8	45.7	61.7	0.1	0.0	64.6	46.0	61.7	0.1	0.0	64.6	72.0	72.4	10.8	YES	75.3	71.6	72.0	10.4	YES	74.9
10	15	15B	61.4	64.3	19.2	61.4	0.0	0.0	64.3	53.1	62.0	0.6	0.0	64.9	46.0	61.5	0.1	0.0	64.4	46.1	61.5	0.1	0.0	64.4	71.8	72.2	10.8	YES	75.1	71.5	71.9	10.5	YES	74.8
11	15	15B	61.1	64.0	19.2	61.1	0.0	0.0	64.0	53.3	61.8	0.7	0.0	64.7	46.4	61.2	0.1	0.0	64.1	46.2	61.2	0.1	0.0	64.1	71.7	72.1	11.0	YES	75.0	71.4	71.8	10.7	YES	74.7
12	15	15B	60.9	63.8	22.6	60.9	0.0	0.0	63.8	53.5	61.6	0.7	0.0	64.5	46.5	61.1	0.2	0.0	64.0	46.1	61.0	0.1	0.0	63.9	71.6	72.0	11.1	YES	74.9	71.2	71.6	10.7	YES	74.5
13	15	15B	60.8	63.7	28.5	60.8	0.0	0.0	63.7	53.6	61.6	0.8	0.0	64.5	46.8	61.0	0.2	0.0	63.9	46.1	60.9	0.1	0.0	63.8	71.4	71.8	11.0	YES	74.7	70.9	71.3	10.5	YES	74.2
14	15	15B	60.8	63.7	28.5	60.8	0.0	0.0	63.7	53.7	61.6	0.8	0.0	64.5	47.2	61.0	0.2	0.0	63.9	46.1	60.9	0.1	0.0	63.8	71.3	71.7	10.9	YES	74.6	70.8	71.2	10.4	YES	74.1
15	15	15B	60.9	63.8	28.6	60.9	0.0	0.0	63.8	53.8	61.7	0.8	0.0	64.6	47.6	61.1	0.2	0.0	64.0	46.0	61.0	0.1	0.0	63.9	71.1	71.5	10.6	YES	74.4	70.7	71.1	10.2	YES	74.0
16	15	15B	60.9	63.8	28.7	60.9	0.0	0.0	63.8	53.8	61.7	0.8	0.0	64.6	48.1	61.1	0.2	0.0	64.0	45.6	61.0	0.1	0.0	63.9	71.0	71.4	10.5	YES	74.3	70.5	71.0	10.1	YES	73.9
17	15	15B	60.7	63.6	28.7	60.7	0.0	0.0	63.6	53.8	61.5	0.8	0.0	64.4	48.6	61.0	0.3	0.0	63.9	45.4	60.8	0.1	0.0	63.7	70.8	71.2	10.5	YES	74.1	70.4	70.8	10.1	YES	73.7
Top	15	15B	60.6	63.5	28.8	60.6	0.0	0.0	63.5	53.8	61.4	0.8	0.0	64.3	49.0	60.9	0.3	0.0	63.8	45.2	60.7	0.1	0.0	63.6	70.6	71.0	10.4	YES	73.9	70.2	70.7	10.1	YES	73.6
1	15	15C	60.7	63.6	15.5	60.7	0.0	0.0	63.6	45.2	60.8	0.1	0.0	63.7	40.7	60.7	0.0	0.0	63.6	41.8	60.8	0.1	0.0	63.7	60.5	63.6	2.9	0.0	66.5	60.5	63.6	2.9	0.0	66.5
2	15	15C	61.7	64.6	15.5	61.7	0.0	0.0	64.6	45.9	61.8	0.1	0.0	64.7	43.3	61.8	0.1	0.0	64.7	45.0	61.8	0.1	0.0	64.7	62.2	65.0	3.3	0.0	67.9	62.8	65.3	3.6	YES	68.2
3	15	15C	62.1	65.0	15.6	62.1	0.0	0.0	65.0	46.9	62.2	0.1	0.0	65.1	42.2	62.2	0.1	0.0	65.1	47.2	62.2	0.1	0.0	65.1	62.3	65.2	3.1	YES	68.1	63.5	65.9	3.8	YES	68.8
4	15	15C	62.2	65.1	18.4	62.2	0.0	0.0	65.1	48.6	62.4	0.2	0.0	65.3	47.7	62.4	0.2	0.0	65.3	50.1	62.5	0.3	0.0	65.4	62.5	65.4	3.2	YES	68.3	64.2	66.3	4.1	YES	69.2
5	15	15C	61.9	64.8	18.5	61.9	0.0	0.0	64.8	48.7	62.1	0.2	0.0	65.0	47.9	62.1	0.2	0.0	65.0	50.3	62.2	0.3	0.0	65.1	63.5	65.8	3.9	YES	68.7	65.0	66.7	4.8	YES	69.6
6	15	15C	62.0	64.9	18.6	62.0	0.0	0.0	64.9	48.6	62.2	0.2	0.0	65.1	47.7	62.2	0.2	0.0	65.1	50.0	62.3	0.3	0.0	65.2	66.2	67.6	5.6	YES	70.5	66.6	67.9	5.9	YES	70.8
7	15	15C	61.9	64.8	18.7	61.9	0.0	0.0	64.8	48.5	62.1	0.2	0.0	65.0	47.5	62.1	0.2	0.0	65.0	49.7	62.2	0.3	0.0	65.1	66.2	67.6	5.7	YES	70.5	66.6	67.9	6.0	YES	70.8
8	15	15C	61.9	64.8	18.8	61.9	0.0	0.0	64.8	50.2	62.2	0.3	0.0	65.1	47.4	62.1	0.2	0.0	65.0	49.4	62.1	0.2	0.0	65.0	66.2	67.6	5.7	YES	70.5	66.5	67.8	5.9	YES	70.7
9	15	15C	61.9	64.8	18.9	61.9	0.0	0.0	64.8	50.4	62.2	0.3	0.0	65.1	47.3	62.0	0.1	0.0	64.9	49.1	62.1	0.2	0.0	65.0	66.1	67.5	5.6	YES	70.4	66.5	67.8	5.9	YES	70.7
10	15	15C	61.8	64.7	19.0	61.8	0.0	0.0	64.7	53.1	62.3	0.5	0.0	65.2	47.1	61.9	0.1	0.0	64.8	48.8	62.0	0.2	0.0	64.9	66.1	67.5	5.7	YES	70.4	66.5	67.8	6.0	YES	70.7
11	15	15C	61.7	64.6	19.1	61.7	0.0	0.0	64.6	53.2	62.3	0.6	0.0	65.2	46.9	61.8	0.1	0.0	64.7	48.4	61.9	0.2	0.0	64.8	66.1	67.4	5.7	YES	70.3	66.4	67.7	6.0	YES	70.6
12	15	15C	61.6	64.5	21.2																													

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1
					Const	Leq			Exceed?	L10 Total	Const	Leq			Exceed?	L10 Total	Const	Leq			Exceed?	L10 Total	Const	Leq			Exceed?	L10 Total	Const	Leq			Exceed?	L10 Total	
						Total	Change	Change				Total	Change	Change				Total	Change	Change				Total	Change	Change				Total	Change	Change			
7	16	16B	60.3	62.2	38.5	60.3	0.0	0.0	62.2	64.1	65.6	5.3	YES	67.5	64.6	66.0	5.7	YES	67.9	67.9	68.6	8.3	YES	70.5	67.9	68.6	8.3	YES	70.5	42.1	60.4	0.1	0.0	62.3	
8	16	16B	60.3	62.2	38.5	60.3	0.0	0.0	62.2	64.1	65.6	5.3	YES	67.5	64.6	66.0	5.7	YES	67.9	67.9	68.6	8.3	YES	70.5	67.9	68.6	8.3	YES	70.5	42.2	60.4	0.1	0.0	62.3	
9	16	16B	60.3	62.2	38.7	60.3	0.0	0.0	62.2	64.1	65.6	5.3	YES	67.5	64.6	66.0	5.7	YES	67.9	67.9	68.6	8.3	YES	70.5	67.9	68.6	8.3	YES	70.5	42.2	60.4	0.1	0.0	62.3	
Top	16	16B	60.3	62.2	38.7	60.3	0.0	0.0	62.2	64.1	65.6	5.3	YES	67.5	64.6	66.0	5.7	YES	67.9	67.9	68.6	8.3	YES	70.5	67.9	68.6	8.3	YES	70.5	42.2	60.4	0.1	0.0	62.3	
1	16	16C	60.3	62.2	33.3	60.3	0.0	0.0	62.2	66.0	67.0	6.7	YES	68.9	66.5	67.4	7.1	YES	69.3	69.2	69.7	9.4	YES	71.6	69.2	69.7	9.4	YES	71.6	33.7	60.3	0.0	0.0	62.2	
2	16	16C	60.3	62.2	33.2	60.3	0.0	0.0	62.2	66.6	67.5	7.2	YES	69.4	67.1	67.9	7.6	YES	69.8	69.2	69.7	9.4	YES	71.6	69.2	69.7	9.4	YES	71.6	33.6	60.3	0.0	0.0	62.2	
3	16	16C	60.3	62.2	32.8	60.3	0.0	0.0	62.2	65.7	66.8	6.5	YES	68.7	66.3	67.3	7.0	YES	69.2	68.6	69.2	8.9	YES	71.1	68.6	69.2	8.9	YES	71.1	33.0	60.3	0.0	0.0	62.2	
4	16	16C	60.3	62.2	32.8	60.3	0.0	0.0	62.2	65.3	66.5	6.2	YES	68.4	65.8	66.9	6.6	YES	68.8	68.4	69.0	8.7	YES	70.9	68.4	69.0	8.7	YES	70.9	33.1	60.3	0.0	0.0	62.2	
5	16	16C	60.3	62.2	32.9	60.3	0.0	0.0	62.2	65.2	66.4	6.1	YES	68.3	65.8	66.9	6.6	YES	68.8	68.4	69.0	8.7	YES	70.9	68.4	69.0	8.7	YES	70.9	33.1	60.3	0.0	0.0	62.2	
6	16	16C	60.3	62.2	32.9	60.3	0.0	0.0	62.2	65.2	66.4	6.1	YES	68.3	65.8	66.9	6.6	YES	68.8	68.4	69.0	8.7	YES	70.9	68.4	69.0	8.7	YES	70.9	33.2	60.3	0.0	0.0	62.2	
7	16	16C	60.3	62.2	33.0	60.3	0.0	0.0	62.2	65.2	66.4	6.1	YES	68.3	65.8	66.9	6.6	YES	68.8	68.4	69.0	8.7	YES	70.9	68.4	69.0	8.7	YES	70.9	33.3	60.3	0.0	0.0	62.2	
8	16	16C	60.3	62.2	33.6	60.3	0.0	0.0	62.2	65.2	66.4	6.1	YES	68.3	65.8	66.9	6.6	YES	68.8	68.4	69.0	8.7	YES	70.9	68.4	69.0	8.7	YES	70.9	33.4	60.3	0.0	0.0	62.2	
9	16	16C	60.3	62.2	33.7	60.3	0.0	0.0	62.2	65.2	66.4	6.1	YES	68.3	65.8	66.9	6.6	YES	68.8	68.4	69.0	8.7	YES	70.9	68.3	68.9	8.6	YES	70.8	33.6	60.3	0.0	0.0	62.2	
Top	16	16C	60.3	62.2	33.9	60.3	0.0	0.0	62.2	65.2	66.4	6.1	YES	68.3	65.7	66.8	6.5	YES	68.7	68.3	68.9	8.6	YES	70.8	68.3	68.9	8.6	YES	70.8	34.3	60.3	0.0	0.0	62.2	
1	17	17A	63.7	65.6	32.3	63.7	0.0	0.0	65.6	53.4	64.1	0.4	0.0	66.0	53.9	64.1	0.4	0.0	66.0	63.0	66.4	2.7	0.0	68.3	62.8	66.3	2.6	0.0	68.2	61.1	65.6	1.9	0.0	67.5	
2	17	17A	64.1	66.0	32.3	64.1	0.0	0.0	66.0	53.5	64.5	0.4	0.0	66.4	54.0	64.5	0.4	0.0	66.4	62.6	66.4	2.3	0.0	68.3	62.4	66.3	2.2	0.0	68.2	60.8	65.8	1.7	0.0	67.7	
3	17	17A	64.2	66.1	32.2	64.2	0.0	0.0	66.1	58.1	65.2	1.0	0.0	67.1	58.6	65.3	1.1	0.0	67.2	63.9	67.1	2.9	0.0	69.0	63.8	67.0	2.8	0.0	68.9	60.4	65.7	1.5	0.0	67.6	
4	17	17A	64.2	66.1	32.3	64.2	0.0	0.0	66.1	58.1	65.2	1.0	0.0	67.1	58.6	65.3	1.1	0.0	67.2	63.7	67.0	2.8	0.0	68.9	63.6	66.9	2.7	0.0	68.8	60.1	65.6	1.4	0.0	67.5	
5	17	17A	64.1	66.0	32.4	64.1	0.0	0.0	66.0	58.1	65.1	1.0	0.0	67.0	58.6	65.2	1.1	0.0	67.1	63.4	66.8	2.7	0.0	68.7	63.3	66.7	2.6	0.0	68.6	59.9	65.5	1.4	0.0	67.4	
6	17	17A	64.0	65.9	32.5	64.0	0.0	0.0	65.9	58.1	65.0	1.0	0.0	66.9	58.6	65.1	1.1	0.0	67.0	63.4	66.7	2.7	0.0	68.6	63.3	66.7	2.7	0.0	68.5	59.6	65.3	1.3	0.0	67.2	
7	17	17A	63.9	65.8	32.5	63.9	0.0	0.0	65.8	58.1	64.9	1.0	0.0	66.8	58.6	65.0	1.1	0.0	66.9	63.4	66.7	2.8	0.0	68.6	63.3	66.6	2.7	0.0	68.5	59.6	65.3	1.4	0.0	67.2	
8	17	17A	63.7	65.6	32.6	63.7	0.0	0.0	65.6	58.1	64.8	1.1	0.0	66.7	58.6	64.9	1.2	0.0	66.8	63.4	66.6	2.9	0.0	68.5	63.3	66.5	2.8	0.0	68.4	59.6	65.1	1.4	0.0	67.0	
9	17	17A	63.5	65.4	32.7	63.5	0.0	0.0	65.4	58.1	64.6	1.1	0.0	66.5	58.6	64.7	1.2	0.0	66.6	63.4	66.5	3.0	0.0	68.4	63.2	66.4	2.9	0.0	68.3	59.6	65.0	1.5	0.0	66.9	
10	17	17A	63.3	65.2	32.8	63.3	0.0	0.0	65.2	58.1	64.4	1.1	0.0	66.3	58.6	64.6	1.3	0.0	66.5	63.4	66.4	3.1	YES	68.3	63.2	66.3	3.0	0.0	68.2	59.6	64.8	1.5	0.0	66.7	
Top	17	17A	63.1	65.0	33.0	63.1	0.0	0.0	65.0	58.1	64.3	1.2	0.0	66.2	58.6	64.4	1.3	0.0	66.3	63.4	66.3	3.2	YES	68.2	63.2	66.2	3.1	YES	68.1	59.6	64.7	1.6	0.0	66.6	
1	17	17B	60.3	62.2	31.0	60.3	0.0	0.0	62.2	41.9	60.4	0.1	0.0	62.3	42.3	60.4	0.1	0.0	62.3	58.9	62.7	2.4	0.0	64.6	59.1	62.8	2.4	0.0	64.7	61.6	64.0	3.7	0.0	65.9	
2	17	17B	60.3	62.2	30.9	60.3	0.0	0.0	62.2	41.7	60.4	0.1	0.0	62.3	42.1	60.4	0.1	0.0	62.3	58.7	62.6	2.3	0.0	64.5	58.7	62.6	2.3	0.0	64.5	61.1	63.7	3.4	0.0	65.6	
3	17	17B	60.3	62.2	30.9	60.3	0.0	0.0	62.2	41.6	60.4	0.1	0.0	62.3	41.9	60.4	0.1	0.0	62.3	58.1	62.4	2.0	0.0	64.3	58.0	62.3	2.0	0.0	64.2	60.5	63.4	3.1	0.0	65.3	
4	17	17B	60.5	62.4	30.8	60.5	0.0	0.0	62.4	41.6	60.6	0.1	0.0	62.5	42.0	60.6	0.1	0.0	62.5	57.5	62.3	1.8	0.0	64.2	57.4	62.2	1.7	0.0	64.1	59.9	63.2	2.7	0.0	65.1	
5	17	17B	60.5	62.4	30.8	60.5	0.0	0.0	62.4	41.8	60.6	0.1	0.0	62.5	42.2	60.6	0.1	0.0	62.5	57.0	62.1	1.6	0.0	64.0	56.9	62.1	1.6	0.0	64.0	59.3	63.0	2.5	0.0	64.9	
6	17	17B	60.5	62.4	30.7	60.5	0.0	0.0	62.4	42.4	60.6	0.1	0.0	62.5	42.8	60.6	0.1	0.0	62.5	57.0	62.1	1.6	0.0	64.0	56.9	62.1	1.6	0.0	64.0	59.2	62.9	2.4	0.0	64.8	
7	17	17B	60.4	62.3	30.7	60.4	0.0	0.0	62.3	43.2	60.5	0.1	0.0	62.4	43.6	60.5	0.1	0.0	62.4	57.1	62.1	1.7	0.0	64.0	57.0	62.0	1.6	0.0	63.9	59.2	62.9	2.5	0.0	64.8	
8	17	17B	60.3	62.2	30.6	60.3	0.0	0.0	62.2	44.3	60.4	0.1	0.0	62.3	44.7	60.4	0.1	0.0	62.3	57.1	62.0	1.7	0.0	63.9	57.0	62.0	1.7	0.0	63.9	59.2	62.8	2.5	0.0	64.7	
9	17	17B	60.3	62.2	29.4	60.3	0.0	0.0	62.2	45.6	60.5	0.1	0.0	62.4	46.0	60.5	0.2	0.0	62.4	57.2	62.0	1.7	0.0	63.9	57.1	62.0	1.7	0.0	63.9	59.2	62.8	2.5	0.0	64.7	
10	17	17B	60.3	62.2	28.1	60.3	0.0	0.0	62.2	47.4	60.5	0.2	0.0	62.4	47.9	60.5	0.2	0.0	62.4	57.3	62.1	1.8	0.0	64.0	57.2	62.0	1.7	0.0	63.9	59.2	62.8	2.5	0.0	64.7	
Top	17	17B	60.3	62.2	30.1	60.3	0.0	0.0	62.2	52.2	60.9	0.6	0.0	62.8	52.7	61.0	0.7	0.0	62.9	58.8	62.6	2.3	0.0	64.5	58.7	62.6	2.3	0.0	64.5	59.2	62.8	2.5	0.0	64.7	
1	17	17C	60.3	62.2	33.7	60.3	0.0	0.0	62.2	54.9	61.4	1.1	0.0	63.3	55.4	61.5	1.2	0.0	63.4	66.7	67.6	7.3	YES	69.5	66.7	67.6	7.3	YES	69.5	37.3	60.3	0.0	0.0	62.2	
2	17	17C	60.3	62.2	33.9	60.3	0.0	0.0	62.2	63.9	65.5	5.2	YES	67.4	64.4	65.8	5.5	YES	67.7	66.3	67.3	7.0	YES	69.2	66.3	67.3	7.0	YES	69.2	37.7	60.3	0.0	0.0	62.2	
3	17	17C	60.3	62.2	34.1	60.3	0.0	0.0	62.2	63.1	64.9	4.6	0.0	66.8	63.6	65.3	5.0	YES	67.2	65.8	66.9	6.6	YES	68.8	65.8	66.9	6.6	YES	68.8	37.8	60.3	0.0	0.0	62.2	

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total						
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total	
1	18	18D	60.3	62.2	33.1	60.3	0.0	0.0	62.2	41.8	60.4	0.1	0.0	62.3	42.1	60.4	0.1	0.0	62.3	45.0	60.4	0.1	0.0	62.3	44.5	60.4	0.1	0.0	62.3	38.9	60.3	0.0	0.0	62.2	
2	18	18D	60.3	62.2	33.1	60.3	0.0	0.0	62.2	41.4	60.4	0.1	0.0	62.3	41.6	60.4	0.1	0.0	62.3	44.6	60.4	0.1	0.0	62.3	44.0	60.4	0.1	0.0	62.3	38.9	60.3	0.0	0.0	62.2	
3	18	18D	60.3	62.2	33.0	60.3	0.0	0.0	62.2	40.9	60.4	0.0	0.0	62.3	41.2	60.4	0.1	0.0	62.3	44.2	60.4	0.1	0.0	62.3	43.5	60.4	0.1	0.0	62.3	38.9	60.3	0.0	0.0	62.2	
4	18	18D	60.3	62.2	33.0	60.3	0.0	0.0	62.2	40.5	60.4	0.0	0.0	62.3	40.7	60.4	0.0	0.0	62.3	43.8	60.4	0.1	0.0	62.3	43.1	60.4	0.1	0.0	62.3	39.1	60.3	0.0	0.0	62.2	
5	18	18D	60.3	62.2	33.0	60.3	0.0	0.0	62.2	40.2	60.3	0.0	0.0	62.2	40.3	60.3	0.0	0.0	62.2	43.7	60.4	0.1	0.0	62.3	43.0	60.4	0.1	0.0	62.3	39.5	60.3	0.0	0.0	62.2	
6	18	18D	60.3	62.2	33.0	60.3	0.0	0.0	62.2	40.2	60.3	0.0	0.0	62.2	40.4	60.4	0.0	0.0	62.3	43.8	60.4	0.1	0.0	62.3	43.1	60.4	0.1	0.0	62.3	40.0	60.3	0.0	0.0	62.2	
7	18	18D	60.3	62.2	33.0	60.3	0.0	0.0	62.2	40.6	60.4	0.0	0.0	62.3	40.8	60.4	0.0	0.0	62.3	44.2	60.4	0.1	0.0	62.3	43.5	60.4	0.1	0.0	62.3	41.1	60.4	0.1	0.0	62.3	
8	18	18D	60.3	62.2	32.9	60.3	0.0	0.0	62.2	41.2	60.4	0.1	0.0	62.3	41.4	60.4	0.1	0.0	62.3	44.8	60.4	0.1	0.0	62.3	44.0	60.4	0.1	0.0	62.3	41.8	60.4	0.1	0.0	62.3	
9	18	18D	60.3	62.2	33.0	60.3	0.0	0.0	62.2	42.3	60.4	0.1	0.0	62.3	42.6	60.4	0.1	0.0	62.3	45.8	60.5	0.2	0.0	62.4	45.1	60.4	0.1	0.0	62.3	44.3	60.4	0.1	0.0	62.3	
10	18	18D	60.3	62.2	32.2	60.3	0.0	0.0	62.2	44.4	60.4	0.1	0.0	62.3	44.8	60.4	0.1	0.0	62.3	46.4	60.5	0.2	0.0	62.4	45.7	60.5	0.1	0.0	62.4	39.9	60.3	0.0	0.0	62.2	
Top	18	18D	60.3	62.2	29.0	60.3	0.0	0.0	62.2	50.9	60.8	0.5	0.0	62.7	51.4	60.8	0.5	0.0	62.7	51.8	60.9	0.6	0.0	62.8	51.7	60.9	0.6	0.0	62.8	42.6	60.4	0.1	0.0	62.3	
1	19	19A	64.2	66.1	28.5	64.2	0.0	0.0	66.1	50.4	64.4	0.2	0.0	66.3	50.9	64.4	0.2	0.0	66.3	65.6	68.0	3.8	YES	69.9	65.3	67.8	3.6	YES	69.7	64.4	67.3	3.1	YES	69.2	
2	19	19A	64.6	66.5	29.8	64.6	0.0	0.0	66.5	50.4	64.8	0.2	0.0	66.7	50.9	64.8	0.2	0.0	66.7	64.8	67.7	3.1	YES	69.6	64.6	67.6	3.0	YES	69.5	63.8	67.2	2.6	0.0	69.1	
3	19	19A	64.7	66.6	29.7	64.7	0.0	0.0	66.6	50.4	64.9	0.2	0.0	66.8	50.9	64.9	0.2	0.0	66.8	64.0	67.4	2.7	0.0	69.3	63.8	67.3	2.6	0.0	69.2	63.4	67.1	2.4	0.0	69.0	
4	19	19A	64.7	66.6	29.7	64.7	0.0	0.0	66.6	51.5	64.9	0.2	0.0	66.8	51.9	64.9	0.2	0.0	66.8	63.6	67.2	2.5	0.0	69.1	63.3	67.1	2.4	0.0	69.0	63.1	67.0	2.3	0.0	68.9	
5	19	19A	64.7	66.6	29.7	64.7	0.0	0.0	66.6	55.1	65.2	0.5	0.0	67.1	55.6	65.2	0.5	0.0	67.1	63.7	67.2	2.5	0.0	69.1	63.3	67.1	2.4	0.0	69.0	63.0	66.9	2.2	0.0	68.8	
6	19	19A	64.6	66.5	29.7	64.6	0.0	0.0	66.5	55.1	65.1	0.5	0.0	67.0	55.6	65.1	0.5	0.0	67.0	64.1	67.4	2.8	0.0	69.3	63.8	67.2	2.6	0.0	69.1	63.0	66.9	2.3	0.0	68.8	
7	19	19A	64.5	66.4	29.6	64.5	0.0	0.0	66.4	55.1	65.0	0.5	0.0	66.9	55.6	65.0	0.5	0.0	66.9	64.2	67.4	2.9	0.0	69.3	63.9	67.2	2.7	0.0	69.1	63.1	66.9	2.4	0.0	68.8	
8	19	19A	64.4	66.3	29.6	64.4	0.0	0.0	66.3	55.1	64.9	0.5	0.0	66.8	55.6	64.9	0.5	0.0	66.8	64.2	67.3	2.9	0.0	69.2	63.9	67.2	2.8	0.0	69.1	63.2	66.9	2.5	0.0	68.8	
9	19	19A	64.3	66.2	29.6	64.3	0.0	0.0	66.2	55.1	64.8	0.5	0.0	66.7	55.6	64.8	0.5	0.0	66.7	64.2	67.3	3.0	0.0	69.2	63.9	67.1	2.8	0.0	69.0	63.4	66.9	2.6	0.0	68.8	
10	19	19A	64.1	66.0	29.7	64.1	0.0	0.0	66.0	55.1	64.6	0.5	0.0	66.5	55.6	64.7	0.6	0.0	66.6	64.2	67.2	3.1	YES	69.1	63.9	67.0	2.9	0.0	68.9	63.3	66.7	2.6	0.0	68.6	
11	19	19A	63.9	65.8	29.7	63.9	0.0	0.0	65.8	55.1	64.4	0.5	0.0	66.3	55.6	64.5	0.6	0.0	66.4	64.2	67.1	3.2	YES	69.0	63.9	66.9	3.0	YES	68.8	63.3	66.6	2.7	0.0	68.5	
12	19	19A	63.7	65.6	30.0	63.7	0.0	0.0	65.6	55.1	64.3	0.6	0.0	66.2	55.6	64.3	0.6	0.0	66.2	64.2	67.0	3.3	YES	68.9	63.9	66.8	3.1	YES	68.7	63.3	66.5	2.8	0.0	68.4	
13	19	19A	63.5	65.4	30.0	63.5	0.0	0.0	65.4	55.1	64.1	0.6	0.0	66.0	55.6	64.2	0.7	0.0	66.1	64.2	66.9	3.4	YES	68.8	63.9	66.7	3.2	YES	68.6	63.3	66.4	2.9	0.0	68.3	
14	19	19A	63.3	65.2	31.1	63.3	0.0	0.0	65.2	55.1	63.9	0.6	0.0	65.8	55.6	64.0	0.7	0.0	65.9	64.2	66.8	3.5	YES	68.7	63.9	66.6	3.3	YES	68.5	63.3	66.3	3.0	YES	68.2	
Top	19	19A	63.1	65.0	33.1	63.1	0.0	0.0	65.0	55.1	63.7	0.6	0.0	65.6	55.6	63.8	0.7	0.0	65.7	64.2	66.7	3.6	YES	68.6	63.9	66.5	3.4	YES	68.4	63.3	66.2	3.1	YES	68.1	
1	19	19B	62.2	64.1	26.4	62.2	0.0	0.0	64.1	32.1	62.2	0.0	0.0	64.1	32.3	62.2	0.0	0.0	64.1	62.2	65.2	3.0	YES	67.1	61.9	65.1	2.9	0.0	67.0	64.8	66.7	4.5	YES	68.6	
2	19	19B	62.9	64.8	28.2	62.9	0.0	0.0	64.8	49.7	63.1	0.2	0.0	65.0	50.2	63.1	0.2	0.0	65.0	62.0	65.5	2.6	0.0	67.4	61.5	65.3	2.4	0.0	67.2	64.0	66.5	3.6	YES	68.4	
3	19	19B	63.1	65.0	28.1	63.1	0.0	0.0	65.0	49.8	63.3	0.2	0.0	65.2	50.3	63.3	0.2	0.0	65.2	61.2	65.3	2.2	0.0	67.2	60.7	65.1	2.0	0.0	67.0	63.2	66.2	3.1	YES	68.1	
4	19	19B	63.2	65.1	28.0	63.2	0.0	0.0	65.1	53.2	63.6	0.4	0.0	65.5	53.7	63.7	0.5	0.0	65.6	61.0	65.2	2.0	0.0	67.1	60.5	65.1	1.9	0.0	67.0	62.6	65.9	2.7	0.0	67.8	
5	19	19B	63.2	65.1	27.9	63.2	0.0	0.0	65.1	52.7	63.6	0.4	0.0	65.5	53.2	63.6	0.4	0.0	65.5	61.3	65.4	2.2	0.0	67.3	60.8	65.2	2.0	0.0	67.1	62.6	65.9	2.7	0.0	67.8	
6	19	19B	63.2	65.1	27.8	63.2	0.0	0.0	65.1	52.2	63.5	0.3	0.0	65.4	52.7	63.6	0.4	0.0	65.5	61.3	65.4	2.2	0.0	67.3	60.8	65.2	2.0	0.0	67.1	62.6	65.9	2.7	0.0	67.8	
7	19	19B	63.1	65.0	27.7	63.1	0.0	0.0	65.0	52.0	63.4	0.3	0.0	65.3	52.6	63.5	0.4	0.0	65.4	61.3	65.3	2.2	0.0	67.2	60.8	65.1	2.0	0.0	67.0	62.7	65.9	2.8	0.0	67.8	
8	19	19B	63.0	64.9	27.6	63.0	0.0	0.0	64.9	52.0	63.3	0.3	0.0	65.2	52.5	63.4	0.4	0.0	65.3	61.3	65.2	2.2	0.0	67.1	60.8	65.0	2.0	0.0	66.9	63.0	66.0	3.0	YES	67.9	
9	19	19B	62.9	64.8	27.6	62.9	0.0	0.0	64.8	52.0	63.2	0.3	0.0	65.1	52.5	63.3	0.4	0.0	65.2	61.3	65.2	2.3	0.0	67.1	60.8	65.0	2.1	0.0	66.9	63.0	66.0	3.1	YES	67.9	
10	19	19B	62.7	64.6	27.5	62.7	0.0	0.0	64.6	52.0	63.1	0.4	0.0	65.0	52.5	63.1	0.4	0.0	65.0	61.3	65.1	2.4	0.0	67.0	60.8	64.9	2.2	0.0	66.8	63.0	65.9	3.2	YES	67.8	
11	19	19B	62.5	64.4	27.5	62.5	0.0	0.0	64.4	52.0	62.9	0.4	0.0	64.8	52.5	62.9	0.4	0.0	64.8	61.3	65.0	2.5	0.0	66.9	60.8	64.7	2.2	0.0	66.6	63.0	65.8	3.3	YES	67.7	
12	19	19B	62.4	64.3	27.5	62.4	0.0	0.0	64.3	52.0	62.8	0.4	0.0	64.7	52.5	62.8	0.4	0.0	64.7	61.3	64.9	2.5	0.0	66.8	60.8	64.7	2.3	0.0	66.6	63.0	65.7	3.3	YES	67.6	
13	19	19B	62.2	64.1	27.5	62.2	0.0	0.0	64.1	52.0	62.6	0.4	0.0	64.5	52.5	62.6	0.4	0.0	64.5	61.3	64.8	2.6	0.0	66.7	60.8	64.6	2.4	0.0	66.5	63.0	65.6	3.4			

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change		
10	20	20B	62.7	64.6	26.8	62.7	0.0	0.0	64.6	50.2	62.9	0.2	0.0	64.8	50.7	63.0	0.3	0.0	64.9	66.9	68.3	5.6	YES	70.2	66.5	68.0	5.3	YES	69.9	65.2	67.1	4.4	YES	69.0
11	20	20B	62.5	64.4	26.7	62.5	0.0	0.0	64.4	50.2	62.7	0.2	0.0	64.6	50.7	62.8	0.3	0.0	64.7	66.9	68.2	5.7	YES	70.1	66.5	68.0	5.5	YES	69.9	65.2	67.1	4.6	YES	69.0
12	20	20B	62.4	64.3	26.7	62.4	0.0	0.0	64.3	50.2	62.7	0.3	0.0	64.6	50.7	62.7	0.3	0.0	64.6	66.9	68.2	5.8	YES	70.1	66.5	67.9	5.5	YES	69.8	65.2	67.0	4.6	YES	68.9
13	20	20B	62.2	64.1	26.7	62.2	0.0	0.0	64.1	50.2	62.5	0.3	0.0	64.4	50.7	62.5	0.3	0.0	64.4	66.9	68.2	6.0	YES	70.1	66.5	67.9	5.7	YES	69.8	65.2	67.0	4.8	YES	68.9
14	20	20B	62.0	63.9	25.6	62.0	0.0	0.0	63.9	50.2	62.3	0.3	0.0	64.2	50.7	62.3	0.3	0.0	64.2	66.8	68.0	6.0	YES	69.9	66.4	67.7	5.7	YES	69.6	65.2	66.9	4.9	YES	68.8
Top	20	20B	61.9	63.8	31.2	61.9	0.0	0.0	63.8	52.5	62.4	0.5	0.0	64.3	53.0	62.4	0.5	0.0	64.3	66.9	68.1	6.2	YES	70.0	66.5	67.8	5.9	YES	69.7	65.3	66.9	5.0	YES	68.8
1	20	20C	60.3	62.2	27.1	60.3	0.0	0.0	62.2	32.5	60.3	0.0	0.0	62.2	32.7	60.3	0.0	0.0	62.2	49.3	60.6	0.3	0.0	62.5	48.5	60.6	0.3	0.0	62.5	47.4	60.5	0.2	0.0	62.4
2	20	20C	60.3	62.2	28.3	60.3	0.0	0.0	62.2	38.5	60.3	0.0	0.0	62.2	39.0	60.3	0.0	0.0	62.2	48.6	60.6	0.3	0.0	62.5	47.9	60.5	0.2	0.0	62.4	46.5	60.5	0.2	0.0	62.4
3	20	20C	60.3	62.2	28.3	60.3	0.0	0.0	62.2	38.2	60.3	0.0	0.0	62.2	38.6	60.3	0.0	0.0	62.2	48.4	60.6	0.3	0.0	62.5	47.6	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
4	20	20C	60.3	62.2	28.3	60.3	0.0	0.0	62.2	37.9	60.3	0.0	0.0	62.2	38.3	60.3	0.0	0.0	62.2	48.4	60.6	0.3	0.0	62.5	47.6	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
5	20	20C	60.3	62.2	28.3	60.3	0.0	0.0	62.2	37.6	60.3	0.0	0.0	62.2	38.0	60.3	0.0	0.0	62.2	48.3	60.6	0.3	0.0	62.5	47.5	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
6	20	20C	60.3	62.2	28.4	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	37.7	60.3	0.0	0.0	62.2	48.3	60.6	0.3	0.0	62.5	47.5	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
7	20	20C	60.3	62.2	28.4	60.3	0.0	0.0	62.2	37.0	60.3	0.0	0.0	62.2	37.4	60.3	0.0	0.0	62.2	48.3	60.6	0.3	0.0	62.5	47.4	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
8	20	20C	60.3	62.2	28.5	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	48.3	60.6	0.3	0.0	62.5	47.4	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
9	20	20C	60.3	62.2	28.5	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	48.3	60.6	0.3	0.0	62.5	47.4	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
10	20	20C	60.3	62.2	28.6	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	48.2	60.6	0.3	0.0	62.5	47.4	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
11	20	20C	60.3	62.2	28.6	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	48.2	60.6	0.3	0.0	62.5	47.4	60.5	0.2	0.0	62.4	45.8	60.5	0.2	0.0	62.4
12	20	20C	60.3	62.2	28.7	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	48.2	60.6	0.3	0.0	62.5	47.5	60.5	0.2	0.0	62.4	46.0	60.5	0.2	0.0	62.4
13	20	20C	60.3	62.2	28.8	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.2	60.3	0.0	0.0	62.2	48.4	60.6	0.3	0.0	62.5	47.7	60.5	0.2	0.0	62.4	46.5	60.5	0.2	0.0	62.4
14	20	20C	60.3	62.2	28.4	60.3	0.0	0.0	62.2	36.9	60.3	0.0	0.0	62.2	37.3	60.3	0.0	0.0	62.2	48.7	60.6	0.3	0.0	62.5	48.1	60.6	0.3	0.0	62.5	47.2	60.5	0.2	0.0	62.4
Top	20	20C	60.3	62.2	31.6	60.3	0.0	0.0	62.2	48.6	60.6	0.3	0.0	62.5	49.1	60.6	0.3	0.0	62.5	53.8	61.2	0.9	0.0	63.1	53.5	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8
1	21	21A	64.1	66.0	29.3	64.1	0.0	0.0	66.0	48.1	64.2	0.1	0.0	66.1	48.5	64.2	0.1	0.0	66.1	70.8	71.6	7.5	YES	73.5	70.2	71.2	7.1	YES	73.1	68.8	70.1	6.0	YES	72.0
2	21	21A	64.5	66.4	30.1	64.5	0.0	0.0	66.4	48.1	64.6	0.1	0.0	66.5	48.5	64.6	0.1	0.0	66.5	69.4	70.6	6.1	YES	72.5	68.7	70.1	5.6	YES	72.0	67.8	69.5	5.0	YES	71.4
3	21	21A	64.7	66.6	30.2	64.7	0.0	0.0	66.6	48.1	64.8	0.1	0.0	66.7	48.5	64.8	0.1	0.0	66.7	69.3	70.6	5.9	YES	72.5	68.7	70.2	5.5	YES	72.1	67.9	69.6	4.9	YES	71.5
4	21	21A	64.8	66.7	30.4	64.8	0.0	0.0	66.7	48.1	64.9	0.1	0.0	66.8	48.6	64.9	0.1	0.0	66.8	69.3	70.6	5.8	YES	72.5	68.7	70.2	5.4	YES	72.1	68.0	69.7	4.9	YES	71.6
5	21	21A	64.8	66.7	30.4	64.8	0.0	0.0	66.7	49.6	64.9	0.1	0.0	66.8	49.9	64.9	0.1	0.0	66.8	69.3	70.6	5.8	YES	72.5	68.6	70.1	5.3	YES	72.0	68.0	69.7	4.9	YES	71.6
6	21	21A	64.7	66.6	30.6	64.7	0.0	0.0	66.6	52.8	65.0	0.3	0.0	66.9	53.3	65.0	0.3	0.0	66.9	69.3	70.6	5.9	YES	72.5	68.6	70.1	5.4	YES	72.0	68.0	69.7	5.0	YES	71.6
7	21	21A	64.6	66.5	30.7	64.6	0.0	0.0	66.5	52.8	64.9	0.3	0.0	66.8	53.3	64.9	0.3	0.0	66.8	69.3	70.6	6.0	YES	72.5	68.6	70.1	5.5	YES	72.0	68.0	69.6	5.0	YES	71.5
8	21	21A	64.5	66.4	30.8	64.5	0.0	0.0	66.4	52.8	64.8	0.3	0.0	66.7	53.3	64.8	0.3	0.0	66.7	69.3	70.5	6.0	YES	72.4	68.7	70.1	5.6	YES	72.0	67.9	69.5	5.0	YES	71.4
9	21	21A	64.3	66.2	31.0	64.3	0.0	0.0	66.2	52.8	64.6	0.3	0.0	66.5	53.3	64.6	0.3	0.0	66.5	69.3	70.5	6.2	YES	72.4	68.7	70.0	5.7	YES	71.9	67.9	69.5	5.2	YES	71.4
10	21	21A	64.1	66.0	31.1	64.1	0.0	0.0	66.0	52.8	64.4	0.3	0.0	66.3	53.3	64.4	0.3	0.0	66.3	69.3	70.4	6.3	YES	72.3	68.7	70.0	5.9	YES	71.9	67.9	69.4	5.3	YES	71.3
11	21	21A	63.9	65.8	31.3	63.9	0.0	0.0	65.8	52.8	64.2	0.3	0.0	66.1	53.3	64.3	0.4	0.0	66.2	69.3	70.4	6.5	YES	72.3	68.6	69.9	6.0	YES	71.8	67.9	69.4	5.5	YES	71.3
12	21	21A	63.8	65.7	31.4	63.8	0.0	0.0	65.7	52.8	64.1	0.3	0.0	66.0	53.3	64.2	0.4	0.0	66.1	69.2	70.3	6.5	YES	72.2	68.6	69.8	6.0	YES	71.7	67.9	69.3	5.5	YES	71.2
13	21	21A	63.6	65.5	31.4	63.6	0.0	0.0	65.5	52.8	63.9	0.3	0.0	65.8	53.3	64.0	0.4	0.0	65.9	69.2	70.3	6.7	YES	72.2	68.6	69.8	6.2	YES	71.7	67.9	69.3	5.7	YES	71.2
14	21	21A	63.4	65.3	32.3	63.4	0.0	0.0	65.3	52.8	63.8	0.4	0.0	65.7	53.3	63.8	0.4	0.0	65.7	69.2	70.2	6.8	YES	72.1	68.6	69.7	6.3	YES	71.6	67.9	69.2	5.8	YES	71.1
Top	21	21A	63.2	65.1	33.4	63.2	0.0	0.0	65.1	52.9	63.6	0.4	0.0	65.5	53.3	63.6	0.4	0.0	65.5	69.1	70.1	6.9	YES	72.0	68.5	69.6	6.4	YES	71.5	67.8	69.1	5.9	YES	71.0
1	21	21B	62.3	64.2	29.9	62.3	0.0	0.0	64.2	32.3	62.3	0.0	0.0	64.2	32.3	62.3	0.0	0.0	64.2	72.1	72.5	10.2	YES	74.4	71.5	72.0	9.7	YES	73.9	69.7	70.4	8.1	YES	72.3
2	21	21B	62.9	64.8	30.4	62.9	0.0	0.0	64.8	47.4	63.0	0.1	0.0	64.9	47.9	63.0	0.1	0.0	64.9	71.0	71.6	8.7	YES	73.5	70.2	70.9	8.0	YES	72.8	68.6	69.6	6.7	YES	71.5
3	21	21B	63.2	65.1	30.6	63.2	0.0	0.0	65.1	47.6	63.3	0.1	0.0	65.2	48.1	63.3	0.1	0.0	65.2	71.0	71.7	8.5	YES	73.6	70.2	71.0	7.8	YES	72.9	68.8	69.9	6.7	YES	71.8
4	21	21B	63.2	65.1	30.8	63.2	0.0	0.0	65.1	50.3	63.4																							

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	L10 Total				
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change				Const	Total	Change	Const
4	25	25A	62.1	64.0	29.8	62.1	0.0	0.0	64.0	45.0	62.2	0.1	0.0	64.1	45.5	62.2	0.1	0.0	64.1	66.5	67.8	5.7	YES	69.7	70.4	71.0	8.9	YES	72.9	71.2	71.7	9.6	YES	73.6
5	25	25A	62.3	64.2	30.2	62.3	0.0	0.0	64.2	45.5	62.4	0.1	0.0	64.3	46.0	62.4	0.1	0.0	64.3	68.2	69.2	6.9	YES	71.1	70.4	71.0	8.7	YES	72.9	71.2	71.7	9.4	YES	73.6
6	25	25A	62.4	64.3	30.5	62.4	0.0	0.0	64.3	48.2	62.6	0.2	0.0	64.5	48.7	62.6	0.2	0.0	64.5	68.2	69.2	6.8	YES	71.1	70.4	71.0	8.6	YES	72.9	71.2	71.7	9.3	YES	73.6
7	25	25A	62.5	64.4	30.9	62.5	0.0	0.0	64.4	49.6	62.7	0.2	0.0	64.6	50.1	62.7	0.2	0.0	64.6	68.5	69.5	7.0	YES	71.4	70.3	71.0	8.5	YES	72.9	73.4	73.7	11.2	YES	75.6
8	25	25A	62.5	64.4	31.2	62.5	0.0	0.0	64.4	49.6	62.7	0.2	0.0	64.6	50.1	62.7	0.2	0.0	64.6	68.5	69.5	7.0	YES	71.4	70.3	71.0	8.5	YES	72.9	73.4	73.7	11.2	YES	75.6
9	25	25A	62.5	64.4	31.5	62.5	0.0	0.0	64.4	49.6	62.7	0.2	0.0	64.6	50.1	62.7	0.2	0.0	64.6	68.5	69.5	7.0	YES	71.4	70.3	71.0	8.5	YES	72.9	73.3	73.6	11.1	YES	75.5
10	25	25A	62.5	64.4	31.8	62.5	0.0	0.0	64.4	49.6	62.7	0.2	0.0	64.6	50.1	62.7	0.2	0.0	64.6	68.5	69.5	7.0	YES	71.4	70.3	71.0	8.5	YES	72.9	73.3	73.6	11.1	YES	75.5
11	25	25A	62.3	64.2	32.1	62.3	0.0	0.0	64.2	49.6	62.5	0.2	0.0	64.4	50.1	62.6	0.3	0.0	64.5	68.5	69.4	7.1	YES	71.3	70.3	70.9	8.6	YES	72.8	73.2	73.5	11.2	YES	75.4
12	25	25A	62.1	64.0	32.4	62.1	0.0	0.0	64.0	49.6	62.3	0.2	0.0	64.2	50.1	62.4	0.3	0.0	64.3	68.4	69.3	7.2	YES	71.2	70.2	70.8	8.7	YES	72.7	73.1	73.4	11.3	YES	75.3
13	25	25A	61.9	63.8	32.7	61.9	0.0	0.0	63.8	49.6	62.1	0.2	0.0	64.0	50.1	62.2	0.3	0.0	64.1	68.4	69.3	7.4	YES	71.2	70.2	70.8	8.9	YES	72.7	73.1	73.4	11.5	YES	75.3
14	25	25A	61.8	63.7	33.3	61.8	0.0	0.0	63.7	49.7	62.1	0.3	0.0	64.0	50.3	62.1	0.3	0.0	64.0	68.3	69.2	7.4	YES	71.1	70.1	70.7	8.9	YES	72.6	73.0	73.3	11.5	YES	75.2
15	25	25A	61.7	63.6	33.6	61.7	0.0	0.0	63.6	49.7	62.0	0.3	0.0	63.9	50.3	62.0	0.3	0.0	63.9	68.3	69.2	7.5	YES	71.1	70.1	70.7	9.0	YES	72.6	72.9	73.2	11.5	YES	75.1
16	25	25A	61.5	63.4	33.8	61.5	0.0	0.0	63.4	49.8	61.8	0.3	0.0	63.7	50.3	61.8	0.3	0.0	63.7	68.2	69.0	7.5	YES	70.9	70.0	70.6	9.1	YES	72.5	72.8	73.1	11.6	YES	75.0
17	25	25A	61.4	63.3	34.0	61.4	0.0	0.0	63.3	49.8	61.7	0.3	0.0	63.6	50.3	61.7	0.3	0.0	63.6	68.2	69.0	7.6	YES	70.9	70.0	70.6	9.2	YES	72.5	72.7	73.0	11.6	YES	74.9
18	25	25A	61.2	63.1	34.2	61.2	0.0	0.0	63.1	49.8	61.5	0.3	0.0	63.4	50.3	61.5	0.3	0.0	63.4	68.1	68.9	7.7	YES	70.8	69.9	70.4	9.2	YES	72.3	72.6	72.9	11.7	YES	74.8
19	25	25A	61.1	63.0	34.3	61.1	0.0	0.0	63.0	49.8	61.4	0.3	0.0	63.3	50.3	61.4	0.3	0.0	63.3	68.1	68.9	7.8	YES	70.8	69.8	70.3	9.2	YES	72.2	72.4	72.7	11.6	YES	74.6
20	25	25A	60.9	62.8	34.4	60.9	0.0	0.0	62.8	49.8	61.2	0.3	0.0	63.1	50.3	61.3	0.4	0.0	63.2	68.0	68.8	7.9	YES	70.7	69.8	70.3	9.4	YES	72.2	72.3	72.6	11.7	YES	74.5
21	25	25A	60.8	62.7	34.6	60.8	0.0	0.0	62.7	49.8	61.1	0.3	0.0	63.0	50.3	61.2	0.4	0.0	63.1	67.9	68.7	7.9	YES	70.6	69.7	70.2	9.4	YES	72.1	72.2	72.5	11.7	YES	74.4
22	25	25A	60.7	62.6	34.7	60.7	0.0	0.0	62.6	49.8	61.0	0.3	0.0	62.9	50.3	61.1	0.4	0.0	63.0	67.9	68.7	8.0	YES	70.6	69.6	70.1	9.4	YES	72.0	72.1	72.4	11.7	YES	74.3
23	25	25A	60.6	62.5	34.8	60.6	0.0	0.0	62.5	49.8	60.9	0.3	0.0	62.8	50.3	61.0	0.4	0.0	62.9	67.8	68.6	8.0	YES	70.5	69.6	70.1	9.5	YES	72.0	72.0	72.3	11.7	YES	74.2
24	25	25A	60.4	62.3	34.8	60.4	0.0	0.0	62.3	49.8	60.8	0.4	0.0	62.7	50.4	60.8	0.4	0.0	62.7	67.8	68.5	8.1	YES	70.4	69.5	70.0	9.6	YES	71.9	71.8	72.1	11.7	YES	74.0
25	25	25A	60.3	62.2	34.9	60.3	0.0	0.0	62.2	49.8	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.7	68.4	8.1	YES	70.3	69.4	69.9	9.6	YES	71.8	71.7	72.0	11.7	YES	73.9
26	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.8	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.6	68.3	8.0	YES	70.2	69.3	69.8	9.5	YES	71.7	71.6	71.9	11.6	YES	73.8
27	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.8	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.5	68.3	8.0	YES	70.2	69.2	69.7	9.4	YES	71.6	71.5	71.8	11.5	YES	73.7
28	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.8	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.5	68.3	8.0	YES	70.2	69.2	69.7	9.4	YES	71.6	71.3	71.6	11.3	YES	73.5
29	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.4	68.2	7.9	YES	70.1	69.1	69.6	9.3	YES	71.5	71.2	71.5	11.2	YES	73.4
30	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.3	68.1	7.8	YES	70.0	69.0	69.6	9.2	YES	71.5	71.0	71.4	11.0	YES	73.3
31	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.2	68.0	7.7	YES	69.9	68.9	69.5	9.2	YES	71.4	70.9	71.3	11.0	YES	73.2
32	25	25A	60.3	62.2	35.1	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.2	68.0	7.7	YES	69.9	68.8	69.4	9.1	YES	71.3	70.8	71.2	10.9	YES	73.1
33	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.1	67.9	7.6	YES	69.8	68.7	69.3	9.0	YES	71.2	70.6	71.0	10.7	YES	72.9
34	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	67.0	67.8	7.5	YES	69.7	68.6	69.2	8.9	YES	71.1	70.5	70.9	10.6	YES	72.8
35	25	25A	60.3	62.2	35.0	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	66.9	67.8	7.5	YES	69.7	68.5	69.1	8.8	YES	71.0	70.4	70.8	10.5	YES	72.7
36	25	25A	60.3	62.2	35.1	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	66.8	67.7	7.4	YES	69.6	68.4	69.0	8.7	YES	70.9	70.2	70.6	10.3	YES	72.5
37	25	25A	60.3	62.2	35.1	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.4	60.7	0.4	0.0	62.6	66.8	67.7	7.4	YES	69.6	68.4	69.0	8.7	YES	70.9	70.1	70.5	10.2	YES	72.4
Top	25	25A	60.3	62.2	35.1	60.3	0.0	0.0	62.2	49.9	60.7	0.4	0.0	62.6	50.5	60.7	0.4	0.0	62.6	66.7	67.6	7.3	YES	69.5	68.3	68.9	8.6	YES	70.8	70.0	70.4	10.1	YES	72.3
1	25	25B	60.3	62.2	26.7	60.3	0.0	0.0	62.2	30.2	60.3	0.0	0.0	62.2	30.3	60.3	0.0	0.0	62.2	66.2	67.2	6.9	YES	69.1	62.4	64.5	4.2	0.0	66.4	66.5	67.4	7.1	YES	69.3
2	25	25B	60.7	62.6	27.3	60.7	0.0	0.0	62.6	30.4	60.7	0.0	0.0	62.6	30.5	60.7	0.0	0.0	62.6	64.7	66.2	5.5	YES	68.1	68.0	68.7	8.0	YES	70.6	67.9	68.7	8.0	YES	70.6
3	25	25B	61.8	63.7	26.8	61.8	0.0	0.0	63.7	30.3	61.8	0.0	0.0	63.7	30.4	61.8	0.0	0.0	63.7	64.6	66.4	4.6	YES	68.3	68.0	68.9	7.1	YES	70.8	68.4	69.3	7.5	YES	71.2
4	25	25B	62.3	64.2	27.1	62.3	0.0	0.0	64.2	30.4	62.3	0.0	0.0	64.2	30.5	62.3	0.0	0.0	64.2	64.7	66.7	4.4	YES	68.6	68.0	69.0	6.7	YES	70.9	68.4	69.4	7.1	YES	71.3
5	25	25B	62.5	64.4	27.5	62.5	0.0	0.0	64.4	32.3	62.5	0.0																						

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1 L10					
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?		L10				
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change				Const	Total	Change	
8	25	25C	60.3	62.2	25.9	60.3	0.0	0.0	62.2	44.8	60.4	0.1	0.0	62.3	45.3	60.4	0.1	0.0	62.3	56.0	61.7	1.4	0.0	63.6	54.9	61.4	1.1	0.0	63.3	68.4	69.0	8.7	YES	70.9
9	25	25C	60.3	62.2	24.8	60.3	0.0	0.0	62.2	46.4	60.5	0.2	0.0	62.4	47.0	60.5	0.2	0.0	62.4	56.2	61.7	1.4	0.0	63.6	56.3	61.8	1.5	0.0	63.7	68.1	68.8	8.5	YES	70.7
10	25	25C	60.3	62.2	23.9	60.3	0.0	0.0	62.2	49.4	60.6	0.3	0.0	62.5	49.9	60.7	0.4	0.0	62.6	53.0	61.0	0.7	0.0	62.9	57.8	62.2	1.9	0.0	64.1	46.4	60.5	0.2	0.0	62.4
11	25	25C	60.3	62.2	23.7	60.3	0.0	0.0	62.2	49.4	60.6	0.3	0.0	62.5	49.9	60.7	0.4	0.0	62.6	53.0	61.0	0.7	0.0	62.9	51.6	60.9	0.5	0.0	62.8	46.3	60.5	0.2	0.0	62.4
12	25	25C	60.3	62.2	23.8	60.3	0.0	0.0	62.2	49.4	60.6	0.3	0.0	62.5	50.0	60.7	0.4	0.0	62.6	53.0	61.0	0.7	0.0	62.9	51.6	60.9	0.5	0.0	62.8	46.3	60.5	0.2	0.0	62.4
13	25	25C	60.3	62.2	23.8	60.3	0.0	0.0	62.2	49.4	60.6	0.3	0.0	62.5	50.0	60.7	0.4	0.0	62.6	53.0	61.0	0.7	0.0	62.9	51.6	60.9	0.5	0.0	62.8	46.3	60.5	0.2	0.0	62.4
14	25	25C	60.3	62.2	26.2	60.3	0.0	0.0	62.2	49.5	60.7	0.3	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.2	60.5	0.2	0.0	62.4
15	25	25C	60.3	62.2	26.6	60.3	0.0	0.0	62.2	49.5	60.7	0.3	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.2	60.5	0.2	0.0	62.4
16	25	25C	60.3	62.2	26.7	60.3	0.0	0.0	62.2	49.5	60.7	0.3	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.1	60.5	0.2	0.0	62.4
17	25	25C	60.3	62.2	26.8	60.3	0.0	0.0	62.2	49.5	60.7	0.3	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.1	60.5	0.2	0.0	62.4
18	25	25C	60.3	62.2	26.9	60.3	0.0	0.0	62.2	49.5	60.7	0.3	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.1	60.5	0.2	0.0	62.4
19	25	25C	60.3	62.2	26.9	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.0	60.5	0.2	0.0	62.4
20	25	25C	60.3	62.2	27.0	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	46.0	60.5	0.2	0.0	62.4
21	25	25C	60.3	62.2	27.1	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	45.9	60.5	0.2	0.0	62.4
22	25	25C	60.3	62.2	27.2	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	45.9	60.5	0.2	0.0	62.4
23	25	25C	60.3	62.2	27.3	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	45.8	60.5	0.2	0.0	62.4
24	25	25C	60.3	62.2	27.3	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.9	60.9	0.6	0.0	62.8	45.7	60.5	0.1	0.0	62.4
25	25	25C	60.3	62.2	27.4	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.7	60.5	0.1	0.0	62.4
26	25	25C	60.3	62.2	27.5	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.2	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.6	60.5	0.1	0.0	62.4
27	25	25C	60.3	62.2	27.6	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.1	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.6	60.5	0.1	0.0	62.4
28	25	25C	60.3	62.2	27.7	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.5	60.4	0.1	0.0	62.3
29	25	25C	60.3	62.2	27.8	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.4	60.4	0.1	0.0	62.3
30	25	25C	60.3	62.2	27.9	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.4	60.4	0.1	0.0	62.3
31	25	25C	60.3	62.2	28.0	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.3	60.4	0.1	0.0	62.3
32	25	25C	60.3	62.2	28.1	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.8	60.9	0.6	0.0	62.8	45.2	60.4	0.1	0.0	62.3
33	25	25C	60.3	62.2	28.2	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.7	60.9	0.6	0.0	62.8	45.2	60.4	0.1	0.0	62.3
34	25	25C	60.3	62.2	28.3	60.3	0.0	0.0	62.2	49.6	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.7	60.9	0.6	0.0	62.8	45.1	60.4	0.1	0.0	62.3
35	25	25C	60.3	62.2	28.4	60.3	0.0	0.0	62.2	49.7	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.7	60.9	0.6	0.0	62.8	45.0	60.4	0.1	0.0	62.3
36	25	25C	60.3	62.2	28.5	60.3	0.0	0.0	62.2	49.7	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.1	61.1	0.8	0.0	63.0	51.7	60.9	0.6	0.0	62.8	44.9	60.4	0.1	0.0	62.3
37	25	25C	60.3	62.2	28.6	60.3	0.0	0.0	62.2	49.7	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.0	61.0	0.7	0.0	62.9	51.7	60.9	0.6	0.0	62.8	44.9	60.4	0.1	0.0	62.3
Top	25	25C	60.3	62.2	28.7	60.3	0.0	0.0	62.2	49.7	60.7	0.4	0.0	62.6	50.2	60.7	0.4	0.0	62.6	53.0	61.0	0.7	0.0	62.9	51.6	60.9	0.5	0.0	62.8	44.8	60.4	0.1	0.0	62.3
1	25	25D	60.3	62.2	28.5	60.3	0.0	0.0	62.2	31.0	60.3	0.0	0.0	62.2	31.1	60.3	0.0	0.0	62.2	66.4	67.4	7.0	YES	69.3	70.9	71.3	11.0	YES	73.2	70.2	70.6	10.3	YES	72.5
2	25	25D	60.3	62.2	28.9	60.3	0.0	0.0	62.2	31.6	60.3	0.0	0.0	62.2	31.7	60.3	0.0	0.0	62.2	65.7	66.8	6.5	YES	68.7	69.8	70.3	10.0	YES	72.2	71.8	72.1	11.8	YES	74.0
3	25	25D	60.3	62.2	29.4	60.3	0.0	0.0	62.2	32.4	60.3	0.0	0.0	62.2	32.5	60.3	0.0	0.0	62.2	66.3	67.3	7.0	YES	69.2	69.8	70.3	10.0	YES	72.2	73.1	73.3	13.0	YES	75.2
4	25	25D	60.3	62.2	29.7	60.3	0.0	0.0	62.2	35.7	60.3	0.0	0.0	62.2	36.0	60.3	0.0	0.0	62.2	67.0	67.8	7.5	YES	69.7	69.7	70.2	9.9	YES	72.1	73.1	73.3	13.0	YES	75.2
5	25	25D	60.3	62.2	30.1	60.3	0.0	0.0	62.2	39.5	60.3	0.0	0.0	62.2	40.0	60.3	0.0	0.0	62.2	67.4	68.2	7.9	YES	70.1	69.9	70.4	10.0	YES	72.3	74.4	74.6	14.3	YES	76.5
6	25	25D	60.3	62.2	30.5	60.3	0.0	0.0	62.2	42.1	60.4	0.1	0.0	62.3	42.6	60.4	0.1	0.0	62.3	68.5	69.1	8.8	YES	71.0	70.5	70.9	10.6	YES	72.8	74.3	74.5	14.2	YES	76.4
7	25	25D	60.3	62.2	30.9	60.3	0.0	0.0	62.2	45.6	60.5	0.1	0.0	62.4	46.1	60.5	0.2	0.0	62.4	69.0	69.6	9.2	YES	71.5	70.9	71.3	11.0	YES	73.2	74.3	74.5	14.2	YES	76.4
8	25	25D	60.3	62.2	31.2	60.3	0.0	0.0	62.2	45.4	60.4	0.1	0.0	62.3	45.9	60.5	0.2	0.0	62.4	69.1	69.6	9.3	YES	71.5	70.9	71.3	11.0	YES	73.2	74.3	74.5			

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
2	28	28C	60.3	63.2	24.6	60.3	0.0	0.0	63.2	37.2	60.3	0.0	0.0	63.2	36.6	60.3	0.0	0.0	63.2	41.6	60.4	0.1	0.0	63.3	39.4	60.3	0.0	0.0	63.2	45.7	60.5	0.1	0.0	63.4
3	28	28C	60.3	63.2	25.7	60.3	0.0	0.0	63.2	37.5	60.3	0.0	0.0	63.2	36.9	60.3	0.0	0.0	63.2	41.5	60.4	0.1	0.0	63.3	39.4	60.3	0.0	0.0	63.2	46.2	60.5	0.2	0.0	63.4
4	28	28C	60.3	63.2	26.9	60.3	0.0	0.0	63.2	37.8	60.3	0.0	0.0	63.2	37.3	60.3	0.0	0.0	63.2	41.7	60.4	0.1	0.0	63.3	39.5	60.3	0.0	0.0	63.2	46.7	60.5	0.2	0.0	63.4
5	28	28C	60.3	63.2	28.4	60.3	0.0	0.0	63.2	38.2	60.3	0.0	0.0	63.2	37.8	60.3	0.0	0.0	63.2	42.0	60.4	0.1	0.0	63.3	39.7	60.3	0.0	0.0	63.2	47.1	60.5	0.2	0.0	63.4
6	28	28C	60.3	63.2	30.1	60.3	0.0	0.0	63.2	38.7	60.3	0.0	0.0	63.2	38.3	60.3	0.0	0.0	63.2	42.3	60.4	0.1	0.0	63.3	39.9	60.3	0.0	0.0	63.2	47.6	60.5	0.2	0.0	63.4
7	28	28C	60.5	63.4	32.1	60.5	0.0	0.0	63.4	39.3	60.5	0.0	0.0	63.4	39.0	60.5	0.0	0.0	63.4	42.8	60.6	0.1	0.0	63.5	40.3	60.5	0.0	0.0	63.4	48.1	60.7	0.2	0.0	63.6
8	28	28C	60.5	63.4	34.5	60.5	0.0	0.0	63.4	40.1	60.5	0.0	0.0	63.4	39.8	60.5	0.0	0.0	63.4	43.2	60.6	0.1	0.0	63.5	40.5	60.5	0.0	0.0	63.4	48.3	60.8	0.3	0.0	63.7
9	28	28C	60.5	63.4	37.3	60.5	0.0	0.0	63.4	41.3	60.6	0.1	0.0	63.5	41.3	60.6	0.1	0.0	63.5	43.8	60.6	0.1	0.0	63.5	40.7	60.5	0.0	0.0	63.4	48.7	60.8	0.3	0.0	63.7
10	28	28C	60.4	63.3	40.3	60.4	0.0	0.0	63.3	42.9	60.5	0.1	0.0	63.4	42.2	60.5	0.1	0.0	63.4	44.6	60.5	0.1	0.0	63.4	40.7	60.4	0.0	0.0	63.3	48.8	60.7	0.3	0.0	63.6
11	28	28C	60.4	63.3	42.4	60.5	0.1	0.0	63.4	44.9	60.5	0.1	0.0	63.4	45.5	60.5	0.1	0.0	63.4	45.4	60.5	0.1	0.0	63.4	40.7	60.4	0.0	0.0	63.3	48.8	60.7	0.3	0.0	63.6
12	28	28C	60.4	63.3	43.0	60.5	0.1	0.0	63.4	46.0	60.6	0.2	0.0	63.5	47.3	60.6	0.2	0.0	63.5	46.1	60.6	0.2	0.0	63.5	40.8	60.4	0.0	0.0	63.3	48.8	60.7	0.3	0.0	63.6
Top	28	28C	60.3	63.2	43.1	60.4	0.1	0.0	63.3	47.6	60.5	0.2	0.0	63.4	47.4	60.5	0.2	0.0	63.4	47.7	60.5	0.2	0.0	63.4	43.2	60.4	0.1	0.0	63.3	48.8	60.6	0.3	0.0	63.5
1	28	28D	60.3	63.2	22.4	60.3	0.0	0.0	63.2	40.0	60.3	0.0	0.0	63.2	36.2	60.3	0.0	0.0	63.2	57.2	62.0	1.7	0.0	64.9	55.9	61.7	1.3	0.0	64.6	44.8	60.4	0.1	0.0	63.3
2	28	28D	60.3	63.2	22.4	60.3	0.0	0.0	63.2	43.1	60.4	0.1	0.0	63.3	37.3	60.3	0.0	0.0	63.2	65.5	66.6	6.3	YES	69.5	56.0	61.7	1.4	0.0	64.6	45.3	60.4	0.1	0.0	63.3
3	28	28D	60.3	63.2	22.4	60.3	0.0	0.0	63.2	42.8	60.4	0.1	0.0	63.3	37.6	60.3	0.0	0.0	63.2	64.7	66.0	5.7	YES	68.9	55.7	61.6	1.3	0.0	64.5	45.8	60.5	0.2	0.0	63.4
4	28	28D	60.3	63.2	22.4	60.3	0.0	0.0	63.2	42.6	60.4	0.1	0.0	63.3	37.8	60.3	0.0	0.0	63.2	64.7	66.0	5.7	YES	68.9	55.8	61.6	1.3	0.0	64.5	46.3	60.5	0.2	0.0	63.4
5	28	28D	60.3	63.2	22.4	60.3	0.0	0.0	63.2	42.5	60.4	0.1	0.0	63.3	38.0	60.3	0.0	0.0	63.2	64.7	66.0	5.7	YES	68.9	55.9	61.7	1.3	0.0	64.6	46.8	60.5	0.2	0.0	63.4
6	28	28D	60.6	63.5	22.4	60.6	0.0	0.0	63.5	42.4	60.7	0.1	0.0	63.6	38.4	60.6	0.0	0.0	63.5	64.7	66.1	5.5	YES	69.0	56.0	61.9	1.3	0.0	64.8	47.2	60.8	0.2	0.0	63.7
7	28	28D	60.8	63.7	22.4	60.8	0.0	0.0	63.7	42.5	60.9	0.1	0.0	63.8	38.9	60.8	0.0	0.0	63.7	64.7	66.2	5.4	YES	69.1	56.1	62.1	1.3	0.0	65.0	47.6	61.0	0.2	0.0	63.9
8	28	28D	61.0	63.9	22.4	61.0	0.0	0.0	63.9	42.9	61.1	0.1	0.0	64.0	39.7	61.0	0.0	0.0	63.9	64.7	66.2	5.2	YES	69.1	56.2	62.2	1.2	0.0	65.1	47.9	61.2	0.2	0.0	64.1
9	28	28D	61.0	63.9	22.4	61.0	0.0	0.0	63.9	43.3	61.1	0.1	0.0	64.0	40.8	61.0	0.0	0.0	63.9	64.7	66.2	5.2	YES	69.1	56.4	62.3	1.3	0.0	65.2	48.1	61.2	0.2	0.0	64.1
10	28	28D	61.1	64.0	24.5	61.1	0.0	0.0	64.0	44.1	61.2	0.1	0.0	64.1	41.6	61.1	0.0	0.0	64.0	64.7	66.3	5.2	YES	69.2	56.5	62.4	1.3	0.0	65.3	48.2	61.3	0.2	0.0	64.2
11	28	28D	61.1	64.0	27.7	61.1	0.0	0.0	64.0	45.4	61.2	0.1	0.0	64.1	42.7	61.2	0.1	0.0	64.1	64.7	66.3	5.2	YES	69.2	56.7	62.4	1.3	0.0	65.3	48.4	61.3	0.2	0.0	64.2
12	28	28D	61.2	64.1	33.5	61.2	0.0	0.0	64.1	47.1	61.4	0.2	0.0	64.3	44.4	61.3	0.1	0.0	64.2	64.7	66.3	5.1	YES	69.2	57.0	62.6	1.4	0.0	65.5	48.5	61.4	0.2	0.0	64.3
Top	28	28D	61.2	64.1	42.3	61.3	0.1	0.0	64.2	49.9	61.5	0.3	0.0	64.4	48.3	61.4	0.2	0.0	64.3	64.7	66.3	5.1	YES	69.2	57.2	62.7	1.5	0.0	65.6	48.6	61.4	0.2	0.0	64.3
1	29	29A	64.6	67.5	43.1	64.6	0.0	0.0	67.5	52.2	64.8	0.2	0.0	67.7	49.9	64.7	0.1	0.0	67.6	55.3	65.1	0.5	0.0	68.0	53.4	64.9	0.3	0.0	67.8	51.0	64.8	0.2	0.0	67.7
2	29	29A	66.2	69.1	43.2	66.2	0.0	0.0	69.1	53.4	66.4	0.2	0.0	69.3	50.1	66.3	0.1	0.0	69.2	63.6	68.1	1.9	0.0	71.0	58.1	66.8	0.6	0.0	69.7	51.8	66.4	0.2	0.0	69.3
3	29	29A	66.9	69.8	44.6	66.9	0.0	0.0	69.8	55.4	67.2	0.3	0.0	70.1	52.7	67.1	0.2	0.0	70.0	62.9	68.4	1.5	0.0	71.3	57.6	67.4	0.5	0.0	70.3	52.7	67.1	0.2	0.0	70.0
4	29	29A	67.2	70.1	44.6	67.2	0.0	0.0	70.1	55.3	67.5	0.3	0.0	70.4	52.7	67.4	0.2	0.0	70.3	62.4	68.4	1.2	0.0	71.3	57.4	67.6	0.4	0.0	70.5	53.5	67.4	0.2	0.0	70.3
5	29	29A	67.3	70.2	44.8	67.3	0.0	0.0	70.2	55.2	67.6	0.3	0.0	70.5	52.8	67.5	0.2	0.0	70.4	62.4	68.5	1.2	0.0	71.4	57.5	67.7	0.4	0.0	70.6	54.0	67.5	0.2	0.0	70.4
6	29	29A	67.2	70.1	45.3	67.2	0.0	0.0	70.1	55.0	67.5	0.3	0.0	70.4	52.8	67.4	0.2	0.0	70.3	62.5	68.5	1.3	0.0	71.4	57.5	67.6	0.4	0.0	70.5	54.2	67.4	0.2	0.0	70.3
7	29	29A	67.1	70.0	46.3	67.1	0.0	0.0	70.0	54.8	67.3	0.2	0.0	70.2	52.8	67.3	0.2	0.0	70.2	62.5	68.4	1.3	0.0	71.3	57.6	67.6	0.5	0.0	70.5	54.4	67.3	0.2	0.0	70.2
8	29	29A	67.0	69.9	48.1	67.1	0.1	0.0	70.0	54.7	67.2	0.2	0.0	70.1	52.8	67.2	0.2	0.0	70.1	62.5	68.3	1.3	0.0	71.2	57.7	67.5	0.5	0.0	70.4	54.4	67.2	0.2	0.0	70.1
9	29	29A	66.9	69.8	48.1	67.0	0.1	0.0	69.9	54.0	67.1	0.2	0.0	70.0	51.4	67.0	0.1	0.0	69.9	62.4	68.2	1.3	0.0	71.1	57.7	67.4	0.5	0.0	70.3	54.4	67.1	0.2	0.0	70.0
10	29	29A	66.7	69.6	48.4	66.8	0.1	0.0	69.7	54.3	66.9	0.2	0.0	69.8	52.5	66.9	0.2	0.0	69.8	62.4	68.1	1.4	0.0	71.0	57.8	67.2	0.5	0.0	70.1	54.4	66.9	0.2	0.0	69.8
11	29	29A	66.5	69.4	48.4	66.6	0.1	0.0	69.5	55.2	66.8	0.3	0.0	69.7	53.2	66.7	0.2	0.0	69.6	62.5	68.0	1.5	0.0	70.9	57.9	67.1	0.6	0.0	70.0	54.3	66.8	0.3	0.0	69.7
12	29	29A	66.3	69.2	48.3	66.4	0.1	0.0	69.3	55.5	66.6	0.3	0.0	69.5	53.5	66.5	0.2	0.0	69.4	62.5	67.8	1.5	0.0	70.7	57.9	66.9	0.6	0.0	69.8	54.3	66.6	0.3	0.0	69.5
Top	29	29A	66.1	69.0	48.3	66.2	0.1	0.0	69.1	55.6	66.5	0.4	0.0	69.4	53.5	66.3	0.2	0.0	69.2	62.5	67.7	1.6	0.0	70.6	58.0	66.7	0.6	0.0	69.6	54.2	66.4	0.3	0.0	69.3
1	29	29B	61.6	64.5	32.4	61.6	0.0	0.0	64.5	42.8	61.7	0.1	0.0	64.6	44.1	61.7	0.1	0.0	64.6	44.4	61.7	0.1	0.0	64.6	40.3	61.6	0.0	0.0	64.5	49.3	61.8			

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Const	Total	Change	Exceed?	L10	Const	Total	Change	Exceed?	L10	Const	Total	Change	Exceed?	L10	Const	Total	Change	Exceed?	L10	Const	Total	Change	Exceed?	L10	Const	Total	Change	Exceed?	L10
4	30	30A	64.8	67.7	37.0	64.8	0.0	0.0	67.7	44.8	64.8	0.0	0.0	67.7	43.8	64.8	0.0	0.0	67.7	54.5	65.2	0.4	0.0	68.1	51.7	65.0	0.2	0.0	67.9	51.2	65.0	0.2	0.0	67.9
5	30	30A	64.8	67.7	36.7	64.8	0.0	0.0	67.7	44.9	64.8	0.0	0.0	67.7	43.9	64.8	0.0	0.0	67.7	54.2	65.2	0.4	0.0	68.1	51.8	65.0	0.2	0.0	67.9	51.9	65.0	0.2	0.0	67.9
6	30	30A	64.7	67.6	36.5	64.7	0.0	0.0	67.6	44.8	64.7	0.0	0.0	67.6	43.9	64.7	0.0	0.0	67.6	54.2	65.1	0.4	0.0	68.0	51.9	64.9	0.2	0.0	67.8	52.0	64.9	0.2	0.0	67.8
Top	30	30A	64.6	67.5	37.1	64.6	0.0	0.0	67.5	45.0	64.6	0.0	0.0	67.5	44.3	64.6	0.0	0.0	67.5	54.3	65.0	0.4	0.0	67.9	52.0	64.8	0.2	0.0	67.7	52.1	64.8	0.2	0.0	67.7
1	30	30B	62.9	65.8	44.4	63.0	0.1	0.0	65.9	49.5	63.1	0.2	0.0	66.0	48.6	63.1	0.2	0.0	66.0	51.7	63.2	0.3	0.0	66.1	43.8	63.0	0.1	0.0	65.9	51.2	63.2	0.3	0.0	66.1
2	30	30B	65.1	68.0	48.6	65.2	0.1	0.0	68.1	54.0	65.4	0.3	0.0	68.3	51.1	65.3	0.2	0.0	68.2	53.7	65.4	0.3	0.0	68.3	44.0	65.1	0.0	0.0	68.0	52.5	65.3	0.2	0.0	68.2
3	30	30B	67.0	69.9	49.5	67.1	0.1	0.0	70.0	54.1	67.2	0.2	0.0	70.1	52.8	67.2	0.2	0.0	70.1	53.7	67.2	0.2	0.0	70.1	44.3	67.0	0.0	0.0	69.9	53.4	67.2	0.2	0.0	70.1
4	30	30B	67.8	70.7	49.5	67.9	0.1	0.0	70.8	54.1	68.0	0.2	0.0	70.9	53.8	68.0	0.2	0.0	70.9	53.5	68.0	0.2	0.0	70.9	44.7	67.8	0.0	0.0	70.7	54.3	68.0	0.2	0.0	70.9
5	30	30B	67.9	70.8	49.5	68.0	0.1	0.0	70.9	53.8	68.1	0.2	0.0	71.0	53.6	68.1	0.2	0.0	71.0	53.2	68.0	0.1	0.0	70.9	45.0	67.9	0.0	0.0	70.8	54.7	68.1	0.2	0.0	71.0
6	30	30B	67.8	70.7	49.2	67.9	0.1	0.0	70.8	53.6	68.0	0.2	0.0	70.9	53.3	68.0	0.2	0.0	70.9	53.1	67.9	0.1	0.0	70.8	45.9	67.8	0.0	0.0	70.7	54.9	68.0	0.2	0.0	70.9
Top	30	30B	68.4	71.3	49.5	68.5	0.1	0.0	71.4	54.3	68.6	0.2	0.0	71.5	52.6	68.5	0.1	0.0	71.4	54.5	68.6	0.2	0.0	71.5	48.9	68.4	0.0	0.0	71.3	55.9	68.6	0.2	0.0	71.5
1	30	30C	60.3	63.2	45.0	60.4	0.1	0.0	63.3	49.7	60.7	0.4	0.0	63.6	50.5	60.7	0.4	0.0	63.6	49.5	60.7	0.3	0.0	63.6	39.5	60.3	0.0	0.0	63.2	49.1	60.6	0.3	0.0	63.5
2	30	30C	61.7	64.6	45.8	61.8	0.1	0.0	64.7	58.9	63.5	1.8	0.0	66.4	56.7	62.9	1.2	0.0	65.8	57.3	63.0	1.3	0.0	65.9	40.8	61.7	0.0	0.0	64.6	51.0	62.1	0.4	0.0	65.0
3	30	30C	63.6	66.5	45.1	63.7	0.1	0.0	66.6	58.4	64.7	1.1	0.0	67.6	55.5	64.2	0.6	0.0	67.1	57.0	64.5	0.9	0.0	67.4	41.5	63.6	0.0	0.0	66.5	52.0	63.9	0.3	0.0	66.8
4	30	30C	64.9	67.8	45.6	65.0	0.1	0.0	67.9	58.0	65.7	0.8	0.0	68.6	55.3	65.4	0.5	0.0	68.3	56.7	65.5	0.6	0.0	68.4	42.1	64.9	0.0	0.0	67.8	52.8	65.2	0.3	0.0	68.1
5	30	30C	65.7	68.6	46.8	65.8	0.1	0.0	68.7	57.8	66.4	0.7	0.0	69.3	55.2	66.1	0.4	0.0	69.0	56.4	66.2	0.5	0.0	69.1	42.7	65.7	0.0	0.0	68.6	53.5	66.0	0.3	0.0	68.9
6	30	30C	66.4	69.3	49.5	66.5	0.1	0.0	69.4	57.6	66.9	0.5	0.0	69.8	55.1	66.7	0.3	0.0	69.6	56.2	66.8	0.4	0.0	69.7	43.0	66.4	0.0	0.0	69.3	53.8	66.6	0.2	0.0	69.5
Top	30	30C	66.5	69.4	49.8	66.6	0.1	0.0	69.5	57.3	67.0	0.5	0.0	69.9	55.3	66.8	0.3	0.0	69.7	55.9	66.9	0.4	0.0	69.8	47.1	66.5	0.0	0.0	69.4	54.0	66.7	0.2	0.0	69.6
1	31	31A	61.8	64.7	52.0	62.2	0.4	0.0	65.1	59.5	63.8	2.0	0.0	66.7	56.3	62.9	1.1	0.0	65.8	59.2	63.7	1.9	0.0	66.6	40.5	61.8	0.0	0.0	64.7	49.5	62.0	0.2	0.0	64.9
2	31	31A	64.4	67.3	51.9	64.6	0.2	0.0	67.5	59.0	65.5	1.1	0.0	68.4	56.0	65.0	0.6	0.0	67.9	59.0	65.5	1.1	0.0	68.4	42.6	64.4	0.0	0.0	67.3	52.6	64.7	0.3	0.0	67.6
3	31	31A	66.9	69.8	49.0	67.0	0.1	0.0	69.9	58.2	67.4	0.5	0.0	70.3	53.3	67.1	0.2	0.0	70.0	58.6	67.5	0.6	0.0	70.4	43.5	66.9	0.0	0.0	69.8	53.6	67.1	0.2	0.0	70.0
4	31	31A	68.0	70.9	49.3	68.1	0.1	0.0	71.0	57.9	68.4	0.4	0.0	71.3	53.6	68.2	0.2	0.0	71.1	58.3	68.4	0.4	0.0	71.3	44.3	68.0	0.0	0.0	70.9	54.5	68.2	0.2	0.0	71.1
5	31	31A	68.0	70.9	50.7	68.1	0.1	0.0	71.0	58.0	68.4	0.4	0.0	71.3	54.7	68.2	0.2	0.0	71.1	58.0	68.4	0.4	0.0	71.3	44.8	68.0	0.0	0.0	70.9	54.7	68.2	0.2	0.0	71.1
6	31	31A	67.9	70.8	51.6	68.0	0.1	0.0	70.9	57.8	68.3	0.4	0.0	71.2	55.3	68.1	0.2	0.0	71.0	57.6	68.3	0.4	0.0	71.2	45.3	67.9	0.0	0.0	70.8	54.9	68.1	0.2	0.0	71.0
7	31	31A	67.7	70.6	51.5	67.8	0.1	0.0	70.7	57.6	68.1	0.4	0.0	71.0	56.5	68.0	0.3	0.0	70.9	57.3	68.1	0.4	0.0	71.0	46.1	67.7	0.0	0.0	70.6	54.9	67.9	0.2	0.0	70.8
8	31	31A	67.5	70.4	51.4	67.6	0.1	0.0	70.5	57.6	67.9	0.4	0.0	70.8	56.7	67.8	0.3	0.0	70.7	57.3	67.9	0.4	0.0	70.8	46.8	67.5	0.0	0.0	70.4	54.9	67.7	0.2	0.0	70.6
Top	31	31A	67.3	70.2	51.4	67.4	0.1	0.0	70.3	57.6	67.7	0.4	0.0	70.6	56.7	67.7	0.4	0.0	70.6	57.3	67.7	0.4	0.0	70.6	47.4	67.3	0.0	0.0	70.2	54.9	67.5	0.2	0.0	70.4
1	31	31B	60.3	63.2	49.6	60.7	0.4	0.0	63.6	52.4	61.0	0.7	0.0	63.9	53.7	61.2	0.9	0.0	64.1	50.8	60.8	0.5	0.0	63.7	38.0	60.3	0.0	0.0	63.2	48.3	60.6	0.3	0.0	63.5
2	31	31B	61.3	64.2	49.2	61.6	0.3	0.0	64.5	52.1	61.8	0.5	0.0	64.7	53.3	61.9	0.6	0.0	64.8	50.6	61.7	0.4	0.0	64.6	39.7	61.3	0.0	0.0	64.2	50.4	61.6	0.3	0.0	64.5
3	31	31B	63.2	66.1	48.9	63.4	0.2	0.0	66.3	53.7	63.7	0.5	0.0	66.6	54.8	63.8	0.6	0.0	66.7	50.5	63.4	0.2	0.0	66.3	40.5	63.2	0.0	0.0	66.1	51.4	63.5	0.3	0.0	66.4
4	31	31B	64.8	67.7	48.6	64.9	0.1	0.0	67.8	53.4	65.1	0.3	0.0	68.0	54.5	65.2	0.4	0.0	68.1	50.3	65.0	0.2	0.0	67.9	41.2	64.8	0.0	0.0	67.7	52.2	65.0	0.2	0.0	67.9
5	31	31B	65.5	68.4	48.3	65.6	0.1	0.0	68.5	53.0	65.7	0.2	0.0	68.6	54.1	65.8	0.3	0.0	68.7	50.2	65.6	0.1	0.0	68.5	41.8	65.5	0.0	0.0	68.4	52.9	65.7	0.2	0.0	68.6
6	31	31B	65.8	68.7	48.0	65.9	0.1	0.0	68.8	52.7	66.0	0.2	0.0	68.9	53.8	66.1	0.3	0.0	69.0	50.0	65.9	0.1	0.0	68.8	42.2	65.8	0.0	0.0	68.7	53.3	66.0	0.2	0.0	68.9
7	31	31B	65.9	68.8	47.7	66.0	0.1	0.0	68.9	52.5	66.1	0.2	0.0	69.0	53.6	66.1	0.2	0.0	69.0	49.9	66.0	0.1	0.0	68.9	42.4	65.9	0.0	0.0	68.8	53.5	66.1	0.2	0.0	69.0
8	31	31B	65.8	68.7	47.4	65.9	0.1	0.0	68.8	52.3	66.0	0.2	0.0	68.9	53.5	66.0	0.2	0.0	68.9	49.9	65.9	0.1	0.0	68.8	42.5	65.8	0.0	0.0	68.7	53.6	66.1	0.3	0.0	69.0
Top	31	31B	65.6	68.5	47.3	65.7	0.1	0.0	68.6	52.3	65.8	0.2	0.0	68.7	53.5	65.9	0.3	0.0	68.8	50.0	65.7	0.1	0.0	68.6	42.6	65.6	0.0	0.0	68.5	53.5	65.9	0.3	0.0	68.8
1	31	31C	60.3	63.2	30.2	60.3	0.0	0.0	63.2	39.1	60.3	0.0	0.0	63.2	38.8	60.3	0.0	0.0	63.2	41.7	60.4	0.1	0.0	63.3	38.0	60.3	0.0	0.0	63.2	46.5	60.5	0.2	0.0	63.4
2	31	31C	60.7	63.6	30.7	60.7	0.0	0.0	63.6	40.1	60.7	0.0	0.0	63.6	39.9	60.7	0.0	0.0	63.6	42.9	60.8	0.1	0.0	63.7	39.3	60.7	0.0	0.0	63.6	48.8	61.0	0.3	0.0	63.9
3	31	31C	61.9	64.8	30.5	61.9	0.0	0.0	64.8	40.5	61.9	0.0	0.0</																					

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total						
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total	
3	32	32C	68.1	71.0	57.0	68.4	0.3	0.0	71.3	61.5	69.0	0.9	0.0	71.9	60.0	68.7	0.6	0.0	71.6	60.0	68.7	0.6	0.0	71.6	60.0	68.7	0.6	0.0	71.0	53.4	68.2	0.1	0.0	71.1	
4	32	32C	68.2	71.1	56.7	68.5	0.3	0.0	71.4	61.1	69.0	0.8	0.0	71.9	59.6	68.8	0.6	0.0	71.7	59.5	68.7	0.5	0.0	71.6	43.2	68.2	0.0	0.0	71.1	54.2	68.4	0.2	0.0	71.3	
5	32	32C	68.2	71.1	56.4	68.5	0.3	0.0	71.4	60.6	68.9	0.7	0.0	71.8	59.6	68.8	0.6	0.0	71.7	59.1	68.7	0.5	0.0	71.6	43.5	68.2	0.0	0.0	71.1	54.6	68.4	0.2	0.0	71.3	
6	32	32C	68.0	70.9	56.0	68.3	0.3	0.0	71.2	60.2	68.7	0.7	0.0	71.6	59.4	68.6	0.6	0.0	71.5	58.7	68.5	0.5	0.0	71.4	43.7	68.0	0.0	0.0	70.9	54.7	68.2	0.2	0.0	71.1	
7	32	32C	67.8	70.7	55.7	68.1	0.3	0.0	71.0	60.1	68.5	0.7	0.0	71.4	59.7	68.4	0.6	0.0	71.3	58.7	68.3	0.5	0.0	71.2	43.7	67.8	0.0	0.0	70.7	54.8	68.0	0.2	0.0	70.9	
8	32	32C	67.6	70.5	55.3	67.8	0.2	0.0	70.7	60.0	68.3	0.7	0.0	71.2	59.7	68.3	0.7	0.0	71.2	58.6	68.1	0.5	0.0	71.0	43.7	67.6	0.0	0.0	70.5	54.8	67.8	0.2	0.0	70.7	
9	32	32C	67.3	70.2	55.0	67.5	0.2	0.0	70.4	59.9	68.0	0.7	0.0	70.9	59.7	68.0	0.7	0.0	70.9	58.6	67.8	0.5	0.0	70.7	43.7	67.3	0.0	0.0	70.2	54.8	67.5	0.2	0.0	70.4	
10	32	32C	67.1	70.0	55.0	67.4	0.3	0.0	70.3	59.9	67.9	0.8	0.0	70.8	59.7	67.8	0.7	0.0	70.7	58.6	67.7	0.6	0.0	70.6	43.7	67.1	0.0	0.0	70.0	54.7	67.3	0.2	0.0	70.2	
11	32	32C	66.8	69.7	55.0	67.1	0.3	0.0	70.0	59.9	67.6	0.8	0.0	70.5	59.7	67.6	0.8	0.0	70.5	58.6	67.4	0.6	0.0	70.3	43.7	66.8	0.0	0.0	69.7	54.6	67.1	0.3	0.0	70.0	
Top	32	32C	66.6	69.5	55.0	66.9	0.3	0.0	69.8	59.9	67.4	0.8	0.0	70.3	59.7	67.4	0.8	0.0	70.3	58.6	67.2	0.6	0.0	70.1	44.1	66.6	0.0	0.0	69.5	54.5	66.9	0.3	0.0	69.8	
1	32	32D	60.3	63.2	32.4	60.3	0.0	0.0	63.2	39.4	60.3	0.0	0.0	63.2	39.6	60.3	0.0	0.0	63.2	40.5	60.4	0.0	0.0	63.3	36.6	60.3	0.0	0.0	63.2	45.6	60.5	0.1	0.0	63.4	
2	32	32D	60.3	63.2	32.4	60.3	0.0	0.0	63.2	40.0	60.3	0.0	0.0	63.2	40.1	60.3	0.0	0.0	63.2	41.5	60.4	0.1	0.0	63.3	37.7	60.3	0.0	0.0	63.2	47.6	60.5	0.2	0.0	63.4	
3	32	32D	60.4	63.3	32.5	60.4	0.0	0.0	63.3	40.4	60.4	0.0	0.0	63.3	40.5	60.4	0.0	0.0	63.3	42.0	60.5	0.1	0.0	63.4	38.4	60.4	0.0	0.0	63.3	48.5	60.7	0.3	0.0	63.6	
4	32	32D	61.6	64.5	32.8	61.6	0.0	0.0	64.5	40.8	61.6	0.0	0.0	64.5	40.9	61.6	0.0	0.0	64.5	42.5	61.7	0.1	0.0	64.6	38.9	61.6	0.0	0.0	64.5	49.2	61.8	0.2	0.0	64.7	
5	32	32D	62.5	65.4	33.2	62.5	0.0	0.0	65.4	41.2	62.5	0.0	0.0	65.4	41.3	62.5	0.0	0.0	65.4	43.0	62.5	0.0	0.0	65.4	39.4	62.5	0.0	0.0	65.4	49.8	62.7	0.2	0.0	65.6	
6	32	32D	62.7	65.6	33.9	62.7	0.0	0.0	65.6	41.7	62.7	0.0	0.0	65.6	41.9	62.7	0.0	0.0	65.6	43.6	62.8	0.1	0.0	65.7	39.9	62.7	0.0	0.0	65.6	50.4	62.9	0.2	0.0	65.8	
7	32	32D	62.9	65.8	35.0	62.9	0.0	0.0	65.8	42.2	62.9	0.0	0.0	65.8	42.4	62.9	0.0	0.0	65.8	44.1	63.0	0.1	0.0	65.9	40.1	62.9	0.0	0.0	65.8	50.7	63.2	0.3	0.0	66.1	
8	32	32D	63.1	66.0	31.7	63.1	0.0	0.0	66.0	42.0	63.1	0.0	0.0	66.0	41.0	63.1	0.0	0.0	66.0	44.5	63.2	0.1	0.0	66.1	40.4	63.1	0.0	0.0	66.0	50.9	63.4	0.3	0.0	66.3	
9	32	32D	63.0	65.9	30.2	63.0	0.0	0.0	65.9	41.1	63.0	0.0	0.0	65.9	41.1	63.0	0.0	0.0	65.9	43.5	63.0	0.0	0.0	65.9	40.6	63.0	0.0	0.0	65.9	51.0	63.3	0.3	0.0	66.2	
10	32	32D	63.0	65.9	30.2	63.0	0.0	0.0	65.9	41.2	63.0	0.0	0.0	65.9	41.3	63.0	0.0	0.0	65.9	43.9	63.1	0.1	0.0	66.0	41.0	63.0	0.0	0.0	65.9	51.1	63.3	0.3	0.0	66.2	
11	32	32D	62.9	65.8	29.6	62.9	0.0	0.0	65.8	41.3	62.9	0.0	0.0	65.8	41.4	62.9	0.0	0.0	65.8	44.0	63.0	0.1	0.0	65.9	41.2	62.9	0.0	0.0	65.8	51.1	63.2	0.3	0.0	66.1	
Top	32	32D	62.8	65.7	32.1	62.8	0.0	0.0	65.7	41.9	62.8	0.0	0.0	65.7	42.0	62.8	0.0	0.0	65.7	45.5	62.9	0.1	0.0	65.8	41.8	62.8	0.0	0.0	65.7	51.1	63.1	0.3	0.0	66.0	
1	33	33A	63.5	66.4	51.0	63.7	0.2	0.0	66.6	56.2	64.2	0.7	0.0	67.1	57.1	64.4	0.9	0.0	67.3	53.8	63.9	0.4	0.0	66.8	39.4	63.5	0.0	0.0	66.4	50.1	63.7	0.2	0.0	66.6	
2	33	33A	65.1	68.0	50.6	65.3	0.2	0.0	68.2	55.8	65.6	0.5	0.0	68.5	56.6	65.7	0.6	0.0	68.6	53.4	65.4	0.3	0.0	68.3	40.0	65.1	0.0	0.0	68.0	50.9	65.3	0.2	0.0	68.2	
3	33	33A	66.1	69.0	50.3	66.2	0.1	0.0	69.1	55.3	66.4	0.3	0.0	69.3	56.1	66.5	0.4	0.0	69.4	52.9	66.3	0.2	0.0	69.2	40.7	66.1	0.0	0.0	69.0	51.7	66.3	0.2	0.0	69.2	
4	33	33A	66.4	69.3	49.9	66.5	0.1	0.0	69.4	54.9	66.7	0.3	0.0	69.6	55.6	66.7	0.3	0.0	69.6	52.6	66.6	0.2	0.0	69.5	41.3	66.4	0.0	0.0	69.3	52.4	66.6	0.2	0.0	69.5	
5	33	33A	66.5	69.4	49.5	66.6	0.1	0.0	69.5	54.5	66.8	0.3	0.0	69.7	55.2	66.8	0.3	0.0	69.7	52.2	66.7	0.2	0.0	69.6	42.0	66.5	0.0	0.0	69.4	53.1	66.7	0.2	0.0	69.6	
6	33	33A	66.5	69.4	49.2	66.6	0.1	0.0	69.5	54.2	66.7	0.2	0.0	69.6	54.9	66.8	0.3	0.0	69.7	52.1	66.7	0.2	0.0	69.6	42.2	66.5	0.0	0.0	69.4	53.4	66.7	0.2	0.0	69.6	
7	33	33A	66.4	69.3	48.8	66.5	0.1	0.0	69.4	54.0	66.6	0.2	0.0	69.5	54.8	66.7	0.3	0.0	69.6	52.1	66.6	0.2	0.0	69.5	42.4	66.4	0.0	0.0	69.3	53.5	66.6	0.2	0.0	69.5	
8	33	33A	66.2	69.1	48.5	66.3	0.1	0.0	69.2	53.9	66.4	0.2	0.0	69.3	54.7	66.5	0.3	0.0	69.4	52.1	66.4	0.2	0.0	69.3	42.4	66.2	0.0	0.0	69.1	53.6	66.4	0.2	0.0	69.3	
9	33	33A	66.1	69.0	48.3	66.2	0.1	0.0	69.1	53.9	66.4	0.3	0.0	69.3	54.7	66.4	0.3	0.0	69.3	52.1	66.3	0.2	0.0	69.2	42.5	66.1	0.0	0.0	69.0	53.6	66.3	0.2	0.0	69.2	
10	33	33A	65.9	68.8	48.3	66.0	0.1	0.0	68.9	53.9	66.2	0.3	0.0	69.1	54.7	66.2	0.3	0.0	69.1	52.6	66.1	0.2	0.0	69.0	42.5	65.9	0.0	0.0	68.8	53.6	66.1	0.2	0.0	69.0	
11	33	33A	65.7	68.6	48.3	65.8	0.1	0.0	68.7	53.9	66.0	0.3	0.0	68.9	54.7	66.0	0.3	0.0	68.9	52.6	65.9	0.2	0.0	68.8	42.6	65.7	0.0	0.0	68.6	53.6	66.0	0.3	0.0	68.9	
Top	33	33A	65.5	68.4	48.4	65.6	0.1	0.0	68.5	53.9	65.8	0.3	0.0	68.7	54.8	65.9	0.4	0.0	68.8	52.7	65.7	0.2	0.0	68.6	42.6	65.5	0.0	0.0	68.4	53.5	65.8	0.3	0.0	68.7	
1	33	33B	63.2	66.1	47.9	63.3	0.1	0.0	66.2	53.5	63.6	0.4	0.0	66.5	54.7	63.8	0.6	0.0	66.7	51.1	63.5	0.3	0.0	66.4	38.8	63.2	0.0	0.0	66.1	49.5	63.4	0.2	0.0	66.3	
2	33	33B	64.9	67.8	47.5	65.0	0.1	0.0	67.9	53.1	65.2	0.3	0.0	68.1	54.2	65.3	0.4	0.0	68.2	50.8	65.1	0.2	0.0	68.0	39.4	64.9	0.0	0.0	67.8	50.3	65.0	0.1	0.0	67.9	
3	33	33B	65.6	68.5	47.2	65.7	0.1	0.0	68.6	52.6	65.8	0.2	0.0	68.7	53.7	65.9	0.3	0.0	68.8	50.4	65.7	0.1	0.0	68.6	40.1	65.6	0.0	0.0	68.5	51.1	65.8	0.2	0.0	68.7	
4	33	33B	65.9	68.8	46.8	66.0	0.1	0.0	68.9	52.2	66.1	0.2	0.0	69.0	53.3	66.1	0.2	0.0	69.0	50.1	66.0	0.1	0.0	68.9	40.8	65.9	0.0	0.0	68.8	51.9	66.1	0.2	0.0	69.0	
5	33	33B	66.0	68.9	46.4	66.0	0.0	0.0	68.9	51.8	66.2	0.2	0.0	69.1	52.8	66.2	0.2	0.0	69.1	49.9	66.1	0.1	0.0	69.0	41.4	66.0	0.0	0.0	6						

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total						
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			
1	34	34B	65.0	67.9	53.3	65.3	0.3	0.0	68.2	59.4	66.1	1.1	0.0	69.0	57.4	65.7	0.7	0.0	68.6	40.3	65.0	0.0	0.0	67.9	51.2	65.2	0.2	0.0	68.1						
2	34	34B	66.6	69.5	52.9	66.8	0.2	0.0	69.7	59.0	67.3	0.7	0.0	70.2	59.6	67.4	0.8	0.0	70.3	57.1	67.1	0.5	0.0	69.5	52.0	66.6	0.1	0.0	69.6						
3	34	34B	67.3	70.2	52.5	67.4	0.1	0.0	70.3	58.4	67.8	0.5	0.0	70.7	59.0	67.9	0.6	0.0	70.8	56.4	67.6	0.3	0.0	70.2	52.7	67.4	0.1	0.0	70.3						
4	34	34B	67.6	70.5	52.1	67.7	0.1	0.0	70.6	57.8	68.0	0.4	0.0	70.9	58.4	68.1	0.5	0.0	71.0	55.8	67.9	0.3	0.0	70.8	42.3	67.6	0.0	0.0	70.7						
5	34	34B	67.6	70.5	51.7	67.7	0.1	0.0	70.6	57.6	68.0	0.4	0.0	70.9	58.3	68.1	0.5	0.0	71.0	55.8	67.9	0.3	0.0	70.8	42.9	67.6	0.0	0.0	70.7						
6	34	34B	67.6	70.5	51.3	67.7	0.1	0.0	70.6	57.5	68.0	0.4	0.0	70.9	58.2	68.1	0.5	0.0	71.0	55.8	67.9	0.3	0.0	70.8	43.1	67.6	0.0	0.0	70.7						
7	34	34B	67.4	70.3	51.1	67.5	0.1	0.0	70.4	57.5	67.8	0.4	0.0	70.7	58.2	67.9	0.5	0.0	70.8	55.9	67.7	0.3	0.0	70.6	43.3	67.4	0.0	0.0	70.5						
8	34	34B	67.2	70.1	51.4	67.3	0.1	0.0	70.2	57.7	67.7	0.5	0.0	70.6	58.4	67.7	0.5	0.0	70.6	56.0	67.5	0.3	0.0	70.4	43.3	67.2	0.0	0.0	70.3						
9	34	34B	67.1	70.0	52.6	67.3	0.2	0.0	70.2	58.4	67.6	0.5	0.0	70.5	59.1	67.7	0.6	0.0	70.6	56.6	67.5	0.4	0.0	70.4	43.3	67.1	0.0	0.0	70.2						
Top	34	34B	66.9	69.8	54.6	67.1	0.2	0.0	70.0	60.5	67.8	0.9	0.0	70.7	61.4	68.0	1.1	0.0	70.9	58.6	67.5	0.6	0.0	70.4	43.3	66.9	0.0	0.0	70.0						
1	34	34C	65.3	68.2	50.4	65.4	0.1	0.0	68.3	64.2	67.8	2.5	0.0	70.7	66.8	69.1	3.8	YES	72.0	63.9	67.7	2.4	0.0	70.6	40.3	65.3	0.0	0.0	68.4						
2	34	34C	66.9	69.8	59.3	67.6	0.7	0.0	70.5	65.0	69.1	2.2	0.0	72.0	66.9	69.9	3.0	YES	72.8	63.3	68.5	1.6	0.0	71.4	41.0	66.9	0.0	0.0	69.9						
3	34	34C	67.6	70.5	58.9	68.1	0.5	0.0	71.0	64.3	69.3	1.7	0.0	72.2	66.2	70.0	2.4	0.0	72.9	62.6	68.8	1.2	0.0	71.7	41.7	67.6	0.0	0.0	70.6						
4	34	34C	67.8	70.7	58.4	68.3	0.5	0.0	71.2	63.7	69.2	1.4	0.0	72.1	65.5	69.8	2.0	0.0	72.7	61.9	68.8	1.0	0.0	71.7	42.3	67.8	0.0	0.0	70.9						
5	34	34C	67.8	70.7	58.0	68.2	0.4	0.0	71.1	63.5	69.2	1.4	0.0	72.1	65.4	69.8	2.0	0.0	72.7	61.9	68.8	1.0	0.0	71.7	42.9	67.8	0.0	0.0	70.9						
6	34	34C	67.7	70.6	57.6	68.1	0.4	0.0	71.0	63.3	69.0	1.3	0.0	71.9	65.7	69.8	2.1	0.0	72.7	61.9	68.7	1.0	0.0	71.6	43.2	67.7	0.0	0.0	70.8						
7	34	34C	67.6	70.5	57.2	68.0	0.4	0.0	70.9	63.3	69.0	1.4	0.0	71.9	65.7	69.8	2.2	0.0	72.7	61.9	68.6	1.0	0.0	71.5	43.3	67.6	0.0	0.0	70.7						
8	34	34C	67.5	70.4	57.2	67.9	0.4	0.0	70.8	63.3	68.9	1.4	0.0	71.8	65.7	69.7	2.2	0.0	72.6	61.9	68.6	1.1	0.0	71.5	43.3	67.5	0.0	0.0	70.6						
9	34	34C	67.3	70.2	57.2	67.7	0.4	0.0	70.6	63.3	68.8	1.5	0.0	71.7	65.7	69.6	2.3	0.0	72.5	61.9	68.4	1.1	0.0	71.3	43.3	67.3	0.0	0.0	70.4						
Top	34	34C	67.1	70.0	57.2	67.5	0.4	0.0	70.4	63.3	68.6	1.5	0.0	71.5	65.6	69.4	2.3	0.0	72.3	61.9	68.2	1.1	0.0	71.1	43.3	67.1	0.0	0.0	70.2						
1	34	34D	60.3	63.2	34.0	60.3	0.0	0.0	63.2	41.3	60.4	0.1	0.0	63.3	42.1	60.4	0.1	0.0	63.3	41.8	60.4	0.1	0.0	63.2	46.6	60.5	0.2	0.0	63.4						
2	34	34D	60.4	63.3	33.7	60.4	0.0	0.0	63.3	41.2	60.5	0.1	0.0	63.4	41.9	60.5	0.1	0.0	63.4	41.9	60.5	0.1	0.0	63.4	37.1	60.4	0.0	0.0	63.5						
3	34	34D	61.4	64.3	33.4	61.4	0.0	0.0	64.3	41.1	61.4	0.0	0.0	64.3	41.8	61.4	0.0	0.0	64.3	42.0	61.4	0.0	0.0	64.3	37.5	61.4	0.0	0.0	64.5						
4	34	34D	62.2	65.1	33.2	62.2	0.0	0.0	65.1	41.1	62.2	0.0	0.0	65.1	41.7	62.2	0.0	0.0	65.1	42.2	62.2	0.0	0.0	65.1	38.0	62.2	0.0	0.0	65.3						
5	34	34D	62.6	65.5	32.9	62.6	0.0	0.0	65.5	41.2	62.6	0.0	0.0	65.5	41.8	62.6	0.0	0.0	65.5	42.5	62.6	0.0	0.0	65.5	38.4	62.6	0.0	0.0	65.7						
6	34	34D	62.7	65.6	32.6	62.7	0.0	0.0	65.6	41.4	62.7	0.0	0.0	65.6	41.9	62.7	0.0	0.0	65.6	42.8	62.7	0.0	0.0	65.6	38.9	62.7	0.0	0.0	65.8						
7	34	34D	62.8	65.7	32.2	62.8	0.0	0.0	65.7	41.5	62.8	0.0	0.0	65.7	42.3	62.8	0.0	0.0	65.7	43.1	62.8	0.0	0.0	65.7	39.3	62.8	0.0	0.0	65.9						
8	34	34D	62.7	65.6	33.1	62.7	0.0	0.0	65.6	41.7	62.7	0.0	0.0	65.6	43.1	62.7	0.0	0.0	65.6	43.3	62.7	0.0	0.0	65.6	39.4	62.7	0.0	0.0	65.8						
9	34	34D	62.7	65.6	34.2	62.7	0.0	0.0	65.6	42.8	62.7	0.0	0.0	65.6	45.5	62.8	0.1	0.0	65.7	43.8	62.8	0.1	0.0	65.7	39.6	62.7	0.0	0.0	65.8						
Top	34	34D	62.7	65.6	48.5	62.9	0.2	0.0	65.8	54.0	63.2	0.5	0.0	66.1	54.9	63.4	0.7	0.0	66.3	52.7	63.1	0.4	0.0	66.0	39.8	62.7	0.0	0.0	65.9						
1	35	35A	65.7	68.6	51.2	65.9	0.2	0.0	68.8	65.6	68.7	3.0	0.0	71.6	67.1	69.5	3.8	YES	72.4	65.4	68.6	2.9	0.0	71.5	40.8	65.7	0.0	0.0	68.8						
2	35	35A	67.3	70.2	60.1	68.1	0.8	0.0	71.0	66.1	69.8	2.5	0.0	72.7	67.7	70.5	3.2	YES	73.4	64.6	69.2	1.9	0.0	72.1	41.5	67.3	0.0	0.0	70.3						
3	35	35A	67.9	70.8	59.6	68.5	0.6	0.0	71.4	65.3	69.8	1.9	0.0	72.7	66.9	70.4	2.5	0.0	73.3	63.7	69.3	1.4	0.0	72.2	42.2	67.9	0.0	0.0	71.0						
4	35	35A	68.2	71.1	59.1	68.7	0.5	0.0	71.6	64.9	69.9	1.7	0.0	72.8	66.5	70.4	2.2	0.0	73.3	63.4	69.4	1.2	0.0	72.3	42.9	68.2	0.0	0.0	71.3						
5	35	35A	68.1	71.0	58.6	68.6	0.5	0.0	71.5	64.7	69.7	1.6	0.0	72.6	66.3	70.3	2.2	0.0	73.2	63.4	69.4	1.3	0.0	72.3	43.5	68.1	0.0	0.0	71.2						
Top	35	35A	68.1	71.0	58.2	68.5	0.4	0.0	71.4	64.6	69.7	1.6	0.0	72.6	66.2	70.3	2.2	0.0	73.2	63.4	69.4	1.3	0.0	72.3	43.8	68.1	0.0	0.0	71.2						
1	35	35B	64.0	66.9	50.7	64.2	0.2	0.0	67.1	62.4	66.3	2.3	0.0	69.2	68.6	69.9	5.9	YES	72.8	59.8	65.4	1.4	0.0	68.3	40.1	64.0	0.0	0.0	67.1						
2	35	35B	65.3	68.2	50.2	65.4	0.1	0.0	68.3	61.6	66.8	1.5	0.0	69.7	68.4	70.1	4.8	YES	73.0	59.2	66.3	1.0	0.0	69.2	40.7	65.3	0.0	0.0	68.4						
3	35	35B	66.3	69.2	49.8	66.4	0.1	0.0	69.3	60.8	67.4	1.1	0.0	70.3	67.5	70.0	3.7	YES	72.9	58.3	66.9	0.6	0.0	69.8	41.3	66.3	0.0	0.0	69.4						
4	35	35B	66.8	69.7	49.3	66.9	0.1	0.0	69.8	60.4	67.7	0.9	0.0	70.6	67.2	70.0	3.2	YES	72.9	58.1	67.3	0.5	0.0	70.2	42.0	66.8	0.0	0.0	69.9						
5	35	35B	66.9	69.8	48.8	67.0	0.1	0.0	69.9	60.3	67.8	0.9	0.0	70.7	67.1	70.0	3.1	YES	72.9	58.1	67.4	0.5	0.0	70.3	42.6	66.9	0.0	0.0	70.0						
Top	35	35B	66.9	69.8	48.3	67.0	0.1	0.0	69.9	60.2	67.7	0.8	0.0	70.6	67.0	70.0	3.1	YES	72.9	58.1	67.4	0.5	0.0	70.3	43.0	66.9	0.0	0.0	70.0						
1	35	35C	61.6	64.5	37.3	61.6	0.0	0.0	64.5	47.1	61.8	0.2	0.0	64.7	48.0	61.8	0.2	0.0	64.7	44.9	61.7	0.1	0.0	64.6	38.0	61.6	0.0	0.0	64.7						
2	35	35C	62.7	65.6	37.0	62.7	0.0	0.0	65.6	46.6	62.8	0.1	0.0	65.7	47.6	62.8	0.1	0.0	65.7	44.7	62.8	0.1	0.0	65.7	38.5	62.7	0.0	0.0	65.8						
3	35	35C	63.8	66.7	36.6	63.8	0.0	0.0	66.7	46.2	63.9	0.1	0.0	66.8	47.1	63.9	0.1	0.0	66.8	44.7	63.9	0.1	0.0	66.8	39.0	63.8	0.0	0.0	66.9						
4	35	35C	64.2	67.1	36.1	64.2	0.0	0.0	67.1	46.3	64.3	0.1	0.0</																						

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total						
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total	
3	36	36C	60.3	63.2	37.5	60.3	0.0	0.0	63.2	45.3	60.4	0.1	0.0	63.3	46.8	60.5	0.2	0.0	63.4	44.9	60.4	0.1	0.0	63.3	35.8	60.3	0.0	0.0	63.2	45.5	60.4	0.1	0.0	63.3	
4	36	36C	60.3	63.2	37.2	60.3	0.0	0.0	63.2	45.2	60.4	0.1	0.0	63.3	46.7	60.5	0.2	0.0	63.4	44.9	60.4	0.1	0.0	63.3	36.2	60.3	0.0	0.0	63.2	46.1	60.5	0.2	0.0	63.4	
5	36	36C	60.3	63.2	36.8	60.3	0.0	0.0	63.2	45.2	60.4	0.1	0.0	63.3	46.7	60.5	0.2	0.0	63.4	45.2	60.4	0.1	0.0	63.3	37.3	60.3	0.0	0.0	63.2	47.0	60.5	0.2	0.0	63.4	
6	36	36C	60.3	63.2	36.6	60.3	0.0	0.0	63.2	45.2	60.4	0.1	0.0	63.3	46.7	60.5	0.2	0.0	63.4	45.3	60.4	0.1	0.0	63.3	37.7	60.3	0.0	0.0	63.2	47.6	60.5	0.2	0.0	63.4	
7	36	36C	60.3	63.2	36.6	60.3	0.0	0.0	63.2	45.3	60.4	0.1	0.0	63.3	46.8	60.5	0.2	0.0	63.4	45.4	60.4	0.1	0.0	63.3	38.1	60.3	0.0	0.0	63.2	48.1	60.6	0.3	0.0	63.5	
8	36	36C	60.3	63.2	36.6	60.3	0.0	0.0	63.2	45.4	60.4	0.1	0.0	63.3	46.8	60.5	0.2	0.0	63.4	45.5	60.4	0.1	0.0	63.3	38.3	60.3	0.0	0.0	63.2	48.2	60.6	0.3	0.0	63.5	
9	36	36C	60.3	63.2	36.7	60.3	0.0	0.0	63.2	45.5	60.4	0.1	0.0	63.3	46.9	60.5	0.2	0.0	63.4	45.5	60.4	0.1	0.0	63.3	38.4	60.3	0.0	0.0	63.2	48.3	60.6	0.3	0.0	63.5	
10	36	36C	60.3	63.2	36.8	60.3	0.0	0.0	63.2	45.7	60.5	0.1	0.0	63.4	47.2	60.5	0.2	0.0	63.4	45.6	60.5	0.1	0.0	63.4	38.4	60.3	0.0	0.0	63.2	48.3	60.6	0.3	0.0	63.5	
11	36	36C	60.3	63.2	37.1	60.3	0.0	0.0	63.2	46.1	60.5	0.2	0.0	63.4	47.7	60.5	0.2	0.0	63.4	45.6	60.5	0.1	0.0	63.4	38.5	60.3	0.0	0.0	63.2	48.2	60.6	0.3	0.0	63.5	
Top	36	36C	60.3	63.2	37.5	60.3	0.0	0.0	63.2	46.9	60.5	0.2	0.0	63.4	48.6	60.6	0.2	0.0	63.5	45.8	60.5	0.2	0.0	63.4	38.6	60.3	0.0	0.0	63.2	48.2	60.6	0.3	0.0	63.5	
1	36	36D	60.3	63.2	34.5	60.3	0.0	0.0	63.2	42.8	60.4	0.1	0.0	63.3	42.7	60.4	0.1	0.0	63.3	42.3	60.4	0.1	0.0	63.3	35.0	60.3	0.0	0.0	63.2	43.8	60.4	0.1	0.0	63.3	
2	36	36D	60.3	63.2	34.4	60.3	0.0	0.0	63.2	42.0	60.4	0.1	0.0	63.3	41.9	60.4	0.1	0.0	63.3	42.1	60.4	0.1	0.0	63.3	35.3	60.3	0.0	0.0	63.2	44.3	60.4	0.1	0.0	63.3	
3	36	36D	60.3	63.2	34.2	60.3	0.0	0.0	63.2	41.9	60.4	0.1	0.0	63.3	42.0	60.4	0.1	0.0	63.3	42.1	60.4	0.1	0.0	63.3	35.7	60.3	0.0	0.0	63.2	44.8	60.4	0.1	0.0	63.3	
4	36	36D	60.3	63.2	34.1	60.3	0.0	0.0	63.2	42.0	60.4	0.1	0.0	63.3	42.8	60.4	0.1	0.0	63.3	42.3	60.4	0.1	0.0	63.3	36.0	60.3	0.0	0.0	63.2	45.3	60.4	0.1	0.0	63.3	
5	36	36D	60.3	63.2	34.0	60.3	0.0	0.0	63.2	42.3	60.4	0.1	0.0	63.3	44.4	60.4	0.1	0.0	63.3	42.6	60.4	0.1	0.0	63.3	36.5	60.3	0.0	0.0	63.2	45.9	60.5	0.2	0.0	63.4	
6	36	36D	60.3	63.2	34.0	60.3	0.0	0.0	63.2	43.0	60.4	0.1	0.0	63.3	47.3	60.5	0.2	0.0	63.4	43.0	60.4	0.1	0.0	63.3	36.8	60.3	0.0	0.0	63.2	46.5	60.5	0.2	0.0	63.4	
7	36	36D	60.3	63.2	34.1	60.3	0.0	0.0	63.2	43.5	60.4	0.1	0.0	63.3	51.1	60.8	0.5	0.0	63.7	43.5	60.4	0.1	0.0	63.3	37.3	60.3	0.0	0.0	63.2	47.1	60.5	0.2	0.0	63.4	
8	36	36D	60.3	63.2	34.2	60.3	0.0	0.0	63.2	44.0	60.4	0.1	0.0	63.3	51.2	60.8	0.5	0.0	63.7	43.8	60.4	0.1	0.0	63.3	37.7	60.3	0.0	0.0	63.2	47.6	60.5	0.2	0.0	63.4	
9	36	36D	60.3	63.2	34.3	60.3	0.0	0.0	63.2	44.6	60.4	0.1	0.0	63.3	51.3	60.8	0.5	0.0	63.7	44.1	60.4	0.1	0.0	63.3	38.1	60.3	0.0	0.0	63.2	47.9	60.5	0.2	0.0	63.4	
10	36	36D	60.3	63.2	34.5	60.3	0.0	0.0	63.2	45.3	60.4	0.1	0.0	63.3	51.4	60.8	0.5	0.0	63.7	44.8	60.4	0.1	0.0	63.3	38.3	60.3	0.0	0.0	63.2	48.2	60.6	0.3	0.0	63.5	
11	36	36D	60.3	63.2	34.4	60.3	0.0	0.0	63.2	46.1	60.5	0.2	0.0	63.4	52.0	60.9	0.6	0.0	63.8	45.0	60.4	0.1	0.0	63.3	37.9	60.3	0.0	0.0	63.2	47.5	60.5	0.2	0.0	63.4	
Top	36	36D	60.3	63.2	34.4	60.3	0.0	0.0	63.2	47.1	60.5	0.2	0.0	63.4	53.8	61.2	0.9	0.0	64.1	45.5	60.4	0.1	0.0	63.3	38.5	60.3	0.0	0.0	63.2	47.3	60.5	0.2	0.0	63.4	
1	37	37A	66.6	69.5	52.9	66.8	0.2	0.0	69.7	68.7	70.8	4.2	YES	73.7	68.9	70.9	4.3	YES	73.8	68.7	70.8	4.2	YES	73.7	40.9	66.6	0.0	0.0	69.5	52.0	66.7	0.1	0.0	69.6	
2	37	37A	68.1	71.0	61.7	69.0	0.9	0.0	71.9	68.5	71.3	3.2	YES	74.2	68.5	71.3	3.2	YES	74.2	67.5	70.8	2.7	0.0	73.7	41.8	68.1	0.0	0.0	71.0	52.9	68.2	0.1	0.0	71.1	
3	37	37A	68.6	71.5	61.2	69.3	0.7	0.0	72.2	68.0	71.3	2.7	0.0	74.2	68.2	71.4	2.8	0.0	74.3	67.2	71.0	2.4	0.0	73.9	42.6	68.6	0.0	0.0	71.5	53.8	68.7	0.1	0.0	71.6	
4	37	37A	68.7	71.6	60.6	69.3	0.6	0.0	72.2	67.9	71.3	2.6	0.0	74.2	68.0	71.4	2.7	0.0	74.3	67.2	71.0	2.3	0.0	73.9	43.3	68.7	0.0	0.0	71.6	54.6	68.9	0.2	0.0	71.8	
5	37	37A	68.6	71.5	60.0	69.2	0.6	0.0	72.1	67.8	71.2	2.6	0.0	74.1	67.9	71.3	2.7	0.0	74.2	67.2	71.0	2.4	0.0	73.9	43.7	68.6	0.0	0.0	71.5	54.9	68.8	0.2	0.0	71.7	
6	37	37A	68.4	71.3	59.9	69.0	0.6	0.0	71.9	67.8	71.1	2.7	0.0	74.0	67.9	71.2	2.8	0.0	74.1	67.1	70.8	2.4	0.0	73.7	43.9	68.4	0.0	0.0	71.3	55.1	68.6	0.2	0.0	71.5	
7	37	37A	68.3	71.2	59.9	68.9	0.6	0.0	71.8	67.7	71.0	2.7	0.0	73.9	67.9	71.1	2.8	0.0	74.0	67.1	70.8	2.5	0.0	73.7	44.0	68.3	0.0	0.0	71.2	55.2	68.5	0.2	0.0	71.4	
8	37	37A	68.1	71.0	59.9	68.7	0.6	0.0	71.6	67.7	70.9	2.8	0.0	73.8	67.9	71.0	2.9	0.0	73.9	67.1	70.6	2.5	0.0	73.5	43.9	68.1	0.0	0.0	71.0	55.2	68.3	0.2	0.0	71.2	
9	37	37A	67.8	70.7	59.9	68.5	0.7	0.0	71.4	67.7	70.8	3.0	0.0	73.7	67.9	70.9	3.1	YES	73.8	67.1	70.5	2.7	0.0	73.4	43.9	67.8	0.0	0.0	70.7	55.1	68.0	0.2	0.0	70.9	
10	37	37A	67.6	70.5	59.9	68.3	0.7	0.0	71.2	67.7	70.7	3.1	YES	73.6	67.9	70.8	3.2	YES	73.7	67.1	70.4	2.8	0.0	73.3	43.9	67.6	0.0	0.0	70.5	55.1	67.8	0.2	0.0	70.7	
11	37	37A	67.4	70.3	59.9	68.1	0.7	0.0	71.0	67.7	70.6	3.2	YES	73.5	67.9	70.7	3.3	YES	73.6	67.0	70.2	2.8	0.0	73.1	43.8	67.4	0.0	0.0	70.3	55.0	67.6	0.2	0.0	70.5	
Top	37	37A	67.1	70.0	59.9	67.9	0.8	0.0	70.8	67.7	70.4	3.3	YES	73.3	67.8	70.5	3.4	YES	73.4	67.0	70.1	3.0	0.0	73.0	43.8	67.1	0.0	0.0	70.0	54.9	67.4	0.3	0.0	70.3	
1	37	37B	66.0	68.9	57.2	66.5	0.5	0.0	69.4	65.3	68.7	2.7	0.0	71.6	65.5	68.8	2.8	0.0	71.7	64.4	68.3	2.3	0.0	71.2	40.6	66.0	0.0	0.0	68.9	51.5	66.2	0.2	0.0	69.1	
2	37	37B	67.6	70.5	56.8	67.9	0.3	0.0	70.8	64.1	69.2	1.6	0.0	72.1	64.3	69.3	1.7	0.0	72.2	62.9	68.9	1.3	0.0	71.8	41.5	67.6	0.0	0.0	70.5	52.5	67.7	0.1	0.0	70.6	
3	37	37B	68.1	71.0	56.2	68.4	0.3	0.0	71.3	63.8	69.5	1.4	0.0	72.4	64.1	69.6	1.5	0.0	72.5	62.9	69.2	1.1	0.0	72.1	42.3	68.1	0.0	0.0	71.0	53.5	68.2	0.1	0.0	71.1	
4	37	37B	68.2	71.1	55.6	68.4	0.2	0.0	71.3	63.6	69.5	1.3	0.0	72.4	64.0	69.6	1.4	0.0	72.5	62.9	69.3	1.1	0.0	72.2	43.1	68.2	0.0	0.0	71.1	54.3	68.4	0.2	0.0	71.3	
5	37	37B	68.1	71.0	55.0	68.3	0.2	0.0	71.2	63.5	69.4	1.3	0.0	72.3	63.9	69.5	1.4	0.0	72.4	62.9	69.2	1.1	0.0	72.1	43.5	68.1	0.0	0.0	71.0						

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1 L10					
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?		L10 Total				
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change				Const	Total	Change	Const
11	38	38A	66.1	69.0	50.9	66.2	0.1	0.0	69.1	69.9	71.4	5.3	YES	74.3	70.4	71.8	5.7	YES	74.7	65.6	68.9	2.8	0.0	71.8	43.1	66.1	0.0	0.0	69.0	54.3	66.4	0.3	0.0	69.3
Top	38	38A	65.8	68.7	51.4	66.0	0.2	0.0	68.9	69.9	71.3	5.5	YES	74.2	70.4	71.7	5.9	YES	74.6	65.6	68.7	2.9	0.0	71.6	43.0	65.8	0.0	0.0	68.7	54.2	66.1	0.3	0.0	69.0
1	38	38B	66.3	69.2	54.7	66.6	0.3	0.0	69.5	72.4	73.4	7.1	YES	76.3	72.6	73.5	7.2	YES	76.4	72.7	73.6	7.3	YES	76.5	41.0	66.3	0.0	0.0	69.2	51.7	66.4	0.1	0.0	69.3
2	38	38B	67.8	70.7	63.3	69.1	1.3	0.0	72.0	72.2	73.5	5.7	YES	76.4	72.4	73.7	5.9	YES	76.6	72.0	73.4	5.6	YES	76.3	41.8	67.8	0.0	0.0	70.7	52.7	67.9	0.1	0.0	70.8
3	38	38B	68.3	71.2	62.6	69.3	1.0	0.0	72.2	72.0	73.5	5.2	YES	76.4	72.3	73.8	5.5	YES	76.7	72.0	73.5	5.2	YES	76.4	42.7	68.3	0.0	0.0	71.2	53.6	68.4	0.1	0.0	71.3
4	38	38B	68.3	71.2	61.9	69.2	0.9	0.0	72.1	71.9	73.5	5.2	YES	76.4	72.2	73.7	5.4	YES	76.6	72.0	73.5	5.2	YES	76.4	43.4	68.3	0.0	0.0	71.2	54.4	68.5	0.2	0.0	71.4
5	38	38B	68.2	71.1	61.7	69.1	0.9	0.0	72.0	71.9	73.4	5.2	YES	76.3	72.2	73.7	5.5	YES	76.6	71.9	73.4	5.2	YES	76.3	43.7	68.2	0.0	0.0	71.1	54.7	68.4	0.2	0.0	71.3
6	38	38B	68.1	71.0	61.7	69.0	0.9	0.0	71.9	71.9	73.4	5.3	YES	76.3	72.1	73.6	5.5	YES	76.5	71.9	73.4	5.3	YES	76.3	43.9	68.1	0.0	0.0	71.0	54.8	68.3	0.2	0.0	71.2
7	38	38B	67.9	70.8	61.7	68.8	0.9	0.0	71.7	71.9	73.4	5.5	YES	76.3	72.1	73.5	5.6	YES	76.4	71.9	73.4	5.5	YES	76.3	44.0	67.9	0.0	0.0	70.8	54.8	68.1	0.2	0.0	71.0
8	38	38B	67.7	70.6	61.7	68.7	1.0	0.0	71.6	71.8	73.2	5.5	YES	76.1	72.1	73.4	5.7	YES	76.3	71.8	73.2	5.5	YES	76.1	44.1	67.7	0.0	0.0	70.6	54.8	67.9	0.2	0.0	70.8
9	38	38B	67.4	70.3	61.7	68.4	1.0	0.0	71.3	71.8	73.1	5.7	YES	76.0	72.0	73.3	5.9	YES	76.2	71.8	73.1	5.7	YES	76.0	44.1	67.4	0.0	0.0	70.3	54.7	67.6	0.2	0.0	70.5
10	38	38B	67.2	70.1	61.7	68.3	1.1	0.0	71.2	71.7	73.0	5.8	YES	75.9	72.0	73.2	6.0	YES	76.1	71.7	73.0	5.8	YES	75.9	44.2	67.2	0.0	0.0	70.1	54.7	67.4	0.2	0.0	70.3
11	38	38B	66.9	69.8	61.7	68.0	1.1	0.0	70.9	71.7	72.9	6.0	YES	75.8	71.9	73.1	6.2	YES	76.0	71.7	72.9	6.0	YES	75.8	44.2	66.9	0.0	0.0	69.8	54.6	67.1	0.2	0.0	70.0
Top	38	38B	66.7	69.6	61.7	67.9	1.2	0.0	70.8	71.7	72.9	6.2	YES	75.8	71.9	73.0	6.3	YES	75.9	71.6	72.8	6.1	YES	75.7	44.3	66.7	0.0	0.0	69.6	54.5	67.0	0.3	0.0	69.9
1	38	38C	61.1	64.0	41.7	61.1	0.0	0.0	64.0	65.5	66.8	5.7	YES	69.7	73.1	73.4	12.3	YES	76.3	63.4	65.4	4.3	YES	68.3	37.8	61.1	0.0	0.0	64.0	48.4	61.3	0.2	0.0	64.2
2	38	38C	62.3	65.2	41.1	62.3	0.0	0.0	65.2	64.8	66.7	4.4	YES	69.6	72.5	72.9	10.6	YES	75.8	63.3	65.8	3.5	YES	68.7	38.4	62.3	0.0	0.0	65.2	49.1	62.5	0.2	0.0	65.4
3	38	38C	63.4	66.3	40.5	63.4	0.0	0.0	66.3	64.8	67.2	3.8	YES	70.1	72.5	73.0	9.6	YES	75.9	63.3	66.4	3.0	0.0	69.3	39.0	63.4	0.0	0.0	66.3	49.8	63.6	0.2	0.0	66.5
4	38	38C	64.0	66.9	40.0	64.0	0.0	0.0	66.9	64.8	67.4	3.4	YES	70.3	72.5	73.1	9.1	YES	76.0	63.3	66.7	2.7	0.0	69.6	39.5	64.0	0.0	0.0	66.9	50.5	64.2	0.2	0.0	67.1
5	38	38C	64.3	67.2	39.9	64.3	0.0	0.0	67.2	64.9	67.6	3.3	YES	70.5	72.5	73.1	8.8	YES	76.0	63.4	66.9	2.6	0.0	69.8	40.1	64.3	0.0	0.0	67.2	51.2	64.5	0.2	0.0	67.4
6	38	38C	64.3	67.2	40.1	64.3	0.0	0.0	67.2	65.0	67.7	3.4	YES	70.6	72.5	73.1	8.8	YES	76.0	63.5	66.9	2.6	0.0	69.8	40.8	64.3	0.0	0.0	67.2	51.7	64.5	0.2	0.0	67.4
7	38	38C	64.3	67.2	41.1	64.3	0.0	0.0	67.2	66.1	68.3	4.0	YES	71.2	72.5	73.1	8.8	YES	76.0	64.3	67.3	3.0	YES	70.2	41.0	64.3	0.0	0.0	67.2	51.8	64.5	0.2	0.0	67.4
8	38	38C	64.0	66.9	45.2	64.1	0.1	0.0	67.0	67.2	68.9	4.9	YES	71.8	72.4	73.0	9.0	YES	75.9	65.2	67.7	3.7	YES	70.6	41.0	64.0	0.0	0.0	66.9	51.8	64.3	0.3	0.0	67.2
9	38	38C	64.0	66.9	45.3	64.1	0.1	0.0	67.0	66.8	68.6	4.6	YES	71.5	72.5	73.1	9.1	YES	76.0	67.5	69.1	5.1	YES	72.0	41.2	64.0	0.0	0.0	66.9	51.9	64.3	0.3	0.0	67.2
10	38	38C	64.1	67.0	47.2	64.2	0.1	0.0	67.1	70.0	71.0	6.9	YES	73.9	72.5	73.1	9.0	YES	76.0	66.1	68.2	4.1	YES	71.1	41.2	64.1	0.0	0.0	67.0	51.9	64.4	0.3	0.0	67.3
11	38	38C	64.0	66.9	53.0	64.3	0.3	0.0	67.2	70.1	71.1	7.1	YES	74.0	72.4	73.0	9.0	YES	75.9	70.2	71.1	7.1	YES	74.0	41.2	64.0	0.0	0.0	66.9	51.8	64.3	0.3	0.0	67.2
Top	38	38C	63.8	66.7	53.0	64.1	0.3	0.0	67.0	70.0	70.9	7.1	YES	73.8	72.3	72.9	9.1	YES	75.8	70.2	71.1	7.3	YES	74.0	41.2	63.8	0.0	0.0	66.7	51.8	64.1	0.3	0.0	67.0
1	38	38D	60.3	63.2	35.7	60.3	0.0	0.0	63.2	45.3	60.4	0.1	0.0	63.3	46.1	60.5	0.2	0.0	63.4	45.3	60.4	0.1	0.0	63.3	32.7	60.3	0.0	0.0	63.2	40.4	60.4	0.0	0.0	63.3
2	38	38D	60.3	63.2	35.5	60.3	0.0	0.0	63.2	44.8	60.4	0.1	0.0	63.3	45.5	60.4	0.1	0.0	63.3	44.9	60.4	0.1	0.0	63.3	32.8	60.3	0.0	0.0	63.2	40.8	60.4	0.0	0.0	63.3
3	38	38D	60.3	63.2	35.2	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.5	60.4	0.1	0.0	63.3	44.9	60.4	0.1	0.0	63.3	33.0	60.3	0.0	0.0	63.2	41.3	60.4	0.1	0.0	63.3
4	38	38D	60.3	63.2	35.0	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.4	60.4	0.1	0.0	63.3	44.9	60.4	0.1	0.0	63.3	33.2	60.3	0.0	0.0	63.2	41.8	60.4	0.1	0.0	63.3
5	38	38D	60.3	63.2	34.9	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.4	60.4	0.1	0.0	63.3	45.0	60.4	0.1	0.0	63.3	33.4	60.3	0.0	0.0	63.2	42.3	60.4	0.1	0.0	63.3
6	38	38D	60.3	63.2	34.9	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.4	60.4	0.1	0.0	63.3	45.0	60.4	0.1	0.0	63.3	33.7	60.3	0.0	0.0	63.2	42.7	60.4	0.1	0.0	63.3
7	38	38D	60.3	63.2	34.9	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.4	60.4	0.1	0.0	63.3	45.1	60.4	0.1	0.0	63.3	34.0	60.3	0.0	0.0	63.2	43.2	60.4	0.1	0.0	63.3
8	38	38D	60.3	63.2	34.9	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.5	60.4	0.1	0.0	63.3	45.1	60.4	0.1	0.0	63.3	34.3	60.3	0.0	0.0	63.2	43.6	60.4	0.1	0.0	63.3
9	38	38D	60.3	63.2	34.9	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.5	60.4	0.1	0.0	63.3	45.2	60.4	0.1	0.0	63.3	34.4	60.3	0.0	0.0	63.2	43.8	60.4	0.1	0.0	63.3
10	38	38D	60.3	63.2	34.9	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.5	60.4	0.1	0.0	63.3	45.2	60.4	0.1	0.0	63.3	34.5	60.3	0.0	0.0	63.2	44.0	60.4	0.1	0.0	63.3
11	38	38D	60.3	63.2	34.8	60.3	0.0	0.0	63.2	44.7	60.4	0.1	0.0	63.3	45.5	60.4	0.1	0.0	63.3	45.2	60.4	0.1	0.0	63.3	34.7	60.3	0.0	0.0	63.2	44.1	60.4	0.1	0.0	63.3
Top	38	38D	60.3	63.2	34.5	60.3	0.0	0.0	63.2	44.8	60.4	0.1	0.0	63.3	45.9	60.5	0.2	0.0	63.4	45.3	60.4	0.1	0.0	63.3	34.9	60.3	0.0	0.0	63.2	44.2	60.4	0.1	0.0	63.3
1	39	39A	64.8	67.7	58.7	65.8	1.0	0.0	68.7	75.5	75.9	11.1	YES	78.8	75.0	75.4	10.6	YES	78.3	76.6	76.9	12.1	YES	79.8	40.9	64.8	0.0	0.0	67.7	51.1	65.0	0.2	0.0	67.9
2	39	39A	66.4	69.3	57.9	67.0	0.6																											

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total	Const	Total	Change	Exceed?	L10 Total
1	40	40D	60.6	63.5	42.4	60.7	0.1	0.0	63.6	79.2	79.3	18.7	YES	82.2	74.6	74.8	14.2	YES	77.7	79.9	80.0	19.4	YES	82.9	36.5	60.6	0.0	0.0	63.5	46.5	60.8	0.2	0.0	63.7
2	40	40D	61.5	64.4	42.0	61.5	0.0	0.0	64.4	79.2	79.3	17.8	YES	82.2	74.6	74.8	13.3	YES	77.7	79.8	79.9	18.4	YES	82.8	37.0	61.5	0.0	0.0	64.4	47.2	61.7	0.2	0.0	64.6
3	40	40D	62.3	65.2	41.5	62.3	0.0	0.0	65.2	79.1	79.2	16.9	YES	82.1	74.6	74.8	12.5	YES	77.7	79.8	79.9	17.6	YES	82.8	37.6	62.3	0.0	0.0	65.2	47.8	62.5	0.2	0.0	65.4
4	40	40D	62.8	65.7	41.5	62.8	0.0	0.0	65.7	79.0	79.1	16.3	YES	82.0	74.6	74.9	12.1	YES	77.8	79.7	79.8	17.0	YES	82.7	38.1	62.8	0.0	0.0	65.7	48.4	63.0	0.2	0.0	65.9
5	40	40D	63.0	65.9	40.3	63.0	0.0	0.0	65.9	78.9	79.0	16.0	YES	81.9	74.5	74.8	11.8	YES	77.7	79.5	79.6	16.6	YES	82.5	38.8	63.0	0.0	0.0	65.9	49.1	63.2	0.2	0.0	66.1
Top	40	40D	63.1	66.0	39.9	63.1	0.0	0.0	66.0	78.8	78.9	15.8	YES	81.8	74.5	74.8	11.7	YES	77.7	79.4	79.5	16.4	YES	82.4	39.5	63.1	0.0	0.0	66.0	49.7	63.3	0.2	0.0	66.2
1	41	41A	66.4	69.3	71.4	72.6	6.2	YES	75.5	76.0	76.5	10.1	YES	79.4	75.0	75.6	9.2	YES	78.5	69.3	71.1	4.7	YES	74.0	41.3	66.4	0.0	0.0	69.3	52.2	66.6	0.2	0.0	69.5
2	41	41A	68.2	71.1	69.9	72.1	3.9	YES	75.0	75.2	76.0	7.8	YES	78.9	73.9	74.9	6.7	YES	77.8	68.7	71.5	3.3	YES	74.4	42.3	68.2	0.0	0.0	71.1	53.3	68.3	0.1	0.0	71.2
3	41	41A	68.7	71.6	69.7	72.2	3.5	YES	75.1	75.2	76.1	7.4	YES	79.0	73.9	75.0	6.3	YES	77.9	68.6	71.7	3.0	0.0	74.6	43.3	68.7	0.0	0.0	71.6	54.5	68.9	0.2	0.0	71.8
4	41	41A	68.8	71.7	69.7	72.3	3.5	YES	75.2	75.2	76.1	7.3	YES	79.0	73.9	75.1	6.3	YES	78.0	68.6	71.7	2.9	0.0	74.6	43.9	68.8	0.0	0.0	71.7	55.1	69.0	0.2	0.0	71.9
5	41	41A	68.7	71.6	69.7	72.2	3.5	YES	75.1	75.1	76.0	7.3	YES	78.9	73.9	75.0	6.3	YES	77.9	68.5	71.6	2.9	0.0	74.5	44.1	68.7	0.0	0.0	71.6	55.3	68.9	0.2	0.0	71.8
6	41	41A	68.5	71.4	69.7	72.2	3.7	YES	75.1	75.1	76.0	7.5	YES	78.9	73.9	75.0	6.5	YES	77.9	68.6	71.6	3.1	YES	74.5	44.3	68.5	0.0	0.0	71.4	55.5	68.7	0.2	0.0	71.6
7	41	41A	68.3	71.2	69.7	72.1	3.8	YES	75.0	75.1	75.9	7.6	YES	78.8	73.9	75.0	6.7	YES	77.9	68.5	71.4	3.1	YES	74.3	44.2	68.3	0.0	0.0	71.2	55.4	68.5	0.2	0.0	71.4
8	41	41A	68.0	70.9	69.7	71.9	3.9	YES	74.8	75.0	75.8	7.8	YES	78.7	73.8	74.8	6.8	YES	77.7	68.5	71.3	3.3	YES	74.2	44.2	68.0	0.0	0.0	70.9	55.4	68.2	0.2	0.0	71.1
9	41	41A	67.8	70.7	69.7	71.9	4.1	YES	74.8	75.0	75.8	8.0	YES	78.7	73.8	74.8	7.0	YES	77.7	68.5	71.2	3.4	YES	74.1	44.1	67.8	0.0	0.0	70.7	55.3	68.0	0.2	0.0	70.9
10	41	41A	67.5	70.4	69.6	71.7	4.2	YES	74.6	74.9	75.6	8.1	YES	78.5	73.7	74.6	7.1	YES	77.5	68.4	71.0	3.5	YES	73.9	44.0	67.5	0.0	0.0	70.4	55.1	67.7	0.2	0.0	70.6
11	41	41A	67.2	70.1	69.0	71.2	4.0	YES	74.1	74.9	75.6	8.4	YES	78.5	73.7	74.6	7.4	YES	77.5	68.4	70.9	3.7	YES	73.8	43.9	67.2	0.0	0.0	70.1	55.0	67.5	0.3	0.0	70.4
Top	41	41A	67.0	69.9	68.9	71.1	4.1	YES	74.0	74.8	75.5	8.5	YES	78.4	73.6	74.5	7.5	YES	77.4	68.4	70.8	3.8	YES	73.7	43.8	67.0	0.0	0.0	69.9	54.8	67.3	0.3	0.0	70.2
1	41	41B	64.1	67.0	67.5	69.1	5.0	YES	72.0	75.2	75.5	11.4	YES	78.4	75.4	75.7	11.6	YES	78.6	58.2	65.1	1.0	0.0	68.0	39.9	64.1	0.0	0.0	67.0	50.5	64.3	0.2	0.0	67.2
2	41	41B	65.8	68.7	66.2	69.0	3.2	YES	71.9	74.2	74.8	9.0	YES	77.7	74.4	75.0	9.2	YES	77.9	57.3	66.4	0.6	0.0	69.3	40.8	65.8	0.0	0.0	68.7	51.5	66.0	0.2	0.0	68.9
3	41	41B	66.6	69.5	66.0	69.3	2.7	0.0	72.2	74.2	74.9	8.3	YES	77.8	74.4	75.1	8.5	YES	78.0	57.2	67.1	0.5	0.0	70.0	41.6	66.6	0.0	0.0	69.5	52.5	66.8	0.2	0.0	69.7
4	41	41B	66.8	69.7	66.0	69.4	2.6	0.0	72.3	74.2	74.9	8.1	YES	77.8	74.4	75.1	8.3	YES	78.0	57.3	67.3	0.5	0.0	70.2	42.4	66.8	0.0	0.0	69.7	53.4	67.0	0.2	0.0	69.9
5	41	41B	66.8	69.7	66.0	69.4	2.6	0.0	72.3	74.2	74.9	8.1	YES	77.8	74.4	75.1	8.3	YES	78.0	57.5	67.3	0.5	0.0	70.2	42.7	66.8	0.0	0.0	69.7	53.8	67.0	0.2	0.0	69.9
6	41	41B	66.8	69.7	66.0	69.4	2.6	0.0	72.3	74.2	74.9	8.1	YES	77.8	74.3	75.0	8.2	YES	77.9	57.6	67.3	0.5	0.0	70.2	42.8	66.8	0.0	0.0	69.7	53.9	67.0	0.2	0.0	69.9
7	41	41B	66.6	69.5	66.0	69.3	2.7	0.0	72.2	74.1	74.8	8.2	YES	77.7	74.3	75.0	8.4	YES	77.9	57.6	67.1	0.5	0.0	70.0	42.8	66.6	0.0	0.0	69.5	53.9	66.8	0.2	0.0	69.7
8	41	41B	66.5	69.4	65.9	69.2	2.7	0.0	72.1	74.1	74.8	8.3	YES	77.7	74.3	75.0	8.5	YES	77.9	57.6	67.0	0.5	0.0	69.9	42.8	66.5	0.0	0.0	69.4	53.9	66.7	0.2	0.0	69.6
9	41	41B	66.3	69.2	65.9	69.1	2.8	0.0	72.0	74.1	74.8	8.5	YES	77.7	74.2	74.9	8.6	YES	77.8	57.5	66.8	0.5	0.0	69.7	42.8	66.3	0.0	0.0	69.2	53.8	66.5	0.2	0.0	69.4
10	41	41B	66.1	69.0	65.9	69.0	2.9	0.0	71.9	74.0	74.7	8.6	YES	77.6	74.2	74.8	8.7	YES	77.7	57.7	66.7	0.6	0.0	69.6	42.8	66.1	0.0	0.0	69.0	53.7	66.3	0.2	0.0	69.2
11	41	41B	65.9	68.8	63.5	67.9	2.0	0.0	70.8	74.0	74.6	8.7	YES	77.5	74.1	74.7	8.8	YES	77.6	57.7	66.5	0.6	0.0	69.4	42.8	65.9	0.0	0.0	68.8	53.6	66.1	0.2	0.0	69.0
Top	41	41B	65.7	68.6	63.5	67.7	2.0	0.0	70.6	73.9	74.5	8.8	YES	77.4	74.1	74.7	9.0	YES	77.6	57.7	66.3	0.6	0.0	69.2	43.3	65.7	0.0	0.0	68.6	53.5	66.0	0.3	0.0	68.9
1	41	41C	60.3	63.2	47.5	60.5	0.2	0.0	63.4	62.8	64.7	4.4	0.0	67.6	71.8	72.1	11.8	YES	75.0	47.4	60.5	0.2	0.0	63.4	36.7	60.3	0.0	0.0	63.2	44.5	60.4	0.1	0.0	63.3
2	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.7	64.1	3.8	0.0	67.0	70.7	71.1	10.8	YES	74.0	46.9	60.5	0.2	0.0	63.4	37.0	60.3	0.0	0.0	63.2	45.2	60.4	0.1	0.0	63.3
3	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.7	64.1	3.8	0.0	67.0	70.7	71.1	10.8	YES	74.0	46.9	60.5	0.2	0.0	63.4	37.4	60.3	0.0	0.0	63.2	45.9	60.5	0.2	0.0	63.4
4	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.7	64.1	3.8	0.0	67.0	70.7	71.1	10.8	YES	74.0	47.0	60.5	0.2	0.0	63.4	37.8	60.3	0.0	0.0	63.2	46.6	60.5	0.2	0.0	63.4
5	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.7	64.1	3.8	0.0	67.0	70.7	71.1	10.8	YES	74.0	47.1	60.5	0.2	0.0	63.4	38.2	60.3	0.0	0.0	63.2	47.3	60.5	0.2	0.0	63.4
6	41	41C	60.4	63.3	46.7	60.6	0.2	0.0	63.5	61.7	64.1	3.7	0.0	67.0	70.7	71.1	10.7	YES	74.0	47.3	60.6	0.2	0.0	63.5	38.9	60.4	0.0	0.0	63.3	48.0	60.6	0.2	0.0	63.5
7	41	41C	60.4	63.3	46.7	60.6	0.2	0.0	63.5	61.7	64.1	3.7	0.0	67.0	70.6	71.0	10.6	YES	73.9	47.4	60.6	0.2	0.0	63.5	39.3	60.4	0.0	0.0	63.3	48.3	60.7	0.3	0.0	63.6
8	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.6	64.0	3.7	0.0	66.9	70.6	71.0	10.7	YES	73.9	47.4	60.5	0.2	0.0	63.4	39.5	60.3	0.0	0.0	63.2	48.4	60.6	0.3	0.0	63.5
9	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.6	64.0	3.7	0.0	66.9	70.6	71.0	10.7	YES	73.9	47.5	60.5	0.2	0.0	63.4	39.8	60.3	0.0	0.0	63.2	48.4	60.6	0.3	0.0	63.5
10	41	41C	60.3	63.2	46.7	60.5	0.2	0.0	63.4	61.6	64.0	3																						

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1				
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
3	42	42C	60.3	63.2	69.0	69.6	9.2	YES	72.5	75.6	75.7	15.4	YES	78.6	73.9	74.1	13.8	YES	77.0	46.5	60.5	0.2	0.0	63.4	37.5	60.3	0.0	0.0	63.2	45.1	60.4	0.1	0.0	63.3					
4	42	42C	60.3	63.2	69.0	69.6	9.2	YES	72.5	75.5	75.6	15.3	YES	78.5	73.9	74.1	13.8	YES	77.0	47.2	60.5	0.2	0.0	63.4	37.8	60.3	0.0	0.0	63.2	45.8	60.5	0.2	0.0	63.4					
5	42	42C	60.3	63.2	69.0	69.6	9.2	YES	72.5	75.5	75.6	15.3	YES	78.5	73.9	74.1	13.8	YES	77.0	48.2	60.6	0.3	0.0	63.5	38.2	60.3	0.0	0.0	63.2	46.5	60.5	0.2	0.0	63.4					
6	42	42C	60.6	63.5	69.0	69.6	9.0	YES	72.5	75.4	75.5	14.9	YES	78.4	73.8	74.0	13.4	YES	76.9	50.0	61.0	0.4	0.0	63.9	38.9	60.6	0.0	0.0	63.5	47.1	60.8	0.2	0.0	63.7					
7	42	42C	60.7	63.6	69.2	69.8	9.1	YES	72.7	75.4	75.5	14.8	YES	78.4	73.8	74.0	13.3	YES	76.9	54.5	61.6	0.9	0.0	64.5	39.3	60.7	0.0	0.0	63.6	47.4	60.9	0.2	0.0	63.8					
8	42	42C	61.0	63.9	69.3	69.9	8.9	YES	72.8	75.3	75.5	14.5	YES	78.4	73.7	73.9	12.9	YES	76.8	57.1	62.5	1.5	0.0	65.4	39.9	61.0	0.0	0.0	63.9	47.5	61.2	0.2	0.0	64.1					
9	42	42C	61.2	64.1	69.0	69.7	8.5	YES	72.6	75.2	75.4	14.2	YES	78.3	73.6	73.8	12.6	YES	76.7	58.7	63.1	1.9	0.0	66.0	40.2	61.2	0.0	0.0	64.1	47.3	61.4	0.2	0.0	64.3					
10	42	42C	61.5	64.4	63.7	65.7	4.2	YES	68.6	75.1	75.3	13.8	YES	78.2	73.6	73.9	12.4	YES	76.8	60.2	63.9	2.4	0.0	66.8	40.4	61.5	0.0	0.0	64.4	46.6	61.6	0.1	0.0	64.5					
11	42	42C	61.8	64.7	64.4	66.3	4.5	YES	69.2	75.0	75.2	13.4	YES	78.1	73.5	73.8	12.0	YES	76.7	60.7	64.3	2.5	0.0	67.2	40.9	61.8	0.0	0.0	64.7	46.5	61.9	0.1	0.0	64.8					
Top	42	42C	61.7	64.6	65.8	67.2	5.5	YES	70.1	74.9	75.1	13.4	YES	78.0	73.4	73.7	12.0	YES	76.6	60.8	64.3	2.6	0.0	67.2	41.4	61.7	0.0	0.0	64.6	46.5	61.8	0.1	0.0	64.7					
1	42	42D	60.3	63.2	47.4	60.5	0.2	0.0	63.4	51.8	60.9	0.6	0.0	63.8	51.5	60.8	0.5	0.0	63.7	52.5	61.0	0.7	0.0	63.9	33.7	60.3	0.0	0.0	63.2	38.3	60.3	0.0	0.0	63.2					
2	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.7	60.8	0.5	0.0	63.7	51.4	60.8	0.5	0.0	63.7	33.8	60.3	0.0	0.0	63.2	38.8	60.3	0.0	0.0	63.2					
3	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.7	60.8	0.5	0.0	63.7	51.0	60.8	0.5	0.0	63.7	33.8	60.3	0.0	0.0	63.2	39.3	60.3	0.0	0.0	63.2					
4	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.0	60.8	0.5	0.0	63.7	33.9	60.3	0.0	0.0	63.2	39.8	60.3	0.0	0.0	63.2					
5	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.0	60.8	0.5	0.0	63.7	34.1	60.3	0.0	0.0	63.2	40.3	60.3	0.0	0.0	63.2					
6	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.0	60.8	0.5	0.0	63.7	34.2	60.3	0.0	0.0	63.2	40.8	60.4	0.0	0.0	63.3					
7	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.0	60.8	0.5	0.0	63.7	34.4	60.3	0.0	0.0	63.2	41.3	60.4	0.1	0.0	63.3					
8	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.0	60.8	0.5	0.0	63.7	34.6	60.3	0.0	0.0	63.2	41.7	60.4	0.1	0.0	63.3					
9	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.1	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.0	60.8	0.5	0.0	63.7	34.7	60.3	0.0	0.0	63.2	42.2	60.4	0.1	0.0	63.3					
10	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.1	60.8	0.5	0.0	63.7	50.6	60.7	0.4	0.0	63.6	51.2	60.8	0.5	0.0	63.7	34.9	60.3	0.0	0.0	63.2	42.2	60.4	0.1	0.0	63.3					
11	42	42D	60.3	63.2	47.0	60.5	0.2	0.0	63.4	51.2	60.8	0.5	0.0	63.7	50.7	60.8	0.5	0.0	63.7	51.3	60.8	0.5	0.0	63.7	35.2	60.3	0.0	0.0	63.2	42.3	60.4	0.1	0.0	63.3					
Top	42	42D	60.3	63.2	46.7	60.5	0.2	0.0	63.4	51.4	60.8	0.5	0.0	63.7	50.8	60.8	0.5	0.0	63.7	51.4	60.8	0.5	0.0	63.7	36.3	60.3	0.0	0.0	63.2	42.5	60.4	0.1	0.0	63.3					
1	43	43A	66.3	69.2	80.2	80.4	14.1	YES	83.3	82.8	82.9	16.6	YES	85.8	78.6	78.8	12.5	YES	81.7	63.0	68.0	1.7	0.0	70.9	42.7	66.3	0.0	0.0	69.2	51.2	66.4	0.1	0.0	69.3					
2	43	43A	68.0	70.9	80.0	80.3	12.3	YES	83.2	82.7	82.8	14.8	YES	85.7	78.7	79.1	11.1	YES	82.0	62.5	69.1	1.1	0.0	72.0	43.4	68.0	0.0	0.0	70.9	52.3	68.1	0.1	0.0	71.0					
3	43	43A	68.6	71.5	80.0	80.3	11.7	YES	83.2	82.6	82.8	14.2	YES	85.7	78.6	79.0	10.4	YES	81.9	61.9	69.4	0.8	0.0	72.3	44.4	68.6	0.0	0.0	71.5	53.4	68.7	0.1	0.0	71.6					
4	43	43A	68.8	71.7	79.9	80.2	11.4	YES	83.1	82.4	82.6	13.8	YES	85.5	78.6	79.0	10.2	YES	81.9	64.5	70.2	1.4	0.0	73.1	44.8	68.8	0.0	0.0	71.7	54.0	68.9	0.1	0.0	71.8					
5	43	43A	68.9	71.8	79.8	80.1	11.2	YES	83.0	82.2	82.4	13.5	YES	85.3	78.5	79.0	10.1	YES	81.9	64.5	70.2	1.3	0.0	73.1	44.9	68.9	0.0	0.0	71.8	54.3	69.0	0.1	0.0	71.9					
Top	43	43A	68.8	71.7	79.7	80.0	11.2	YES	82.9	81.9	82.1	13.3	YES	85.0	78.4	78.9	10.1	YES	81.8	64.5	70.2	1.4	0.0	73.1	44.9	68.8	0.0	0.0	71.7	54.4	69.0	0.2	0.0	71.9					
1	43	43B	63.5	66.4	84.0	84.0	20.5	YES	86.9	80.4	80.5	17.0	YES	83.4	76.9	77.1	13.6	YES	80.0	66.3	68.1	4.6	YES	71.0	37.6	63.5	0.0	0.0	66.4	45.0	63.6	0.1	0.0	66.5					
2	43	43B	65.0	67.9	83.9	84.0	19.0	YES	86.9	80.3	80.4	15.4	YES	83.3	76.8	77.1	12.1	YES	80.0	65.2	68.1	3.1	YES	71.0	38.0	65.0	0.0	0.0	67.9	46.1	65.1	0.1	0.0	68.0					
3	43	43B	66.1	69.0	83.8	83.9	17.8	YES	86.8	80.2	80.4	14.3	YES	83.3	76.8	77.2	11.1	YES	80.1	65.2	68.7	2.6	0.0	71.6	38.5	66.1	0.0	0.0	69.0	47.1	66.2	0.1	0.0	69.1					
4	43	43B	66.6	69.5	83.7	83.8	17.2	YES	86.7	80.1	80.3	13.7	YES	83.2	76.8	77.2	10.6	YES	80.1	64.8	68.8	2.2	0.0	71.7	39.0	66.6	0.0	0.0	69.5	48.1	66.7	0.1	0.0	69.6					
5	43	43B	66.8	69.7	83.5	83.6	16.8	YES	86.5	80.0	80.2	13.4	YES	83.1	76.7	77.1	10.3	YES	80.0	65.6	69.3	2.5	0.0	72.2	39.4	66.8	0.0	0.0	69.7	48.6	66.9	0.1	0.0	69.8					
Top	43	43B	66.9	69.8	83.3	83.4	16.5	YES	86.3	79.8	80.0	13.1	YES	82.9	76.6	77.0	10.1	YES	79.9	65.6	69.3	2.4	0.0	72.2	39.6	66.9	0.0	0.0	69.8	48.8	67.0	0.1	0.0	69.9					
1	43	43C	60.3	63.2	80.1	80.1	19.8	YES	83.0	71.2	71.5	11.2	YES	74.4	70.4	70.8	10.5	YES	73.7	68.4	69.0	8.7	YES	71.9	36.9	60.3	0.0	0.0	63.2	32.4	60.3	0.0	0.0	63.2					
2	43	43C	60.3	63.2	80.0	80.0	19.7	YES	82.9	70.8	71.2	10.9	YES	74.1	69.9	70.4	10.0	YES	73.3	67.0	67.8	7.5	YES	70.7	37.1	60.3	0.0	0.0	63.2	33.3	60.3	0.0	0.0	63.2					
3	43	43C	60.7	63.6	79.9	80.0	19.3	YES	82.9	70.8	71.2	10.5	YES	74.1	69.9	70.4	9.7	YES	73.3	66.9	67.8	7.1	YES	70.7	37.4	60.7	0.0	0.0	63.6	34.3	60.7	0.0	0.0	63.6					
4	43	43C	61.6	64.5	79.9	80.0	18.4	YES	82.9	70.8	71.3	9.7	YES	74.2	69.9	70.5	8.9	YES	73.4	66.9	68.0	6.4	YES	70.9	37.7	61.6	0.0	0.0	64.5	35.4	61.6	0.0	0.0	64.5					
5	43	43C	62.3	65.2	79.8	80.0	17.6	YES	82.8	70.7	71.3	9.0	YES	74.2	69.9	70.6	8.3	YES	73.5	66.9	68.2	5.9	YES	71.1	38.4	62.3	0.0	0.0	65.2	36.6	62.3	0.0							

ESCR
Construction Noise Analysis Nighttime Results

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10						
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total	
4	48	48A	61.4	59.3	18.2	61.4	0.0	0.0	59.3	62.5	65.0	3.6	0.0	62.9	55.9	62.5	1.1	0.0	60.4	42.9	61.5	0.1	0.0	59.4	47.1	61.6	0.2	0.0	59.5	49.9	61.7	0.3	0.0	59.6	
Top	48	48A	62.9	60.8	36.1	62.9	0.0	0.0	60.8	62.5	65.7	2.8	0.0	63.6	56.2	63.7	0.8	0.0	61.6	44.8	63.0	0.1	0.0	60.9	47.4	63.0	0.1	0.0	60.9	54.7	63.5	0.6	0.0	61.4	
1	49	49A	60.3	58.2	17.2	60.3	0.0	0.0	58.2	57.8	62.2	1.9	0.0	60.1	57.4	62.1	1.8	0.0	60.0	40.9	60.4	0.0	0.0	58.3	42.0	60.4	0.1	0.0	58.3	44.1	60.4	0.1	0.0	58.3	
2	49	49A	60.3	58.2	17.2	60.3	0.0	0.0	58.2	58.1	62.4	2.0	0.0	60.3	57.7	62.2	1.9	0.0	60.1	41.0	60.4	0.1	0.0	58.3	41.5	60.4	0.1	0.0	58.3	44.1	60.4	0.1	0.0	58.3	
3	49	49A	60.3	58.2	17.2	60.3	0.0	0.0	58.2	65.0	66.3	6.0	YES	64.2	57.9	62.3	2.0	0.0	60.2	41.3	60.4	0.1	0.0	58.3	41.0	60.4	0.1	0.0	58.3	44.0	60.4	0.1	0.0	58.3	
4	49	49A	60.3	58.2	17.2	60.3	0.0	0.0	58.2	65.1	66.3	6.0	YES	64.2	58.4	62.5	2.2	0.0	60.4	47.3	60.5	0.2	0.0	58.4	40.9	60.4	0.0	0.0	58.3	44.3	60.4	0.1	0.0	58.3	
Top	49	49A	60.4	58.3	17.6	60.4	0.0	0.0	58.3	65.1	66.4	6.0	YES	64.3	58.6	62.6	2.2	0.0	60.5	47.3	60.6	0.2	0.0	58.5	40.7	60.4	0.0	0.0	58.3	44.4	60.5	0.1	0.0	58.4	
1	50	50A	60.3	58.2	18.0	60.3	0.0	0.0	58.2	60.1	63.2	2.9	0.0	61.1	58.8	62.6	2.3	0.0	60.5	42.9	60.4	0.1	0.0	58.3	39.3	60.3	0.0	0.0	58.2	42.5	60.4	0.1	0.0	58.3	
2	50	50A	60.3	58.2	18.0	60.3	0.0	0.0	58.2	60.3	63.3	3.0	0.0	61.2	59.1	62.8	2.4	0.0	60.7	43.3	60.4	0.1	0.0	58.3	40.1	60.3	0.0	0.0	58.2	42.9	60.4	0.1	0.0	58.3	
3	50	50A	60.3	58.2	20.0	60.3	0.0	0.0	58.2	60.4	63.4	3.1	0.0	61.3	59.5	62.9	2.6	0.0	60.8	43.5	60.4	0.1	0.0	58.3	41.3	60.4	0.1	0.0	58.3	43.3	60.4	0.1	0.0	58.3	
4	50	50A	60.4	58.3	20.8	60.4	0.0	0.0	58.3	61.0	63.7	3.3	0.0	61.6	59.8	63.1	2.7	0.0	61.0	43.5	60.5	0.1	0.0	58.4	43.2	60.5	0.1	0.0	58.4	43.8	60.5	0.1	0.0	58.4	
Top	50	50A	60.3	58.2	21.7	60.3	0.0	0.0	58.2	67.5	68.3	8.0	YES	66.2	60.0	63.2	2.9	0.0	61.1	43.7	60.4	0.1	0.0	58.3	44.4	60.4	0.1	0.0	58.3	44.4	60.4	0.1	0.0	58.3	
1	51	51A	60.3	58.2	18.5	60.3	0.0	0.0	58.2	64.1	65.6	5.3	YES	63.5	59.1	62.8	2.4	0.0	60.7	47.0	60.5	0.2	0.0	58.4	39.8	60.3	0.0	0.0	58.2	41.7	60.4	0.1	0.0	58.3	
2	51	51A	60.3	58.2	18.5	60.3	0.0	0.0	58.2	69.5	70.0	9.7	YES	67.9	62.3	64.4	4.1	0.0	62.3	47.2	60.5	0.2	0.0	58.4	40.2	60.3	0.0	0.0	58.2	42.2	60.4	0.1	0.0	58.3	
3	51	51A	60.3	58.2	18.5	60.3	0.0	0.0	58.2	71.3	71.6	11.3	YES	69.5	63.1	64.9	4.6	0.0	62.8	54.0	61.2	0.9	0.0	59.1	40.8	60.4	0.0	0.0	58.3	42.5	60.4	0.1	0.0	58.3	
4	51	51A	60.3	58.2	18.5	60.3	0.0	0.0	58.2	71.3	71.6	11.3	YES	69.5	63.4	65.1	4.8	YES	63.0	54.0	61.2	0.9	0.0	59.1	41.7	60.4	0.1	0.0	58.3	42.7	60.4	0.1	0.0	58.3	
5	51	51A	60.3	58.2	18.5	60.3	0.0	0.0	58.2	71.3	71.6	11.3	YES	69.5	63.7	65.3	5.0	YES	63.2	54.0	61.2	0.9	0.0	59.1	43.1	60.4	0.1	0.0	58.3	42.8	60.4	0.1	0.0	58.3	
6	51	51A	60.4	58.3	18.5	60.4	0.0	0.0	58.3	71.3	71.6	11.2	YES	69.5	64.0	65.6	5.2	YES	63.5	54.0	61.3	0.9	0.0	59.2	43.3	60.5	0.1	0.0	58.4	42.9	60.5	0.1	0.0	58.4	
7	51	51A	60.5	58.4	18.5	60.5	0.0	0.0	58.4	71.3	71.6	11.1	YES	69.5	64.3	65.8	5.3	YES	63.7	53.9	61.4	0.9	0.0	59.3	43.4	60.6	0.1	0.0	58.5	43.2	60.6	0.1	0.0	58.5	
8	51	51A	60.8	58.7	18.5	60.8	0.0	0.0	58.7	71.4	71.8	11.0	YES	69.7	64.5	66.0	5.2	YES	63.9	53.9	61.6	0.8	0.0	59.5	43.4	60.9	0.1	0.0	58.8	43.7	60.9	0.1	0.0	58.8	
9	51	51A	61.1	59.0	18.5	61.1	0.0	0.0	59.0	71.5	71.9	10.8	YES	69.8	65.3	66.7	5.6	YES	64.6	53.9	61.9	0.8	0.0	59.8	44.4	61.2	0.1	0.0	59.1	45.0	61.2	0.1	0.0	59.1	
10	51	51A	61.4	59.3	18.5	61.4	0.0	0.0	59.3	71.6	72.0	10.6	YES	69.9	65.7	67.1	5.7	YES	65.0	53.9	62.1	0.7	0.0	60.0	44.4	61.5	0.1	0.0	59.4	44.9	61.5	0.1	0.0	59.4	
11	51	51A	61.7	59.6	18.5	61.7	0.0	0.0	59.6	71.6	72.0	10.3	YES	69.9	65.8	67.2	5.5	YES	65.1	53.8	62.4	0.7	0.0	60.3	45.2	61.8	0.1	0.0	59.7	45.4	61.8	0.1	0.0	59.7	
12	51	51A	61.9	59.8	18.5	61.9	0.0	0.0	59.8	71.5	72.0	10.1	YES	69.9	65.9	67.4	5.5	YES	65.3	53.8	62.5	0.6	0.0	60.4	45.6	62.0	0.1	0.0	59.9	45.6	62.0	0.1	0.0	59.9	
13	51	51A	62.1	60.0	18.5	62.1	0.0	0.0	60.0	71.5	72.0	9.9	YES	69.9	65.9	67.4	5.3	YES	65.3	53.8	62.7	0.6	0.0	60.6	46.4	62.2	0.1	0.0	60.1	45.6	62.2	0.1	0.0	60.1	
14	51	51A	62.3	60.2	18.5	62.3	0.0	0.0	60.2	71.4	71.9	9.6	YES	69.8	66.0	67.5	5.2	YES	65.4	53.8	62.9	0.6	0.0	60.8	47.8	62.5	0.2	0.0	60.4	45.7	62.4	0.1	0.0	60.3	
15	51	51A	62.3	60.2	18.8	62.3	0.0	0.0	60.2	71.4	71.9	9.6	YES	69.8	66.1	67.6	5.3	YES	65.5	53.7	62.9	0.6	0.0	60.8	47.8	62.5	0.2	0.0	60.4	45.8	62.4	0.1	0.0	60.3	
16	51	51A	62.4	60.3	20.9	62.4	0.0	0.0	60.3	71.4	71.9	9.5	YES	69.8	66.1	67.6	5.2	YES	65.5	53.7	62.9	0.5	0.0	60.8	47.8	62.5	0.1	0.0	60.4	45.8	62.5	0.1	0.0	60.4	
17	51	51A	62.4	60.3	24.3	62.4	0.0	0.0	60.3	71.3	71.8	9.4	YES	69.7	66.2	67.7	5.3	YES	65.6	53.6	62.9	0.5	0.0	60.8	47.8	62.5	0.1	0.0	60.4	45.8	62.5	0.1	0.0	60.4	
18	51	51A	62.4	60.3	29.8	62.4	0.0	0.0	60.3	71.3	71.8	9.4	YES	69.7	66.3	67.8	5.4	YES	65.7	53.6	62.9	0.5	0.0	60.8	47.8	62.5	0.1	0.0	60.4	45.8	62.5	0.1	0.0	60.4	
Top	51	51A	62.4	60.3	36.3	62.4	0.0	0.0	60.3	71.3	71.8	9.4	YES	69.7	66.3	67.8	5.4	YES	65.7	53.6	62.9	0.5	0.0	60.8	47.9	62.6	0.2	0.0	60.5	45.8	62.5	0.1	0.0	60.4	
1	52	52A	60.3	58.2	34.3	60.3	0.0	0.0	58.2	45.9	60.5	0.2	0.0	58.4	45.5	60.4	0.1	0.0	58.3	45.4	60.4	0.1	0.0	58.3	41.6	60.4	0.1	0.0	58.3	38.4	60.3	0.0	0.0	58.2	
2	52	52A	60.3	58.2	35.2	60.3	0.0	0.0	58.2	49.2	60.6	0.3	0.0	58.5	49.1	60.6	0.3	0.0	58.5	46.9	60.5	0.2	0.0	58.4	41.7	60.4	0.1	0.0	58.3	38.6	60.3	0.0	0.0	58.2	
3	52	52A	60.3	58.2	36.2	60.3	0.0	0.0	58.2	48.4	60.6	0.3	0.0	58.5	48.3	60.6	0.3	0.0	58.5	50.2	60.7	0.4	0.0	58.6	42.5	60.4	0.1	0.0	58.3	38.7	60.3	0.0	0.0	58.2	
4	52	52A	60.3	58.2	37.0	60.3	0.0	0.0	58.2	48.5	60.6	0.3	0.0	58.5	48.6	60.6	0.3	0.0	58.5	50.2	60.7	0.4	0.0	58.6	42.5	60.4	0.1	0.0							

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2					2020 Q4					2021 Q1					2021 Q4					2022 Q2					2022 Q4					2023 Q1				
					Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total	Leq			Exceed?	L10 Total					
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total
1	56	56A	60.3	64.8	31.6	60.3	0.0	0.0	64.8	37.6	60.3	0.0	0.0	64.8	37.9	60.3	0.0	0.0	64.8	38.6	60.3	0.0	0.0	64.8	34.6	60.3	0.0	0.0	64.8	39.3	60.3	0.0	0.0	64.8					
2	56	56A	60.3	64.8	31.7	60.3	0.0	0.0	64.8	37.6	60.3	0.0	0.0	64.8	38.1	60.3	0.0	0.0	64.8	38.7	60.3	0.0	0.0	64.8	34.8	60.3	0.0	0.0	64.8	40.2	60.3	0.0	0.0	64.8					
3	56	56A	60.3	64.8	31.8	60.3	0.0	0.0	64.8	37.6	60.3	0.0	0.0	64.8	38.1	60.3	0.0	0.0	64.8	38.6	60.3	0.0	0.0	64.8	34.9	60.3	0.0	0.0	64.8	40.5	60.4	0.0	0.0	64.9					
4	56	56A	60.3	64.8	32.1	60.3	0.0	0.0	64.8	37.8	60.3	0.0	0.0	64.8	38.3	60.3	0.0	0.0	64.8	38.7	60.3	0.0	0.0	64.8	35.1	60.3	0.0	0.0	64.8	41.1	60.4	0.1	0.0	64.9					
5	56	56A	60.3	64.8	32.6	60.3	0.0	0.0	64.8	38.0	60.3	0.0	0.0	64.8	38.6	60.3	0.0	0.0	64.8	38.9	60.3	0.0	0.0	64.8	35.3	60.3	0.0	0.0	64.8	41.6	60.4	0.1	0.0	64.9					
6	56	56A	60.3	64.8	33.3	60.3	0.0	0.0	64.8	38.4	60.3	0.0	0.0	64.8	39.1	60.3	0.0	0.0	64.8	39.1	60.3	0.0	0.0	64.8	35.5	60.3	0.0	0.0	64.8	42.0	60.4	0.1	0.0	64.9					
7	56	56A	60.3	64.8	34.4	60.3	0.0	0.0	64.8	39.0	60.3	0.0	0.0	64.8	39.9	60.3	0.0	0.0	64.8	39.4	60.3	0.0	0.0	64.8	35.7	60.3	0.0	0.0	64.8	42.4	60.4	0.1	0.0	64.9					
8	56	56A	60.3	64.8	35.9	60.3	0.0	0.0	64.8	40.0	60.3	0.0	0.0	64.8	41.0	60.4	0.1	0.0	64.9	39.9	60.3	0.0	0.0	64.8	35.9	60.3	0.0	0.0	64.8	42.8	60.4	0.1	0.0	64.9					
9	56	56A	60.3	64.8	38.0	60.3	0.0	0.0	64.8	41.4	60.4	0.1	0.0	64.9	42.6	60.4	0.1	0.0	64.9	40.6	60.4	0.0	0.0	64.9	36.1	60.3	0.0	0.0	64.8	43.1	60.4	0.1	0.0	64.9					
10	56	56A	60.3	64.8	40.7	60.4	0.0	0.0	64.9	43.3	60.4	0.1	0.0	64.9	44.7	60.4	0.1	0.0	64.9	41.7	60.4	0.1	0.0	64.9	36.6	60.3	0.0	0.0	64.8	43.5	60.4	0.1	0.0	64.9					
11	56	56A	60.3	64.8	43.4	60.4	0.1	0.0	64.9	45.8	60.5	0.2	0.0	65.0	47.3	60.5	0.2	0.0	65.0	43.2	60.4	0.1	0.0	64.9	37.1	60.3	0.0	0.0	64.8	43.9	60.4	0.1	0.0	64.9					
Top	56	56A	60.3	64.8	45.1	60.4	0.1	0.0	64.9	47.9	60.5	0.2	0.0	65.0	49.5	60.7	0.3	0.0	65.2	45.1	60.4	0.1	0.0	64.9	37.8	60.3	0.0	0.0	64.8	44.4	60.4	0.1	0.0	64.9					
1	57	57A	60.3	64.8	32.0	60.3	0.0	0.0	64.8	38.1	60.3	0.0	0.0	64.8	38.6	60.3	0.0	0.0	64.8	38.4	60.3	0.0	0.0	64.8	33.2	60.3	0.0	0.0	64.8	39.4	60.3	0.0	0.0	64.8					
2	57	57A	60.3	64.8	31.8	60.3	0.0	0.0	64.8	37.8	60.3	0.0	0.0	64.8	38.3	60.3	0.0	0.0	64.8	38.2	60.3	0.0	0.0	64.8	33.2	60.3	0.0	0.0	64.8	39.9	60.3	0.0	0.0	64.8					
3	57	57A	60.3	64.8	31.6	60.3	0.0	0.0	64.8	37.6	60.3	0.0	0.0	64.8	38.0	60.3	0.0	0.0	64.8	38.1	60.3	0.0	0.0	64.8	33.3	60.3	0.0	0.0	64.8	40.3	60.3	0.0	0.0	64.8					
4	57	57A	60.3	64.8	31.4	60.3	0.0	0.0	64.8	37.4	60.3	0.0	0.0	64.8	37.8	60.3	0.0	0.0	64.8	38.0	60.3	0.0	0.0	64.8	33.4	60.3	0.0	0.0	64.8	40.7	60.4	0.0	0.0	64.9					
5	57	57A	60.3	64.8	31.2	60.3	0.0	0.0	64.8	37.2	60.3	0.0	0.0	64.8	37.6	60.3	0.0	0.0	64.8	37.9	60.3	0.0	0.0	64.8	33.6	60.3	0.0	0.0	64.8	41.1	60.4	0.1	0.0	64.9					
6	57	57A	60.3	64.8	31.0	60.3	0.0	0.0	64.8	37.2	60.3	0.0	0.0	64.8	37.5	60.3	0.0	0.0	64.8	37.9	60.3	0.0	0.0	64.8	33.7	60.3	0.0	0.0	64.8	41.5	60.4	0.1	0.0	64.9					
7	57	57A	60.3	64.8	30.8	60.3	0.0	0.0	64.8	37.1	60.3	0.0	0.0	64.8	37.5	60.3	0.0	0.0	64.8	38.0	60.3	0.0	0.0	64.8	33.8	60.3	0.0	0.0	64.8	42.0	60.4	0.1	0.0	64.9					
8	57	57A	60.3	64.8	30.6	60.3	0.0	0.0	64.8	37.2	60.3	0.0	0.0	64.8	37.5	60.3	0.0	0.0	64.8	38.0	60.3	0.0	0.0	64.8	34.0	60.3	0.0	0.0	64.8	42.4	60.4	0.1	0.0	64.9					
9	57	57A	60.3	64.8	30.5	60.3	0.0	0.0	64.8	37.2	60.3	0.0	0.0	64.8	37.6	60.3	0.0	0.0	64.8	38.1	60.3	0.0	0.0	64.8	34.2	60.3	0.0	0.0	64.8	42.8	60.4	0.1	0.0	64.9					
10	57	57A	60.3	64.8	30.5	60.3	0.0	0.0	64.8	37.7	60.3	0.0	0.0	64.8	38.4	60.3	0.0	0.0	64.8	38.3	60.3	0.0	0.0	64.8	34.6	60.3	0.0	0.0	64.8	43.2	60.4	0.1	0.0	64.9					
11	57	57A	60.3	64.8	30.2	60.3	0.0	0.0	64.8	38.9	60.3	0.0	0.0	64.8	39.8	60.3	0.0	0.0	64.8	38.5	60.3	0.0	0.0	64.8	35.1	60.3	0.0	0.0	64.8	43.6	60.4	0.1	0.0	64.9					
Top	57	57A	60.3	64.8	34.0	60.3	0.0	0.0	64.8	42.5	60.4	0.1	0.0	64.9	44.1	60.4	0.1	0.0	64.9	39.6	60.3	0.0	0.0	64.8	35.6	60.3	0.0	0.0	64.8	44.3	60.4	0.1	0.0	64.9					
1	58	58A	60.3	64.8	33.4	60.3	0.0	0.0	64.8	40.1	60.3	0.0	0.0	64.8	41.2	60.4	0.1	0.0	64.9	39.7	60.3	0.0	0.0	64.8	32.9	60.3	0.0	0.0	64.8	39.9	60.3	0.0	0.0	64.8					
2	58	58A	60.3	64.8	33.1	60.3	0.0	0.0	64.8	39.8	60.3	0.0	0.0	64.8	41.3	60.4	0.1	0.0	64.9	39.4	60.3	0.0	0.0	64.8	32.9	60.3	0.0	0.0	64.8	40.3	60.3	0.0	0.0	64.8					
3	58	58A	60.3	64.8	32.9	60.3	0.0	0.0	64.8	39.4	60.3	0.0	0.0	64.8	40.9	60.4	0.0	0.0	64.9	39.2	60.3	0.0	0.0	64.8	33.1	60.3	0.0	0.0	64.8	40.6	60.4	0.0	0.0	64.9					
4	58	58A	60.3	64.8	32.6	60.3	0.0	0.0	64.8	39.2	60.3	0.0	0.0	64.8	40.5	60.4	0.0	0.0	64.9	39.0	60.3	0.0	0.0	64.8	33.2	60.3	0.0	0.0	64.8	41.0	60.4	0.1	0.0	64.9					
5	58	58A	60.3	64.8	32.4	60.3	0.0	0.0	64.8	39.0	60.3	0.0	0.0	64.8	40.3	60.3	0.0	0.0	64.8	39.0	60.3	0.0	0.0	64.8	33.4	60.3	0.0	0.0	64.8	41.3	60.4	0.1	0.0	64.9					
6	58	58A	60.3	64.8	32.1	60.3	0.0	0.0	64.8	38.9	60.3	0.0	0.0	64.8	40.3	60.3	0.0	0.0	64.8	39.1	60.3	0.0	0.0	64.8	33.5	60.3	0.0	0.0	64.8	41.7	60.4	0.1	0.0	64.9					
7	58	58A	60.3	64.8	31.9	60.3	0.0	0.0	64.8	38.9	60.3	0.0	0.0	64.8	40.2	60.3	0.0	0.0	64.8	39.1	60.3	0.0	0.0	64.8	33.7	60.3	0.0	0.0	64.8	42.0	60.4	0.1	0.0	64.9					
8	58	58A	60.3	64.8	33.1	60.3	0.0	0.0	64.8	39.5	60.3	0.0	0.0	64.8	40.7	60.4	0.0	0.0	64.9	39.3	60.3	0.0	0.0	64.8	33.9	60.3	0.0	0.0	64.8	42.4	60.4	0.1	0.0	64.9					
9	58	58A	60.3	64.8	33.1	60.3	0.0	0.0	64.8	41.0	60.4	0.1	0.0	64.9	45.0	60.4	0.1	0.0	64.9	40.5	60.4	0.0	0.0	64.9	34.1	60.3	0.0	0.0	64.8	42.8	60.4	0.1	0.0	64.9					
10	58	58A	60.3	64.8	33.1	60.3	0.0	0.0	64.8	41.3	60.4	0.1	0.0	64.9	45.1	60.4	0.1	0.0	64.9	40.6	60.4	0.0	0.0	64.9	34.4	60.3	0.0	0.0	64.8	43.1	60.4	0.1	0.0	64.9					
11	58	58A	60.3	64.8	33.3	60.3	0.0	0.0	64.8	41.9	60.4	0.1	0.0	64.9	45.4	60.4	0.1	0.0	64.9	40.9	60.4	0.0	0.0	64.9	34.8	60.3	0.0	0.0	64.8	43.5	60.4	0.1	0.0	64.9					
12	58	58A	60.3	64.8	33.5	60.3	0.0	0.0	64.8	42.9	60.4	0.1	0.0	64.9	46.0	60.5	0.2	0.0	65.0	41.4	60.4	0.1	0.0	64.9	35.2	60.3	0.0	0.0	64.8	43.9	60.4	0.1	0.0	64.9					
Top	58	58A	60.3	64.8	33.6	60.3	0.0	0.0	64.8	44.1	60.4	0.1	0.0	64.9	46.8	60.5	0.2	0.0	65.0	42.2	60.4	0.1	0.0	64.9	35.2	60.3	0.0	0.0	64.8	44.9	60.4	0.1	0.0	64.9					
1	59	59A	60.3	64.8	31.2	60.3	0.0	0.0	64.8	38.7	60.3	0.0	0.0	64.8	39.5	60.3	0.0	0.0	64.8	38.8	60.3	0.0	0.0	64.8	31.6	60.3	0.0	0.0	64.8	37.1	60.3	0.0	0.0	64.8					
2	59	59A	60.3	64.8	31.1	60.3	0.0	0.0	64.8	38.6	60.3	0.0	0.0	64.8	39.6	60.3	0.0																						

ESCR
Construction Noise Analysis Nighttime Results

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2							2020 Q4							2021 Q1							2021 Q4							2022 Q2							2022 Q4							2023 Q1						
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10														
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change	Const	Total	Change	Const	Total	Change					
2	63	63A	60.3	64.8	46.0	60.5	0.2	0.0	65.0	53.1	61.1	0.8	0.0	65.6	51.0	60.8	0.5	0.0	65.3	59.0	62.7	2.4	0.0	67.2	34.1	60.3	0.0	0.0	64.8	40.6	60.4	0.0	0.0	64.9																			
3	63	63A	60.3	64.8	46.1	60.5	0.2	0.0	65.0	53.0	61.0	0.7	0.0	65.5	51.0	60.8	0.5	0.0	65.3	58.2	62.4	2.1	0.0	66.9	34.2	60.3	0.0	0.0	64.8	41.0	60.4	0.1	0.0	64.9																			
4	63	63A	60.3	64.8	46.4	60.5	0.2	0.0	65.0	53.1	61.1	0.8	0.0	65.6	51.2	60.8	0.5	0.0	65.3	58.1	62.4	2.0	0.0	66.9	34.3	60.3	0.0	0.0	64.8	41.4	60.4	0.1	0.0	64.9																			
5	63	63A	60.3	64.8	46.9	60.5	0.2	0.0	65.0	53.1	61.1	0.8	0.0	65.6	51.5	60.8	0.5	0.0	65.3	58.1	62.4	2.0	0.0	66.9	34.6	60.3	0.0	0.0	64.8	41.9	60.4	0.1	0.0	64.9																			
6	63	63A	60.3	64.8	47.4	60.5	0.2	0.0	65.0	53.2	61.1	0.8	0.0	65.6	51.9	60.9	0.6	0.0	65.4	58.1	62.4	2.0	0.0	66.9	34.7	60.3	0.0	0.0	64.8	42.3	60.4	0.1	0.0	64.9																			
7	63	63A	60.3	64.8	50.8	60.8	0.5	0.0	65.3	54.1	61.2	0.9	0.0	65.7	54.6	61.3	1.0	0.0	65.8	58.4	62.5	2.2	0.0	67.0	34.9	60.3	0.0	0.0	64.8	42.7	60.4	0.1	0.0	64.9																			
8	63	63A	60.3	64.8	51.7	60.9	0.6	0.0	65.4	54.3	61.3	1.0	0.0	65.8	55.5	61.5	1.2	0.0	66.0	58.5	62.5	2.2	0.0	67.0	35.0	60.3	0.0	0.0	64.8	43.0	60.4	0.1	0.0	64.9																			
9	63	63A	60.3	64.8	52.6	61.0	0.7	0.0	65.5	54.5	61.3	1.0	0.0	65.8	56.5	61.8	1.5	0.0	66.3	58.6	62.5	2.2	0.0	67.0	35.4	60.3	0.0	0.0	64.8	43.4	60.4	0.1	0.0	64.9																			
10	63	63A	60.3	64.8	53.5	61.1	0.8	0.0	65.6	54.7	61.4	1.1	0.0	65.9	57.6	62.2	1.9	0.0	66.7	58.7	62.6	2.3	0.0	67.1	35.8	60.3	0.0	0.0	64.8	43.7	60.4	0.1	0.0	64.9																			
11	63	63A	60.3	64.8	54.3	61.3	1.0	0.0	65.8	55.0	61.4	1.1	0.0	65.9	58.8	62.6	2.3	0.0	67.1	58.2	62.4	2.1	0.0	66.9	36.7	60.3	0.0	0.0	64.8	44.4	60.4	0.1	0.0	64.9																			
Top	63	63A	60.3	64.8	54.7	61.4	1.1	0.0	65.9	55.3	61.5	1.2	0.0	66.0	59.6	63.0	2.7	0.0	67.5	58.5	62.5	2.2	0.0	67.0	37.3	60.3	0.0	0.0	64.8	44.9	60.4	0.1	0.0	64.9																			
1	64	64A	60.3	64.8	36.4	60.3	0.0	0.0	64.8	56.3	61.8	1.5	0.0	66.3	57.0	62.0	1.7	0.0	66.5	62.1	64.3	4.0	0.0	68.8	61.9	64.2	3.9	0.0	68.7	37.8	60.3	0.0	0.0	64.8																			
2	64	64A	60.3	64.8	36.6	60.3	0.0	0.0	64.8	56.6	61.8	1.5	0.0	66.3	57.2	62.0	1.7	0.0	66.5	65.3	66.5	6.2	YES	71.0	65.3	66.5	6.2	YES	71.0	38.4	60.3	0.0	0.0	64.8																			
3	64	64A	60.3	64.8	36.7	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.5	64.0	3.6	0.0	68.5	65.5	66.6	6.3	YES	71.1	65.4	66.6	6.3	YES	71.1	38.8	60.3	0.0	0.0	64.8																			
4	64	64A	60.3	64.8	36.8	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.6	64.0	3.7	0.0	68.5	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	39.3	60.3	0.0	0.0	64.8																			
5	64	64A	60.3	64.8	37.0	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.6	64.0	3.7	0.0	68.5	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	39.8	60.3	0.0	0.0	64.8																			
6	64	64A	60.3	64.8	37.2	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.7	64.1	3.8	0.0	68.6	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	40.3	60.3	0.0	0.0	64.8																			
7	64	64A	60.3	64.8	37.4	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.7	64.1	3.8	0.0	68.6	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	40.9	60.4	0.0	0.0	64.9																			
8	64	64A	60.3	64.8	37.6	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.7	64.1	3.8	0.0	68.6	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	41.5	60.4	0.1	0.0	64.9																			
9	64	64A	60.3	64.8	37.5	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.7	64.1	3.8	0.0	68.6	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	42.1	60.4	0.1	0.0	64.9																			
Top	64	64A	60.3	64.8	37.6	60.3	0.0	0.0	64.8	61.0	63.7	3.4	0.0	68.2	61.7	64.1	3.8	0.0	68.6	66.5	67.4	7.1	YES	71.9	66.5	67.4	7.1	YES	71.9	41.0	60.4	0.1	0.0	64.9																			
1	65	65A	60.3	62.0	34.3	60.3	0.0	0.0	62.0	55.1	61.5	1.1	0.0	63.2	55.6	61.6	1.3	0.0	63.3	60.1	63.2	2.9	0.0	64.9	60.1	63.2	2.9	0.0	64.9	35.1	60.3	0.0	0.0	62.0																			
2	65	65A	60.3	62.0	34.4	60.3	0.0	0.0	62.0	54.4	61.3	1.0	0.0	63.0	54.9	61.4	1.1	0.0	63.1	68.4	69.0	8.7	YES	70.7	68.4	69.0	8.7	YES	70.7	35.4	60.3	0.0	0.0	62.0																			
3	65	65A	60.3	62.0	34.5	60.3	0.0	0.0	62.0	55.0	61.4	1.1	0.0	63.1	55.5	61.5	1.2	0.0	63.2	67.4	68.2	7.9	YES	69.9	67.4	68.2	7.9	YES	69.9	35.6	60.3	0.0	0.0	62.0																			
4	65	65A	60.3	62.0	34.6	60.3	0.0	0.0	62.0	57.9	62.3	2.0	0.0	64.0	58.3	62.4	2.1	0.0	64.1	67.2	68.0	7.7	YES	69.7	67.2	68.0	7.7	YES	69.7	35.7	60.3	0.0	0.0	62.0																			
5	65	65A	60.3	62.0	34.7	60.3	0.0	0.0	62.0	59.2	62.8	2.5	0.0	64.5	59.7	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	35.9	60.3	0.0	0.0	62.0																			
6	65	65A	60.3	62.0	35.0	60.3	0.0	0.0	62.0	59.2	62.8	2.5	0.0	64.5	59.7	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	36.1	60.3	0.0	0.0	62.0																			
7	65	65A	60.3	62.0	35.1	60.3	0.0	0.0	62.0	59.2	62.8	2.5	0.0	64.5	59.7	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	36.3	60.3	0.0	0.0	62.0																			
8	65	65A	60.3	62.0	35.4	60.3	0.0	0.0	62.0	59.2	62.8	2.5	0.0	64.5	59.7	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	36.6	60.3	0.0	0.0	62.0																			
9	65	65A	60.3	62.0	35.5	60.3	0.0	0.0	62.0	59.1	62.8	2.4	0.0	64.5	59.6	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	37.2	60.3	0.0	0.0	62.0																			
10	65	65A	60.3	62.0	35.6	60.3	0.0	0.0	62.0	59.1	62.8	2.4	0.0	64.5	59.6	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	38.1	60.3	0.0	0.0	62.0																			
Top	65	65A	60.3	62.0	35.2	60.3	0.0	0.0	62.0	59.1	62.8	2.4	0.0	64.5	59.6	63.0	2.7	0.0	64.7	67.3	68.1	7.8	YES	69.8	67.3	68.1	7.8	YES	69.8	38.9	60.3	0.0	0.0	62.0																			
1	66	66A	60.3	62.0	29.7	60.3	0.0	0.0	62.0	36.3	60.3	0.0	0.0	62.0	36.6	60.3	0.0	0.0	62.0	40.2	60.3	0.0	0.0	62.0	39.1	60.3	0.0	0.0	62.0	33.9	60.3	0.0	0.0	62.0																			
2	66	66A	60.3	62.0	29.7	60.3	0.0	0.0	62.0	36.3	60.3	0.0	0.0	62.0	36.6	60.3	0.0	0.0	62.0	39.9	60.3	0.0	0.0	62.0	38.8	60.3	0.0	0.0	62.0	33.8	60.3	0.0	0.0	62.0																			
3	66	66A	60.3	62.0	29.6	60.3	0.0	0.0	62.0	36.4	60.3	0.0	0.0	62.0	36.7																																						

**ESCR
Construction Noise Analysis Nighttime Results**

No Night Piles 2023 Q1

Elevation (floor)	Receptor ID	Receptor ID	Existing Leq(1)	Existing L10	2020 Q2				2020 Q4				2021 Q1				2021 Q4				2022 Q2				2022 Q4				2023 Q1					
					Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?	L10	Leq			Exceed?		L10				
					Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change			Const	Total	Change				Const	Total	Change	
8	69	69A	60.3	62.0	33.5	60.3	0.0	0.0	62.0	44.4	60.4	0.1	0.0	62.1	44.9	60.4	0.1	0.0	62.1	59.4	62.9	2.6	0.0	64.6	59.3	62.8	2.5	0.0	64.5	64.1	65.6	5.3	YES	67.3
9	69	69A	60.3	62.0	33.6	60.3	0.0	0.0	62.0	44.4	60.4	0.1	0.0	62.1	44.9	60.4	0.1	0.0	62.1	59.7	63.0	2.7	0.0	64.7	59.0	62.7	2.4	0.0	64.4	64.1	65.6	5.3	YES	67.3
10	69	69A	60.3	62.0	33.9	60.3	0.0	0.0	62.0	44.5	60.4	0.1	0.0	62.1	45.0	60.4	0.1	0.0	62.1	59.6	63.0	2.7	0.0	64.7	58.7	62.6	2.3	0.0	64.3	64.0	65.5	5.2	YES	67.2
11	69	69A	60.3	62.0	34.0	60.3	0.0	0.0	62.0	45.0	60.4	0.1	0.0	62.1	45.4	60.4	0.1	0.0	62.1	62.2	64.4	4.1	0.0	66.1	58.9	62.7	2.4	0.0	64.4	64.0	65.5	5.2	YES	67.2
12	69	69A	60.3	62.0	34.1	60.3	0.0	0.0	62.0	45.1	60.4	0.1	0.0	62.1	45.6	60.5	0.1	0.0	62.2	62.4	64.5	4.2	0.0	66.2	59.7	63.0	2.7	0.0	64.7	63.9	65.5	5.2	YES	67.2
13	69	69A	60.3	62.0	34.2	60.3	0.0	0.0	62.0	44.4	60.4	0.1	0.0	62.1	44.9	60.4	0.1	0.0	62.1	62.8	64.7	4.4	0.0	66.4	60.6	63.5	3.2	0.0	65.2	63.9	65.5	5.2	YES	67.2
14	69	69A	60.3	62.0	34.2	60.3	0.0	0.0	62.0	45.4	60.4	0.1	0.0	62.1	45.8	60.5	0.2	0.0	62.2	62.8	64.7	4.4	0.0	66.4	62.0	64.2	3.9	0.0	65.9	63.8	65.4	5.1	YES	67.1
15	69	69A	60.3	62.0	34.3	60.3	0.0	0.0	62.0	48.5	60.6	0.3	0.0	62.3	49.0	60.6	0.3	0.0	62.3	62.8	64.7	4.4	0.0	66.4	63.1	64.9	4.6	0.0	66.6	63.8	65.4	5.1	YES	67.1
16	69	69A	60.3	62.0	34.3	60.3	0.0	0.0	62.0	48.7	60.6	0.3	0.0	62.3	49.2	60.6	0.3	0.0	62.3	62.8	64.7	4.4	0.0	66.4	63.1	64.9	4.6	0.0	66.6	63.7	65.3	5.0	YES	67.0
Top	69	69A	60.3	62.0	34.4	60.3	0.0	0.0	62.0	48.7	60.6	0.3	0.0	62.3	49.2	60.6	0.3	0.0	62.3	62.7	64.7	4.4	0.0	66.4	63.1	64.9	4.6	0.0	66.6	63.7	65.3	5.0	YES	67.0
1	70	70A	60.3	62.0	21.2	60.3	0.0	0.0	62.0	26.4	60.3	0.0	0.0	62.0	26.6	60.3	0.0	0.0	62.0	54.9	61.4	1.1	0.0	63.1	53.7	61.2	0.9	0.0	62.9	60.5	63.4	3.1	0.0	65.1
2	70	70A	60.3	62.0	21.7	60.3	0.0	0.0	62.0	26.6	60.3	0.0	0.0	62.0	26.8	60.3	0.0	0.0	62.0	55.7	61.6	1.3	0.0	63.3	54.9	61.4	1.1	0.0	63.1	59.4	62.9	2.6	0.0	64.6
3	70	70A	60.3	62.0	22.7	60.3	0.0	0.0	62.0	27.0	60.3	0.0	0.0	62.0	27.2	60.3	0.0	0.0	62.0	55.9	61.7	1.3	0.0	63.4	55.1	61.5	1.1	0.0	63.2	59.4	62.9	2.6	0.0	64.6
4	70	70A	60.3	62.0	23.8	60.3	0.0	0.0	62.0	27.6	60.3	0.0	0.0	62.0	27.7	60.3	0.0	0.0	62.0	56.4	61.8	1.5	0.0	63.5	55.4	61.5	1.2	0.0	63.2	60.3	63.3	3.0	0.0	65.0
5	70	70A	60.3	62.0	24.2	60.3	0.0	0.0	62.0	27.9	60.3	0.0	0.0	62.0	28.0	60.3	0.0	0.0	62.0	61.9	64.2	3.9	0.0	65.9	55.8	61.6	1.3	0.0	63.3	60.3	63.3	3.0	0.0	65.0
6	70	70A	60.3	62.0	24.9	60.3	0.0	0.0	62.0	28.3	60.3	0.0	0.0	62.0	28.4	60.3	0.0	0.0	62.0	61.9	64.2	3.9	0.0	65.9	55.7	61.6	1.3	0.0	63.3	57.3	62.1	1.8	0.0	63.8
7	70	70A	60.3	62.0	25.5	60.3	0.0	0.0	62.0	28.8	60.3	0.0	0.0	62.0	28.7	60.3	0.0	0.0	62.0	62.6	64.6	4.3	0.0	66.3	60.5	63.4	3.1	0.0	65.1	61.7	64.1	3.8	0.0	65.8
8	70	70A	60.3	62.0	26.1	60.3	0.0	0.0	62.0	29.4	60.3	0.0	0.0	62.0	29.1	60.3	0.0	0.0	62.0	62.6	64.6	4.3	0.0	66.3	60.6	63.5	3.2	0.0	65.2	62.1	64.3	4.0	0.0	66.0
9	70	70A	60.3	62.0	26.5	60.3	0.0	0.0	62.0	29.7	60.3	0.0	0.0	62.0	29.4	60.3	0.0	0.0	62.0	62.6	64.6	4.3	0.0	66.3	60.6	63.5	3.2	0.0	65.2	62.4	64.5	4.2	0.0	66.2
10	70	70A	60.3	62.0	27.2	60.3	0.0	0.0	62.0	30.3	60.3	0.0	0.0	62.0	29.8	60.3	0.0	0.0	62.0	62.7	64.7	4.4	0.0	66.4	60.6	63.5	3.2	0.0	65.2	62.4	64.5	4.2	0.0	66.2
11	70	70A	60.3	62.0	27.6	60.3	0.0	0.0	62.0	30.7	60.3	0.0	0.0	62.0	30.1	60.3	0.0	0.0	62.0	63.0	64.9	4.6	0.0	66.6	60.6	63.5	3.2	0.0	65.2	62.5	64.6	4.2	0.0	66.3
12	70	70A	60.3	62.0	27.8	60.3	0.0	0.0	62.0	30.9	60.3	0.0	0.0	62.0	30.3	60.3	0.0	0.0	62.0	63.2	65.0	4.7	YES	66.7	60.9	63.6	3.3	0.0	65.3	63.7	65.3	5.0	YES	67.0
13	70	70A	60.3	62.0	28.0	60.3	0.0	0.0	62.0	31.1	60.3	0.0	0.0	62.0	30.5	60.3	0.0	0.0	62.0	63.2	65.0	4.7	YES	66.7	60.9	63.6	3.3	0.0	65.3	63.7	65.3	5.0	YES	67.0
14	70	70A	60.3	62.0	28.5	60.3	0.0	0.0	62.0	31.6	60.3	0.0	0.0	62.0	30.8	60.3	0.0	0.0	62.0	63.2	65.0	4.7	YES	66.7	60.9	63.6	3.3	0.0	65.3	63.7	65.3	5.0	YES	67.0
15	70	70A	60.3	62.0	28.7	60.3	0.0	0.0	62.0	31.8	60.3	0.0	0.0	62.0	31.1	60.3	0.0	0.0	62.0	63.2	65.0	4.7	YES	66.7	60.9	63.6	3.3	0.0	65.3	63.7	65.3	5.0	YES	67.0
16	70	70A	60.3	62.0	28.8	60.3	0.0	0.0	62.0	32.1	60.3	0.0	0.0	62.0	31.4	60.3	0.0	0.0	62.0	63.2	65.0	4.7	YES	66.7	60.9	63.6	3.3	0.0	65.3	63.7	65.3	5.0	YES	67.0
17	70	70A	60.3	62.0	29.0	60.3	0.0	0.0	62.0	32.4	60.3	0.0	0.0	62.0	31.8	60.3	0.0	0.0	62.0	63.2	65.0	4.7	YES	66.7	60.8	63.6	3.3	0.0	65.3	63.6	65.3	5.0	YES	67.0
18	70	70A	60.3	62.0	29.1	60.3	0.0	0.0	62.0	32.6	60.3	0.0	0.0	62.0	32.1	60.3	0.0	0.0	62.0	63.1	64.9	4.6	0.0	66.6	60.8	63.6	3.3	0.0	65.3	63.6	65.3	5.0	YES	67.0
19	70	70A	60.3	62.0	29.1	60.3	0.0	0.0	62.0	32.9	60.3	0.0	0.0	62.0	32.5	60.3	0.0	0.0	62.0	63.1	64.9	4.6	0.0	66.6	60.8	63.6	3.3	0.0	65.3	63.6	65.3	5.0	YES	67.0
20	70	70A	60.3	62.0	29.3	60.3	0.0	0.0	62.0	33.4	60.3	0.0	0.0	62.0	33.1	60.3	0.0	0.0	62.0	63.1	64.9	4.6	0.0	66.6	60.8	63.6	3.3	0.0	65.3	63.4	65.1	4.8	YES	66.8
21	70	70A	60.3	62.0	29.4	60.3	0.0	0.0	62.0	33.9	60.3	0.0	0.0	62.0	33.8	60.3	0.0	0.0	62.0	63.1	64.9	4.6	0.0	66.6	60.6	63.5	3.2	0.0	65.2	63.4	65.1	4.8	YES	66.8
22	70	70A	60.3	62.0	29.4	60.3	0.0	0.0	62.0	34.6	60.3	0.0	0.0	62.0	34.6	60.3	0.0	0.0	62.0	63.0	64.9	4.6	0.0	66.6	60.6	63.5	3.2	0.0	65.2	63.4	65.1	4.8	YES	66.8
23	70	70A	60.3	62.0	29.6	60.3	0.0	0.0	62.0	35.5	60.3	0.0	0.0	62.0	35.6	60.3	0.0	0.0	62.0	63.0	64.9	4.6	0.0	66.6	60.6	63.5	3.2	0.0	65.2	63.3	65.1	4.8	YES	66.8
24	70	70A	60.3	62.0	29.7	60.3	0.0	0.0	62.0	36.7	60.3	0.0	0.0	62.0	36.9	60.3	0.0	0.0	62.0	63.0	64.9	4.6	0.0	66.6	60.5	63.4	3.1	0.0	65.1	63.3	65.1	4.8	YES	66.8
25	70	70A	60.3	62.0	29.8	60.3	0.0	0.0	62.0	38.1	60.3	0.0	0.0	62.0	38.5	60.3	0.0	0.0	62.0	62.9	64.8	4.5	0.0	66.5	60.5	63.4	3.1	0.0	65.1	63.2	65.0	4.7	YES	66.7
Top	70	70A	60.3	62.0	29.9	60.3	0.0	0.0	62.0	39.8	60.3	0.0	0.0	62.0	40.2	60.3	0.0	0.0	62.0	62.7	64.7	4.4	0.0	66.4	60.0	63.2	2.9	0.0	64.9	61.0	63.7	3.4	0.0	65.4